STATE

OF

RHODE ISLAND AND PROVIDENCE PLANTATIONS

DEPARTMENT OF HEALTH

VITAL STATISTICS -- 1979

STATE OF
RHODE ISLAND

DEPARTMENT OF
HEALTH

Joseph E. Cannon, M.D., M.P.H.
Director of Health

Lera L. O'Hara, Administrator
Division of Vital Statistics

Edward J. Martin
Principal Research Technician

PREFACE

The information tabulated in this report was derived chiefly from certificates of birth, death, marriage, divorce, and fetal death filed in the Division of Vital Statistics, as required by state law, for vital events occurring in Rhode Island. Information was also extracted from transcripts of birth and death certificates, filed in other states, for vital events occurring there to Rhode Island residents.

The filing and editing of the Rhode Island vital records, as well as the extracting and converting to machine-readable form of data contained on the certificates, were carried out by the Division of Vital Statistics, with partial support from federal contract HRA-230-76-0248. This contract with the National Center for Health Statistics represents the participation of the Department of Health in the vital statistics component of the Cooperative Health Statistics System.



Joseph E. Cannon, M.D., M.P.H.
DIRECTOR OF HEALTH

November, 1980

TABLE OF CONTENTS

		Page
Introduction	. . . . .	1
Table A	Vital Statistics Summary	1
Figure 1	Population Densities of Rhode Island Cities and Towns, 1970	2
Figure 2	Crude Birth and Death Rates per 1,000 Population: Rhode Island, 1950-1979	4
Table B	Rhode Island Occurrence Births at Home, 1972-1979	5
Figure 3	Birth Out-of-Wedlock Ratios by Age of Mother: Rhode Island Residents, 1965-1979	6
Figure 4	Infant and Neonatal Mortality Rates: Rhode Island and the United States, 1955-1979	11
Figure 5	Death Rates from the Ten Leading Causes in 1979 with Comparable Rates for 1970-1978: Rhode Island	14
Figure 6	Leading Causes of Death for Each Sex: Rhode Island, 1979	15
Table C	Median Ages by Sex for All Causes and for Ten Leading Causes of Death: Rhode Island, 1979	16
Figure 7	Five Leading Primary Sites of Malignant Neoplasm Deaths by Sex: Rhode Island, 1979	17
Table D	Resident Accidental Deaths by Type by Sex: Rhode Island,1979	18
Figure 8	Leading Causes of Death by Specified Age Group: Rhode Island, 1979	19
Figure 9	Leading Causes of Death by Specified Age Group: Rhode Island, 1979	20
Figure 10	Leading Causes of Death by Specified Age Group: Rhode Island, 1979	21
Figure 11	Death Rates from Accidents, by Type of Accident: Rhode Island, 1979	21
Table E	Deaths from Motor Vehicle Accidents, Rhode Island Residents, 1970-1979	22
Table F	Rhode Island Resident Deaths and Death Rates for other Leading Causes in 1979 with Provisional U.S. Rates . . .	25
Figure 12	Marriage Rates per 1,000 Population: Rhode Island and the United States, 1970-1979	26
Figure 13	Divorce Rates per 1,000 Population: Rhode Island and the United States, 1970-1979	26

TABLE OF CONTENTS
(cont'd)

		Page
Table 1	United States Census Population of Rhode Island by Race and Age by Sex, 1960 and 1970	30
Table 2	Population of Rhode Island Cities and Towns by County: Census of 1960, 1970 and 1979 Estimate	31
Table 3	Number of Live Births, Deaths, and Marriages with Rates by City and Town: Rhode Island, 1979	32
Table 4	Population, Live Births, Deaths, Marriages, and Divorces with Rates per 1,000 Population: Rhode Island, 1949-1979	33
Table 5	Number of Infant, Neonatal and Perinatal Deaths with Rates, Rhode Island Residents, 1951-1979	34
Table 6	Resident Deaths by City or Town of Residence by Age, Race and Sex, Rhode Island, 1979	35
Table 7	Deaths and Death Rates for Leading Causes in 1979 and for Comparable Causes in 1970-1978	40
Table 8	Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-year Totals with Average Rates, 1975-1979	41
Table 9	Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1956-1979	44
Table 10	Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island, 1970-1979	44
Table 11	Resident Live Births by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1979	45
Table 12	Resident Births Out of Wedlock by Age of Mother, Sex of Child, Race and Live Birth Order, Rhode Island, 1979	49
Table 13	Resident Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1979	53
Table 14	Resident Plural Live Births by Age of Mother, Race, and Birth Weight, Rhode Island, 1979	56
Table 15	Resident Live Births Out of Wedlock by Age of Mother, Race and Birth Weight, Rhode Island, 1979	59
Table 16	Births by Selected Characteristics by City or Town of Residence, Rhode Island, 1979	62
Table 17	Resident Live Births by City or Town by Month, Rhode Island, 1979	63

TABLE OF CONTENTS
(cont'd)

		Page
Table 18	Selected Natality Data by City or Town by Census Tract, Rhode Island Residents, 1979	64
Table 19A	Fetal Deaths Occurring in Rhode Island by Race of Fetus, Weeks of Uterogestation, and mode of Delivery, 1979	72
Table 19B	Fetal Deaths Occurring in Rhode Island by Month of Delivery by Weeks of Uterogestation, 1979	72
Table 20	Resident Fetal Deaths Occurring in Rhode Island by Mode of Delivery by City or Town and Census Tract of Mother's Residence, by Marital Status of Mother, 1979	73
Table 21	Induced Fetal Deaths by Age and Marital Status of Mother and by Number and Nature of Previous Deliveries to Mother, 1979.	81
Table 22A	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths and Age of Mother, 1979	85
Table 22B	Spontaneous Fetal Deaths Occurring in Rhode Island by Number of Child in Total Birth Order, Number of Previous Fetal Deaths, and Age of Mother, 1979	86
Table 23	Spontaneous Fetal Deaths of 20 Weeks or More Uterogestation Occurring in Rhode Island by Weight of Fetus and Age of Mother, 1979	87
Table 24	Fetal Deaths Occurring in Rhode Island by Selected Cause of Death and Weeks of Uterogestation, 1979	88
Table 25	Resident Deaths from 69 Selected Causes by Race, Age and Sex: Rhode Island 1979	89
Table 26	Resident Deaths by City or Town by Month, Rhode Island, 1979	101
Table 27	Resident Infant Deaths from 65 Selected Causes by Age, Rhode Island, 1979	102
Table 28	Resident Accidental Deaths with Non-Motor Vehicle Accidents Shown by New England Standard Location by Sex and Age: Rhode Island, 1979	104
Table 29A	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1979	106
Table 29B	Selected Mortality Data by City or Town by Census Tract, Rhode Island Residents, 1979	114
Table 30	Resident Accident Deaths by Type and Age: Rhode Island,1979	122
Table 31	Ten Leading Causes of Death by Sex, with Rates: Rhode Island,1979	123

TABLE OF CONTENTS
(cont'd)

		Page
Table 32	Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1979	124
Table 33	Number of Marriages and Persons Married by City and Town of Residence of Bride and Groom: Rhode Island, 1979	126
Table 34	Marriages Occurring in Rhode Island by Age of Bride, Age of Groom, 1979	127
Table 35	Marriages Occurring in Rhode Island by Age at Marriage and Previous Marital Status of Bride and Groom, 1979	128
Table 36	Number of Times Married for Brides by Number of Times Married for Grooms: Rhode Island, 1979	128
Table 37	Marriages Occurring in Rhode Island by Previous Marital Status of Bride and Groom, 1979	129
Table 38	Marriages According to Last Grade of School Completed by Bride According to Last Grade of School Completed by Groom: Rhode Island, 1979	129
Table 39	Divorces by Age of Wife, by Age of Husband, Rhode Island,1979	130
Table 40	Divorces by Number of Times Married before this Divorce by Sex: Rhode Island, 1979	130
Table 41	Divorces by Marital Status and Age of Husband and of Wife: Rhode Island, 1979	131
Table 42	Divorces of Remarried Persons by Previous Marital History: Rhode Island, 1979	131
Table 43	Number of Divorces by County with Number of Children Under Eighteen Known to be Affected: Rhode Island, 1979	132
Table 44	Divorces According to Last Grade of School Completed by Sex: Rhode Island, 1979	133

INTRODUCTION

Data from all 1979 vital records received by 15 April 1980 are included in this report. The interstate exchange of vital records makes possible the inclusion of resident statistics, regardless of where the vital event may have occurred. Most of the tables contain resident data. Both resident data and Rhode Island occurrence data are shown for births and deaths in Table 3 by city or town.

There were 12,251 births recorded in Rhode Island in 1979, of which 922 were non-residents; and 531 births occurred outside the state to Rhode Island residents, yielding a total of 11,860 resident live births in 1979. The resident rate was 12.8 per 1,000 estimated population. The average birth rate over the past five years (12.1 per 1,000 estimated population) was 32 per cent lower than the five-year average rate of 17.8 observed a decade ago, (Table A).

Table A - Vital Statistics Summary: Rhode Island, 1975-1979 and 1965-1969
(Birth and Mortality Data are for Rhode Island Residents; Fetal Death, Marriage and Divorce Data are for Rhode Island Occurrences)

	Five-Year Average				
	1975-1979		1965-1969		Per Cent
Item	Number	Rate	Number	Rate	Change in Rate
Live Births#	11,300	12.1	16,012	17.8	- 32.0
Deaths#	8,995	9.6	9,489	10.5	- 8.6
Infant Mortality*	155	13.7	336	21.0	- 34.8
Neonatal Mortality*	113	10.0	260	16.2	- 38.3
Perinatal Mortality**	167	14.7	373	23.1	- 36.4
Maternal Mortality***	1	0.7	2	1.2	- 41.7
Fetal Deaths (of 28 weeks or more uterogestation)*	72	6.4	155	9.7	- 34.0
Marriage#	7,071	7.6	6,768	7.5	+ 1.3
Divorce#	3,286	3.5	1,115	1.2	+191.7
Population Estimate (1977 and 1967)	935,000		900,000		+ 3.9

\# Rate per 1,000 Population
* Rate per 1,000 Live Births
** Rate per 1,000 Live Births plus Fetal Deaths of 28 Weeks or more Gestation
*** Rate per 10,000 Live Births

In 1979, the number of deaths recorded in the state was 9,309; non-residents accounted for 627; and 378 deaths were recorded in other states to Rhode Island residents. The total number of resident deaths, therefore, was 9,060, yielding a rate of 9.7 deaths per 1,000 estimated population. The average death rate over the past five years (9.6) was nine per cent below the five-year average rate of 10.5 a decade ago (Table A). The five-year average infant mortality rate (13.7 per 1,000 live births) was 35 per cent lower than the five-year average of 21.0 a decade ago(Table A). Neonatal mortality (infants who died before the 28th day of life) was 38 per cent lower in the more recent five-year period (Table A). Perinatal mortality, as used here, refers to early infant deaths (under 7 days old) combined with late fetal deaths(products of conception of 28 weeks or more gestation showing no signs of life following delivery). The average perinatal mortality rate over the past five years was 14.7 per 1,000 live births combined with late fetal deaths, 36 per cent lower than the five-year average a decade ago(23.1).

FIGURE 1 - POPULATION DENSITIES OF RHODE ISLAND CITIES AND TOWNS ACCORDING TO THE 1970 CENSUS



The average divorce rate over the past five years (3.5 per 1,000 estimated population) was nearly three times the average rate of a decade ago (1.2). The average marriage rate was one per cent higher in the more recent period. Both marriage and divorce data refer to occurrences within the state because there is not a complete exchange of these events among the states. Marriage and divorce rates should not be compared with each other in any given year since the divorce rate refers to any persons divorced during the year, some of whom have been married for many years, and, therefore, is no indication as to the rate of divorce among persons married in that period. Another problem is that many residents are married and divorced outside the state; these records would not be included here.

RHODE ISLAND POPULATION

Table I shows the 1960 and 1970 population figures for the State by race and age by sex with the per cent change between 1960 and 1970. Figure I illustrates the population density by city or town according to the 1970 Census. Central Falls, with 15,597 persons per square mile was the most densely populated. Other cities with a density greater than 5,000 were: Providence, 9,896; Pawtucket, 8,748; and Woonsocket, 5,297 persons per square mile.

The U.S. Census Bureau made estimates of the 1979 population of the State and each of the five counties, but not of the individual cities and towns. (These 1979 estimates were not published, but they are comparable with estimates published for earlier years in Current Population Reports, Series P-25 or P-26). Our estimates of the 1979 population of the cities and towns were made by extrapolation, using the Census Bureau's state and county estimates and the unofficial 1980 county, city, and town tabulations. The 1960 and 1970 census enumerations and our 1979 estimates by city and town may be seen in Table II.

LIVE BIRTHS

There were 11,860 resident live births recorded in Rhode Island in 1979, yielding a rate of 12.8 per 1,000 estimated population. This rate was four per cent higher than the rate of 12.3 observed in 1978. The birth rate decreased steadily between 1959 and 1975 and reached an all-time low rate of 11.6 in 1975 and 1976. (See Table 4 and Figure 2 for the annual variations in births and birth rates over the past 30 years). It will take several years to determine whether the increases occurring after 1976 represent a true reversal of the long-term decreasing trend, whether they represent a general levelling off of the birth rate, or whether there will be a return to declining rates.

Increased attention has recently been focused on midwifery and home births, both nationally and locally. Up until 1978, only one midwife had practiced in Rhode Island. In that year, the Rhode Island Department of Health adopted procedures regulating the licensing and practice of midwives. There are currently five licensed midwives in the state.

Although the figures are low, there has been an increase in both the number and percentages of live births where delivery occurred at home during the last three years (see Table B below). Despite these increases, home deliveries still represented less than one per cent of all births occurring in Rhode Island in 1979.

Fertility rates can be accurately determined only during census years when the number of women 15-44 years of age is known. Assuming the ratio of females to the female population in this age group is the same as in 1970, the estimated

FIGURE 2 - CRUDE BIRTH AND DEATH RATES PER 1,000 POPULATION: RHODE ISLAND 1950-1979



fertility rate was 64.8 per 1,000 estimated females 15-44 in 1979. That rate was six per cent above the rate of 61.1 observed in 1940 and 40 per cent below the rate of 108.7 in 1960. The fertility rates observed during the last five census years were as follows: 1940-61.1; 1950-89.7; 1960-108.7; 1965-98.8; and 1970-84.9. The estimated fertility rates for the past five years were: 1974-61.3; 1975-58.8; 1976-59.1, 1977-63.1 and 1978, 62.6. The provisional National rate, 68.0, was 4.9 per cent above the Rhode Island rate.

Table B - Rhode Island Occurrence Births at Home, 1972-1979

	Occurrence Births	Home Births	
Year	Total Number	Number	Per Cent
1972	13,496	33	0.2
1973	12,647	28	0.2
1974	11,696	26	0.2
1975	10,957	20	0.2
1976	11,102	24	0.2
1977	11,937	36	0.3
1978	11,785	51	0.4
1979	12,251	71	0.6

Natural increase (the excess of births over deaths) resulted in the net addition of 2,800 persons to the population in 1979. This is the third consecutive year that the natural increase has been higher in comparison to the preceding year. The amount of natural increase had been decreasing steadily over the last several years until 1975 (Figure 2).

Of the municipalities in Rhode Island with population over 5,000, there were three cities which had birth rates 20 per cent or more above the State rate in 1979 (rates of 15.4 and over): Woonsocket, 16.2; Central Falls, 15.7; and Newport, 15.4. Seven cities and towns with populations above 5,000 had rates 20 per cent or more below the State rate (rates of 10.2 and less): Barrington, 9.6; Cranston, 9.7; Cumberland, 9.8; Lincoln and Smithfield, 9.9; and East Greenwich and North Providence, 10.2.

Average annual rates for the past five years may be seen in Table 8 by city or town and neighborhood of residence. Birth rates were computed using the 1975 population estimates even though 1975 was the beginning of the five-year period, reliable estimates by small areas so late in the census decade are too difficult to attempt for the mid-year period (1977). The average birth rate for the state for 1975 to 1979 was 12.2 per 1,000 estimated population. The five highest average rates for municipalities with populations of 5,000 or more were: Middletown,19.0; North Kingstown, 16.4; Portsmouth, 16.3; West Warwick, 15.6; Narragansett 15.2. The five lowest average rates for municipalities of 5,000 or more were: Cranston and Lincoln, 8.4; Cumberland, 8.6;, Barrington, 8.8; and East Greenwich, 9.0.

During 1975-1979, five neighborhoods with population of 5,000 or more experienced average rates one-third or more higher than the State average (16.3 or more). Four of these neighborhoods were located in Providence: South Providence 23.5; West End, 19.5; Elmwood, 19.4; and Washington Park, 16.4. The Fairmount-Central neighborhood in Woonsocket had an average rate of 16.9. In addition, the Inner City of Providence, which includes all or parts of several Providence neighborhoods, had a five-year average rate of 17.3(42 per cent above the State average). Eight neighborhoods with populations of 5,000 or more had average rates one-third or more below the State average (8.1 or less): Garden City-Dean Estates,Cranston, 4.7; College Hill-Fox Point, Providence, 6.0; East Side, Providence, 7.3; South Darlington, Pawtucket, 7.4; North Cumberland and Elmhurst-Upper Mt. Pleasant, Providence, 7.8; West Cranston, 7.9; and South Lincoln, 8.0.

FIGURE 5 - BIRTH OUT OF WEDLOCK RATIOS PER 1,000 LIVE BIRTHS BY AGE OF MOTHER, RHODE ISLAND RESIDENTS: 1965-1979



Rhode Island mothers delivered an average of 32.5 babies per day in 1979, compared with 31.5 in 1978, 31.8 in 1977, 29.5 in 1976, and 29.4 in 1975. The highest daily average for 1979 occurred in September, with 36.1 births per day; the lowest average, (30.4 per day) was in December. The sex ratio was 1,042 males per 1,000 females.

There were 10,692 resident white births and 965 resident non-white births in 1979 (92 and eight per cent, respectively, of those births where race was indicated). There has been a gradual but steady increase over the years in the percentage of non-white resident births: 1960, five per cent; 1970, six per cent; and 1975, seven per cent. First births accounted for 45 per cent of all deliveries in 1979; second births, 34 per cent; and third or higher births, 21 per cent. Similar percentages have been experienced in the last several years: for first births, 44 per cent in 1974 and 1975, and 45 per cent for 1976 to 1978; for second births, 32 per cent for 1974 and 1975, and 33 per cent for 1976 to 1978; and for third or higher births, 23 per cent in 1974 and 1975, 22 per cent in 1976, and 21 per cent in 1977 and 1978.

Births out-of wedlock accounted for 14 per cent of all resident births in 1979 (a ratio of 143.7 per 1,000 live births). The non-white ratio(445.6) was four times the white ratio (110.2). The average birth out of wedlock ratio for the past five years (132.7) was 60 per cent above the 1970-1974 average (82.8). The ratio has increased steadily each year since 1962 and may be seen in Table 9. The United States ratio has been consistently above that observed in Rhode Island; the gap, however, is narrowing.

Over the past five years, the average birth out-of-wedlock ratio for the State was 132.7 per 1,000 live births. In cities and towns having 500 births or more during the past five years, the five highest average ratios were: Providence, 279.5; Newport, 218.0; Central Falls, 184.8; Woonsocket, 178.0; Pawtucket, 133.5. The five lowest average ratios with 500 or more births were: Barrington, 33.4; North Providence, 42.4; Lincoln, 51.7; Johnston, 53.2; and Tiverton, 58.1.

During 1975-1979, thirteen neighborhoods having 500 births or more, recorded average birth out-of-wedlock ratios one-third or more higher than the State average (176.9 or more); the three highest were located in Providence: South Providence, 595.8; Elmwood, 383.5; and West-end, 370.8. The next two highest neighborhoods were the Fairmount-Central area of Woonsocket (307.2) and the Northern section of Newport (277.6). The Inner City of Providence is made up of several neighborhoods and had an average ratio of 402.0. Twelve neighborhoods with 500 births or more during this period had average ratios one-third or more lower than the State average (88.5 or less). The five lowest were: Cowesett-Potowamut, Warwick, 46.2; North Cumberland, 46.6; Auburn, Cranston, 48.2; West Cranston, 48.8; and Buttonwoods, Warwick, 53.1.

Low birth weight infants (those weighing five pounds, eight ounces or less) averaged 67.1 per 1,000 live births for the State over the past five years. In 1979, there were 789 low birth weight infants delivered to Rhode Island residents(66.5 per 1,000 live births). The non-white ratio, 107.8 was 78 per cent higher than the white ratio of 60.7. Low birth weight infants, births in hospitals, and births out of wedlock by race may be seen in Table 16 by city or town of mother's residence.

During the period 1975-1979, among those municipalities having 500 or more births, there were only four cities which had average ratios of low weight births greater than the State average of 67.1. They were: Providence, 93.1; Newport, 82.8; Woonsocket, 81.6; and Central Falls, 71.3. Among cities and towns with 500 or more live births, the following towns had the five lowest average ratios of low weight births: North Kingstown, 46.8; Narragansett, 47.7; Cumberland, 49.7; Westerly, 51.0; and South Kingstown, 52.5.

The same four cities ranked highest during 1975 to 1979 for both births out-of-wedlock ratios and low birth weight ratios (Providence, Newport, Central Falls, and Woonsocket). However, there apparently was no relationship for municipalities with the lowest out-of-wedlock ratios and low weight ratios.

Excluding neighborhoods with fewer than 500 live births, eleven neighborhoods had average low birth weight ratios 20 per cent or more higher than the State average during the last five years (80.5 or more). The four highest were located in Providence: South Providence, 133.6; West End, 113.8; Elmwood, 107.9; and Hope, 104.5. The fifth highest was the Bernon section of Woonsocket with an average ratio of 98.8. The Inner City of Providence had an average ratio of 112.8. Among neighborhoods having less than 500 live births, there were five with average low birth weight ratios 20 per cent or more below the State average (53.7 or less). They were: Auburn, Cranston, 43.8; South Lincoln, 47.9; Lakewood-Spring Green, Warwick, 48.3; North Cumberland, 48.4; and South Cumberland, 50.8.

Low weight infants may be seen by age of mother in Table 13; those of plural birth, in Table 14. City or town of residence is shown in Table 16 for low weight infants as well as those born in hospitals and born out of wedlock, with each of these variables shown by race. Census tract data are shown in Table 18 for all births, out-of-wedlock births, low weight births, birth injuries, malformations, and month prenatal care began.

Age of mother at time of birth is correlated with other factors in several tables. Birth out-of-wedlock ratios (per 1,000 live births) by age of mother are shown in Table 10 (10 years, 1970-1979) and in Figure 3 (for the past 15 years). Women under 20 years of age had considerably higher ratios than any other group, ranging from 140.8 per 1,000 live births in 1965 to 477.9 in 1979. The ratio in mothers 20-24 has increased steadily since 1965, ranging from 35.2 per 1,000 live births to 154.7 in 1979. Fluctuations have been observed in the other age groups.

FETAL DEATHS

The definition of fetal death used in this state is that of the World Health Organization, which is as follows: "Fetal death means death prior to complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that, after such expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as the beating of the heart, pulsation of the umbilical cord, or definite movement of the voluntary muscles."

The Rhode Island abortion law was technically declared unconstitutional early in 1973, with the United States Supreme Court decision on the Texas and Georgia Laws. Some time after that decision, the Health Department adopted Rules and Regulations for the termination of pregnancy that became effective in mid-June, 1973. One of the Regulations adopted made the reporting of all fetal deaths

mandatory, regardless of the length of gestation; this Regulation became law upon its passage in 1976. Prior to 1973, mandatory reporting applied only to fetal deaths of 20 weeks or more uterogesgestation (from date of mother's last normal menstrual period to date of delivery).

Interpretation of fetal death data, other than late fetal deaths, cannot be compared with years prior to 1974, the first full year that data on early fetal deaths was required by Regulation and, in 1976, by Law.

Occurrence data within the State are shown in most tables rather than resident data since there is not a complete exchange of fetal death certificates among the States. Thirteen per cent of the fetal deaths in Rhode Island in 1979 were non-residents, while the number of fetal deaths reported outside Rhode Island to residents was insignificant.

There were 6,030 occurrence fetal deaths recorded in Rhode Island in 1979, an increase of 21 per cent over the 4,968 recorded in 1978. The majority (89 per cent) were induced terminations (Table 19). Both the number of spontaneous deliveries and induced terminations increased in 1979 when compared with 1978; spontaneous deliveries increased by about one-third and induced by 20 per cent. As in the past few years, the majority of fetal deaths (98 per cent) were under 20 weeks uterogestation and only four of the induced terminations were known to be over 20 weeks gestation. Month of delivery may be seen in Table 19B. The highest daily average (18.3) occurred in March and August. The lowest daily average was in January and December, with 14.1 per day.

Resident fetal deaths may be seen by census tract of mother's residence in Table 20 by marital status of mother. Two-thirds of the resident fetal deaths were to unmarried mothers; three-fourths of the spontaneous deliveries were to married women, and 72 per cent of the induced terminations were to unwed women. Care should be exercised in utilizing data by census tract, since wide variations can occur by chance alone where the numbers are small.

All induced terminations occurring in Rhode Island may be seen in Table 21 by age, marital status and previous delivery history of mother. Teenagers accounted for 28 per cent of all induced terminations and the majority of these women (93 per cent) were unmarried; 1,983 women were aged 20-24 years (37 per cent of the total) and the majority of this group (78 per cent) were unmarried. There were 1,535 women in the age group of 25-34 years (28 per cent of the total); this group was almost evenly divided between married and unmarried women. Six per cent of the women were age 35 years or more; 65 per cent of this group were married.

Forty-six per cent of the induced terminations in Table 21 were to women who had no previous deliveries; 21 per cent of the mothers had one previous delivery (the previous deliveries were approximately evenly divided between live births and fetal deaths); 20 per cent of the women had two or three previous deliveries and 13 per cent had four or more previous deliveries.

Spontaneous fetal deaths of 20 weeks or more uterogestation are shown in Table 22A by total birth order, number of previous fetal deaths, and age of mother; all spontaneous fetal deaths by the same parameters may be seen in Table 22B. Roughly one-third of all spontaneous deliveries, as well as those of 20 weeks or more gestation, were first deliveries. Second and third deliveries accounted for about one-third of the 20 weeks and over group and for nearly one-half (46 per cent) of all spontaneous fetal deaths. Fourth and higher order accounted for

about one-fifth of the 20 weeks and over fetuses and for 16 per cent of all spontaneous fetal deaths. The number with birth order unknown was less than one-tenth for both groups. The majority of the mothers were under age 30 for all spontaneous fetal deaths (75 percent) and for those of 20 weeks or more (73 per cent).

Two-thirds of the spontaneous fetal deaths of 20 weeks and over were of low weight (weighed less than 5 lbs., 8 oz); weight and age of mother may be seen in Table 23. Cause of fetal death appears in Table 24 by gestational age.

PERINATAL MORTALITY

Perinatal mortality, as used here, refers to fetal deaths of 28 weeks or more uterogestation combined with deaths that occurred before the seventh day of life. The 1979 perinatal rate, 14.7 per 1,000 live births combined with late fetal deaths, increased seven per cent over the rate of 13.8 observed in 1978. The 1977 rate of 12.6 was the lowest rate experienced in the past 29 years, as is shown in Table 5. The average rate for the past five years,(14.7) was 36 per cent lower than the average of 23.1 a decade ago. (Table A).

INFANT DEATHS

There were 167 resident infant deaths in 1979, yielding a rate of 14.1 per 1,000 live births. This represents an increase of three per cent over the rate of 13.7 in 1978 and was 33 per cent below the five-year average of 21.0 a decade ago. Table A shows that the 1975-1979 average rate (13.7) declined 35 per cent over the five-year average of a decade ago. The 1979 non-white rate, 32.1 per 1,000 live births, was slightly greater than 2½ times the white rate of 12.3. Both the white and non-white rates increased over 1978 when they were 12.0 and 29.9, respectively. The provisional National infant death rate for 1979 was 13.0, eight per cent lower than the State rate.

Average rates for the past five years may be seen in Table 8 by town or city and neighborhood. The State average rate during this period was 13.7 per 1,000 live births. Of municipalities having 500 or more live births for this period, those having the five highest rates were: Providence, 19.2; Woonsocket, 18.9; Cumberland, 18.5; Central Falls, 18.4; Newport 18,1. Those municipalities with 500 or more live births having the lowest rates were: North Kingstown, 4.0; Narragansett, 4.5; Portsmouth, 6.8; Johnston, 7.0; and South Kingstown, 7.5.

Excluding neighborhoods with less than 500 live births, eleven neighborhoods and the inner city of Providence had average rates one-third or more higher than the State average over the past five years (18.3 or more). Four of the five highest were located in Providence: South Providence, 31.2; Elmwood, 28.1; Hope, 23.1; and West End, 22.6. The other neighborhood was the Social area of Woonsocket (24.5). Five neighborhoods with 500 or more births had average rates one-third or more below the state average (9.1 or less). The five low neighborhoods were: Edgewood-Pawtuxet, Cranston, 2.8; Norwood-Hillsgrove, Warwick, 6.3; Auburn, Cranston, 7.7; Federal Hill-Olneyville, Providence, 8.1; and South Center, East Providence, 8.8.

Infant and neonatal death rates for the past 25 years may be seen in Figure 4 for Rhode Island and the United States. Although the infant death rate for Rhode Island has increased for the last two years, there has been a general downward trend

FIGURE 4 - INFANT AND NEONATAL MORTALITY RATES PER 1,000 LIVE BIRTHS: RHODE ISLAND AND THE UNITED STATES 1955-1979



evident in both rates since 1970, both Nationally and in the State. The annual State numbers and rates per 1,000 live births are shown in Table 5.

Neonatal deaths (infant deaths that occurred prior to the 28th day of life) accounted for 71 per cent of the infant deaths in 1979, and 60 percent of the infants died before the seventh day of life. These percentages were 77 per cent and 63 per cent, respectively, in 1978. Forty-one per cent of the infants died before the end of the first day (Table 27). The average neonatal death rate for the past five years, 10.0 per 1,000 live births, was 38 per cent lower than the five-year average rate of 16.2 a decade ago. (Table A).

Infant deaths may be seen as a subset of all deaths by 69 selected causes in Table 25 and by 61 selected causes of infant deaths by age in Table 27.

D E A T H S

There were 9,060 Rhode Island resident deaths recorded in 1979, yielding a crude rate of 9.7 deaths per 1,000 estimated population. The 1979 rate was two per cent higher than the rate for 1978 which was the lowest rate for the past 30 years. Table 4 and Figure 2 show that the Rhode Island death rate has remained fairly stable during this period, with a slight decrease during the last ten years.

The 1979 State rate was eleven per cent higher than the provisional U.S. rate of 8.7. The Rhode Island death rate has been somewhat higher than the National rate for several years. The proportion of elderly people in the population influences these rates. The percentage of persons 65 and over in the State (13.2) is 18 per cent higher than for the Nation (11.2). Only Florida and Arkansas had a higher percentage of older people in 1979 according to population estimates from the Census Bureau.

Ninety-seven per cent of the deaths were to persons of the white race (Tables 6 and 25) and three per cent were non-white. These percentages correspond roughly to those of the racial distribution of the State's population. Males accounted for 52 per cent of the deaths in 1979 and 48 per cent were females. The median age at death was 74.0 years. For females, the median age at death was 77.6 (77.8 for white females and 62.7 for non-white females) and the male median was 70.8 (70.9 for white males and 65.0 for non-white males) (See Table C).Since the State's population is predominantly white, the white median rates closely resemble the State average. The non-white numbers are so small that the medians have little significance.

Death rates are shown with the number of occurrence and resident deaths by city or town of residence in Table 3. Among cities and towns with populations of 5,000 or more, there were four cities with death rates 20 per cent or more above the State rate in 1979 (rates of 11.6 or more). They were: Central Falls, 13.0; Providence and Woonsocket, 12.5; and Pawtucket, 12.4. Excluding towns with less than 5,000 population, eleven municipalities had rates 20 per cent or more below the State average (7.8 or less). The five lowest were: Smithfield, 5.5; South Kingstown, 5.9; North Kingstown, 6.0; Narragansett, 6.5; and Glocester, 6.6. Three of these towns are located in Washington County.

Average annual death rates for the past five years are given in Table 8 by city or town of residence and neighborhood. Death rates were computed per 1,000 estimated population for 1975, the last year that population estimates are available by tract.

During the period 1975-1979, the State average death rate was 9.7 per 1,000 estimated population. Among municipalities with populations of 5,000 or more, the six highest rates were: Central Falls, 12.4; Pawtucket, 12.1; Providence, 11.8; Woonsocket, 11.1; Warren and Westerly, 10.3. The six lowest were: South Kingstown, 6.5; Portsmouth, 6.6; Smithfield, 7.0; Barrington, 7.1; Coventry and Cumberland, 7.3.

For neighborhoods during this period, there was much less variation from the State average for deaths than there was for births. Among neighborhoods with population of 5,000 or more, there were only four with average rates one-third or more higher than the State average (12.9 or more) and two neighborhoods with average rates one-third or more lower (6.5 or less). The five highest averages were: Federal Hill- Olneyville in Providence, 17.6; Woodlawn-Downtown in Pawtucket, 16.1; Smith Hill-Lower Mt. Pleasant in Providence, 14.7; the Social area in Woonsocket, 14.5; and South Providence, 12.8.

The Inner City of Providence had a five-year average rate of 13.3. The five lowest average rates were: College Hill-Fox Point in Providence, 4.7; West Cranston, 5.8; North Cumberland, 6.8; Buttonwoods in Warwick, 7.3; and Garden City-Dean Estates in Cranston, 7.6.

Resident deaths for each city or town may be seen by age, race and sex in Table 6 and by month in Table 26. The daily average was 24.8 deaths per day in 1979. The highest daily average was in December, with 26.6 deaths per day; the lowest was in August, with 22.6 per day. All deaths, neonatal deaths, infant deaths, and deaths from selected causes appear by city or town and census tract of residence in Tables 29A and 29B.

DEATHS BY CAUSE: The Ninth Revision of the International Classification of Diseases (ICD) was used for the first time in the classification of 1979 deaths. This revision produced many changes, resulting in serious breaks in comparability for a number of causes of death. Ratios of comparability between the Eighth Revision (used from 1968 to 1978) and the Ninth Revision have been computed to measure this discontinuity from the Eighth Revision to the Ninth. For a more comprehensive discussion of the methodology and interpretation of comparability ratios, see "Monthly Vital Statistics Report" Vol. 28, No. 11, Supplement.

Table 7 shows the 20 leading causes of death for 1979 with the comparability ratios for each listed cause and the numbers and death rates in the most comparable cause category for 1970 to 1978. A ratio of 1.00 indicates that the same number of deaths was assigned to a particular cause or combination of causes whether the Eighth or Ninth Revision was used. Usually a ratio of less than 1.00 indicates either a decrease in assignments of deaths to a cause in the Ninth Revision compared with the Eighth or that the cause as described by the Ninth Revision is only a part of the Eighth Revision title with which it is compared.

A ratio of more than 1.00 would indicate the reverse situation. Of the ten leading causes of death, three categories had variations of greater than one per cent: "Chronic Obstructive Pulmonary Diseases and Allied Conditions", +88 per cent; "Atherosclerosis", +six per cent; and "Pneumonia and Influenza", -seven per cent.

The 20 leading causes of death accounted for 92 per cent of all deaths in 1979.

FIGURE 5 - DEATH RATES FROM THE TEN LEADING CAUSES OF DEATH IN 1979 WITH COMPARABLE RATES FOR 1970 - 1978 RHODE ISLAND RESIDENTS



Legend for Causes Five Through Ten

-5- Chronic Obstructive Lung Disease and Allied Conditions
-6- Diabetes Mellitus
-7- Atherosclerosis
-8- Pneumonia and Influenza
-9- Chronic Liver Disease and Cirrhosis
-10- Suicide

* See Text for discussion of comparability of 1979 Rates

FIGURE 6 - LEADING CAUSES OF DEATH FOR EACH SEX: RHODE ISLAND, 1979



MALE



FEMALE

The first four causes(diseases of the heart, malignant neoplasms, cerebrovascular diseases, and accidents) have appeared in that order as the four leading causes for many years. The ten leading causes accounted for 88 per cent of all deaths and may be seen in Figure 5 for the past ten years; the numbers for 1979 may be seen by sex in Table 31 with rates per 100,000 estimated population. The five leading causes for each sex are shown in Figure 6. Age specific rates for various age groups may be seen in Table 32. Median ages for all causes and the ten leading causes by sex may be seen in Table C below.

Table C - Median Ages by Sex for All Causes and for Ten Leading Causes of Death - Rhode Island Residents, 1979

Causes	Male	Female	Total
ALL CAUSES	70.8	77.6	74.0
Diseases of the Heart	72.4	80.9	76.7
Malignant Neoplasms	69.1	70.0	69.5
Cerebrovascular Diseases	77.1	81.9	80.2
Accidents and Adverse Effects	33.2	52.5	38.1
Chronic Obstructive Pulmonary Diseases and Allied Conditions	76.0	74.3	75.6
Diabetes Mellitus	69.2	77.0	75.1
Atherosclerosis	79.1	90.0	84.6
Pneumonia and Influenza	78.4	84.3	81.7
Chronic Liver Disease and Cirrhosis	62.4	63.9	62.8
Suicide	34.3	45.0	36.9

CARDIOVASCULAR DISEASES is not ranked as a cause of death but contains five cause groupings, four of which were among the 20 leading causes. The five groups included in this broad category were: Diseases of the Heart (rank 1), Cerebrovascular Diseases (rank 3), Atherosclerosis (rank 7), Hypertension with or without Renal Disease (rank 4) and Other Diseases of Arteries, Arterioles and Capillaries. There were 4,807 deaths from cardiovascular diseases in 1979 (Table 25); this represents 53 per cent of all deaths (51 per cent for males and 55 per cent for females). The provisional National rate was 431.6 per 100,000 estimated population, 17 per cent lower than the State rate of 517.3.

DISEASES OF THE HEART has been the leading cause of death historically, both Nationally and in the State. The rate has remained fairly constant for many years and was 408.7 per 100,000 estimated population in 1979. Heart disease caused 42 per cent of both male and female deaths in 1979 (Figure 6). It appears as one of the five leading causes in all the age groups over age 19 shown in Table 32 and in Figures 8, 9, and 10, and was the leading cause of death at ages 65 years and over, with 47 per cent of all deaths in this age category (Figure 10.) The provisional National rate was 330.4 in 1979, 19 per cent below the State rate.

MALIGNANT NEOPLASMS INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES, with 23 per cent of all deaths, was the second leading cause of death in Rhode Island and in the United States in 1979, as it has been for many years. The State rate was 228.6 per 100,000 estimated population and the provisional National rate was 183.5, 20 per cent below the State rate. Malignant neoplasms was the second leading cause of death for both males and females (Table 31 and Figure 6) and caused about one-fourth of all deaths for each sex. Except for children under five years of age, malignant neoplasms appears as one of the five leading causes of death in each age group shown in Table 32 and Figures 8, 9, and 10.

The five leading primary sites for each sex are shown in Figure 7, and the numbers may be seen in Table 25 by race, sex and age.

FIGURE 7 - FIVE LEADING PRIMARY SITES OF MALIGNANT NEOPLASM DEATHS BY SEX: RHODE ISLAND, 1979



MALE



FEMALE

Malignant neoplasm of the digestive organs and peritoneum was the leading site among females (with about one-third of female cancer deaths) and was the second leading site for males (with 30 per cent of male cancer deaths). Breast, with one-fifth of the female cancer deaths, was the second leading site for that sex. The respiratory system was the leading site among males (with 34 per cent of male cancer deaths) and was the third leading site among females (14 per cent). Genital organs was the third leading site for males and the fourth for females, representing about one-tenth of each sex. Neoplasms of lymphatic and hematopoietic tissue (other than leukemia) was the fourth leading site for males and the fifth for females with about five per cent for each sex. Urinary organs was the fifth leading site for males, accounting for five per cent of the male cancer total.

CEREBROVASCULAR DISEASES, with 708 resident deaths and a rate of 76.2 per 100,000 estimated population, was the third leading cause of death. Ten per cent of the females and six per cent of the males died from this cause in 1979 (Table 31 and Figure 6). The female rate (92.3) was 55 per cent above the male rate of 59.5. The provisional National rate for 1979, 76.5, was very close to the State rate.

Cerebrovascular diseases are primarily diseases of maturity. The median age among decedents in this category was 80.2 years, eight per cent higher than that for all deaths in 1979 (Table C). Only one per cent of these decedents were under 45 years of age and seven per cent were younger than 60 years old; whereas eight per cent of decedents from all causes were younger than 45 years, and 20 per cent were younger than 60 years.

ACCIDENTS ranked fourth among the leading causes in 1979, accounting for 309 deaths and a rate of 33.3 per 100,000 estimated population. For many years, the Rhode Island accidental rate has been lower than the National rate. The 1979 State rate was 29 per cent lower than the provisional U.S. rate of 47.0.

Table D - Resident Accidental Deaths by Type by Sex: Rhode Island, 1979

Type of Accident	Total	Males	Females
All Accidents*	309	194	115
Motor Vehicle	140	98	42
Water Transport	11	10	1
Air/Space Transport	1	1	0
Poisoning	19	11	8
Falls	53	24	29
Fires and Flames	22	11	11
Drowning	13	10	3
Food/Object Inhalation	12	8	4
Electrocution	2	2	0
All Other	36	19	17

* For complete titles, see Table 30

Accidental deaths occurred predominantly among young males. Males accounted for 63 per cent of all accidental deaths and 57 per cent of the decedents were under 45 years of age. Nearly one-third of all accidental deaths occurred to males younger than 35 years. Table 31 shows that the accidental death rate for males, 42.6 per 100,000 estimated population) was nearly double that for females (24.3).

FIGURE 8 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1979



UNDER 5 YEARS



5 - 19 YEARS

FIGURE 9 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1979



20 - 44 YEARS



45 - 64 YEARS

FIGURE 10 - LEADING CAUSES OF DEATH BY SPECIFIED AGE GROUP: RHODE ISLAND RESIDENTS, 1979



65 YEARS AND OVER

FIGURE 11 - DEATHS FROM ACCIDENTS, BY TYPE OF ACCIDENT RHODE ISLAND RESIDENTS, 1979



Except for persons 65 years of age and over, accidents ranked as one of the five leading causes in each age group shown in Table 32 and was the leading cause in the age groups 5-19 years and 20-44 years. The median age at death was 38.1 years (33.2 years for males and 52.5 for females) (Table C). This information is shown in Figures 8, 9 and 10. Accidental deaths are also shown by age of decedent and type of accident in Table 30 and Figure 11 and by location of accident in Table 28.

MOTOR VEHICLE ACCIDENTS were responsible for the deaths of 140 Rhode Island residents, which was 45 per cent of the accident total in 1979 with a resulting rate of 15.1 per 100,000 estimated population. Table E gives the number of Rhode Island resident deaths and rates for motor vehicle accidents for the years 1970-1979. Although there was considerable fluctuation from year to year during this period, the 1970-74 average (14.6) differed only slightly from the 1975-79 average (14.7).

Table E - Deaths from Motor Vehicle Accidents, Rhode Island Residents,1970-1979
(Rates per 100,000 Population)

Year	Number	Rate	Year	Number	Rate
1970	135	14.2	1975	125	13.5
1971	142	14.8	1976	142	15.3
1972	147	15.2	1977	158	16.9
1973	151	15.6	1978	124	13.3
1974	130	13.8	1979	140	15.1

Rhode Island's death rate from motor vehicle accidents has remained below the National rate for many years. The State's 1979 death rate was 36 per cent lower than the provisional National rate of 23.6.

Males accounted for 70 per cent of the 1979 deaths from motor vehicle accidents. The 98 male deaths in this category also represented 51 per cent of all accidental deaths to males. The median age at death was 26.7 for all motor vehicle accidents (27.8 for males and 24.3 for females).

Table 30 distributes Rhode Island deaths from motor vehicle accidents by type of accident by age of decedent. Highway collisions accounted for 122 (87 per cent) of all motor vehicle deaths during 1979.

NON-MOTOR VEHICLE ACCIDENTS accounted for 169 of the 309 accidental deaths (55 per cent) to Rhode Island residents in 1979. Nearly one-third (31 per cent) of these deaths resulted from falls. The remaining non-motor vehicle accidents were distributed as follows: fires and flames, 13 per cent; poisoning, 11 per cent; drowning, eight per cent; water transport and inhalation of food or other object, each seven per cent; and air and space transport and electrocution, each one per cent (Table 30 and Figure 11).

Non-motor vehicle accidents may be seen by place of accident by age in Table 28. Almost half of these accidents (43 per cent) occurred at home; eleven per cent occurred in resident institutions; and six per cent at places of recreation. Seven accidents occurred at open sea and in addition thereto, six accidents at lakes, rivers or streams other than the ten recreation accidents.

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS was the fifth leading cause of death in 1979. Because of changes from the Eighth to the Ninth Revision of the International Classification of Diseases, this is the first time

that this group of diseases has been identifiable and ranked as one of the ten leading causes. The comparability ratio between the Eighth and Ninth Revision for this category is 1.8846, Nationally, which means that 88 per cent more deaths are assigned to this category under the Ninth Revision than are assigned to its most nearly comparable category under the Eighth Revision ("Bronchitis, Emphysema, and Asthma"). This large variability can be accounted for almost entirely by the transfer of deaths assigned by the Eighth Revision to "Chronic Obstructive Lung Disease without Mention of Asthma, Bronchitis, or Emphysema" (ICDA No.519.3) to the new Ninth Revision title "Chronic Airways Obstruction, not Elsewhere Classified"(ICD No.496). In Figure 5 and Table 7, for deaths prior to 1979, the number of deaths assigned to ICDA No. 519.3 have been included with the number assigned to the Eighth Revision title "Bronchitis, Emphysema, and Asthma" (ICDA No.490-492) in order to make that category more comparable to the new Ninth Revision title. Because these figures were not available Nationally, there is no comparability Ratio for the Ninth Revision title and this special grouping.

There were 239 deaths to Rhode Island residents from this cause of death in 1979, accounting for a rate of 25.7 per 100,000 estimated population. The provisional National rate was 22.7, 12 per cent lower than the State rate.

Males accounted for seventy per cent of the deaths from Chronic Obstructive Pulmonary Diseases, and it was the fifth leading cause of death for males and the fourth for all decedents aged 65 years and over (Tables 31 and 32). The median age, 75.6 years (76.0 for males and 74.3 for females), was slightly higher than the median age for all causes (74.0).

DIABETES MELLITUS, with 198 deaths and a rate of 21.3 per 100,000 estimated population, was the sixth leading cause of death in 1979. The Rhode Island death rate from diabetes has been among the highest in the nation, and the State's 1979 rate was 42 per cent higher than the provisional National rate of 15.0. Females outnumbered males, with a 1979 rate of 24.1 per 100,000 estimated population, 31 per cent above the male rate of 18.4. It was the fifth leading cause for females and only the seventh for males (Table 31). The median ages for females (77.0 years) and for males (69.2 years) were close to the median age for all female and male deaths (77.6 and 70.8 years, respectively). The median age for all diabetes deaths was 75.1 years.

ATHEROSCLEROSIS AND HYPERTENSION ranked 7th and 14th, respectively, in 1979. There were 166 deaths classified to Atherosclerosis(a rate of 17.9) and 37 to Hypertension (a rate of 4.0 (Table 7). These relatively low rates seem to contradict the known devastating effects of these two diseases on the Rhode Island population and on that of the nation as a whole. These low rates occur each year because of the procedure used in classifying deaths for statistical purposes. World Health Organization (WHO) classification rules direct us to assign deaths from atherosclerosis or hypertension to more specific forms of these diseases (such as arteriosclerotic heart disease or acute myocardial infarction) whenever the more specific diseases are mentioned on the death certificate. One must be aware of this procedure, then, when interpreting mortality statistics prepared in accordance with WHO guidelines. The actual involvement of atherosclerosis and hypertension in deaths from diseases of the cardiovascular system is greatly in excess of the relatively few deaths classified to these diseases, both in this report and in National publications. The provisional National rates for 1979 were 13.0 for Atherosclerosis and 3.1 for Hypertension.

PNEUMONIA AND INFLUENZA accounted for 149 deaths and ranked as the eighth leading

cause in 1979, yielding a rate of 16.0 per 100,000 estimated population. Although this category is titled "Pneumonia and Influenza", there were no Rhode Island resident deaths classified to influenza in 1979. This year and 1977 are the only years in the last 12 years that there have been no influenza deaths. The State rate was 20 per cent lower than the provisional National rate of 20.0 for 1979.

Pneumonia and influenza constituted the eighth leading cause of death for both males and females, when taken separately (Table 31). The male rate of 18.0 was 28 per cent higher than the rate for females (14.1). These deaths occurred predominantly among older persons: the median age of the 149 decedents was 81.7 years and only 16 (11 per cent) were less than 65 years of age. (Tables C and 25)

Caution should be exercised in interpreting statistics on pneumonia mortality. In this report, as well as in National publications, deaths are classified to pneumonia only when that disease is designated by the certifying physician as the underlying cause of death; i.e., as the disease initiating the chain of events leading to death. In cases where penumonia is not the underlying cause of death, but rather a terminal event, secondary to another disease or condition certified as the underlying cause, the death is classified to the other disease or condition. It may be inferred, therefore, that deaths involving pneumonia are much greater in number than those classified to pneumonia as the underlying cause of death.

CHRONIC LIVER DISEASE AND CIRRHOSIS was the ninth leading cause in 1979 with 139 deaths and a rate of 15.0 per 100,000 estimated population. It ranked as the sixth leading cause for males but was ranked ninth for females. The male rate of 20.0 was almost double the female rate of 10.1 (Table 31). The provisional National rate of 13.5 for 1979 was ten per cent lower than the State rate.

Chronic liver disease and cirrhosis is primarily a disease of the middle years. During 1979, decedents 45-64 years of age accounted for 51 per cent of all deaths from this disease. In contrast, only 20 per cent of deaths from all causes in 1979 were in this age category. Chronic liver disease and cirrhosis was the fourth leading cause of death in this age group with a rate of 35.7 per 100,000 estimated population aged 45-64 (Table 32 and Figure 9). The median age at death was 62.8 years, substantially lower than for all deaths (74.0 years)

SUICIDE was the tenth leading cause of death in 1979 with 115 deaths and a rate of 12.4 per 100,000 estimated population. Suicide was ranked as one of the ten leading causes in Rhode Island for the first time in 1974. It reached its highest ranking in 1977, when it was the seventh leading cause of death. The State rate for 1979 was six per cent higher than the provisional National rate of 11.7. There were almost two and one-half times the number of suicides for males than for females;and suicide ranked tenth among male deaths, while it was only the 12th leading cause for females. It was the second leading cause of death for decedents aged 5-19 years and ranked third for those 20-44 years old. Although the median age at death for all suicides was 36.9 years, the median age for females (45.0) was 31 per cent higher than the median age for males (34.3).

OTHER LEADING CAUSES, ranking 11th through 20th, accounted for 432 deaths, less than five per cent of all deaths to Rhode Island residents in 1979. The number of deaths in each category was relatively small, ranging from 93 for "Certain Conditions Originating in the Perinatal Period" to 16 for "Anemias"(Table 7). For this reason, comparisons of the crude death rates for these diseases and conditions should be made with caution. Table F below lists these causes with the State rate

and the provisional National rate per 100,000 estimated population for 1979.

Table F - Rhode Island Resident Deaths and Death Rates for Other Leading Causes in 1979 with Provisional U.S. Rates (Rates per 100,000 Estimated Population)

1979 Rank	Cause of Death(ICD)	Rhode Island Number	Rhode Island Rate	U.S. Rate (Provisional)
11.	Certain Conditions Originating in the Perinatal Period(760-779)	93	10.0	10.5
12.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	80	8.6	7.3
13.	Congenital Anomalies(740-759)	60	6.5	6.1
14.	Homicide and Legal Intervention(E960-E978)	37	4.0	10.0
14.	Hypertension with or without Renal Disease(401,403)	37	4.0	3.1
14.	Septicemia(038)	37	4.0	3.8
17.	Ulcer of Stomach and Duodenum(531-533)	27	2.9	2.5
18.	Benign Neoplasms, Carcinoma in Situ and Neoplasms of Uncertain Behavior and of Unspecified Nature(210-239)	24	2.6	3.0
19.	Hernia of Abdominal Cavity and Intestinal Obstruction without Mention of Hernia(550-553,560)	21	2.3	2.3
20.	Anemias(280-285)	16	1.7	1.3

Caution should be observed in comparing the State's crude rates with the provisional U.S. rates because of the differing age and sex compositions of the two populations. As mentioned earlier, the State's proportion of persons 65 years of age and over was 18 per cent higher than the National average. Standardized rates can not be computed because National figures by age for individual causes of death are not yet available.

MARRIAGE AND DIVORCE

The marriage and divorce statistics relate only to those events which occurred within the state. We have included no data for Rhode Island residents who were married or divorced in other states, because exchange of certificates among the states is not complete. There were 7,366 marriages and 3,603 divorces filed in Rhode Island in 1979, yielding rates of 7.9 and 3.9, respectively, per 1,000 estimated population. The divorce rate has no relationship to the 1979 marriage rate because most of the 1979 divorces terminated marriages that lasted a number of years (only four of the 1979 divorces were granted to persons who were married less than a year, and 284 divorces were of persons who had been married 25 years or more).

MARRIAGE

The 1979 rate of 7.9 marriages per 1,000 estimated population was one per cent higher than the 1978 rate of 7.8. In comparing the 1975-1979 average rate (7.6) to the 1965-1969 average rate (7.5), we found that the more recent average was one per cent higher than the earlier average (Table A). The Rhode Island rate has been consistently below the National rate in each of the past 30 years; the last ten years are shown in Figure 12. The State rate was 25 per cent below the provisional United States rate of 10.5 in 1979.

June, traditionally, is the most popular month for marriage. The tradition

FIGURE 12 - MARRIAGE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES * 1970 - 1979



FIGURE 13 - DIVORCE RATES PER 1,000 POPULATION: RHODE ISLAND AND THE UNITED STATES *



* Occurrence Statistics

continued in Rhode Island in 1979. There were 1,027 marriages recorded in June, averaging 34.2 marriages per day. The second highest average occurred in September (32.3). Each of the six months from May through October had averages above the year's daily rate of 20.2. The lowest average occurred in January, when only 302 marriages were performed, for a daily average of 9.7. The months of January through March each averaged fewer than 12 marriages per day.

The number of brides and grooms married in Rhode Island in 1979 is shown according to their usual residence in Table 33. Because a marriage usually takes place in the bride's home town or the church she attends, it is not surprising that there were far fewer participants who were non-residents of Rhode Island among the brides than among the grooms. In 1979, 14 per cent of the grooms were non-residents, whereas only eight per cent of the brides resided outside the state.

The location of churches and courts is an important factor in determining the number of marriages performed in a particular city or town. Two of the four municipalities, where the Family Courts meet (Newport and Providence) show rates above the State average. Another factor to consider is that frequently a church is located so that part of its congregation resides in an adjacent city or town.

Table 3 shows the number of marriages occurring in each city or town with the rates per 1,000 estimated population occurring in that area. The highest rate (40.2) was recorded in New Shoreham. Five other municipalities had rates one-third or more higher than the State rate (10.5 or more): Newport, 16.4; Jamestown, 13.6; Scituate, 11.9; South Kingstown, 11.0; and Westerly, 10.7. Six towns had rates one-third or more lower than the State rate (5.3 or less): West Greenwich, 2.6; Middletown, 3.5; North Providence, 3.6; Exeter, 4.3; Richmond. 4.4; and Glocester, 5.3.

Table 36 shows the number of times previously married for each party. Sixty-three per cent of marriages involved those in which both parties were marrying for the first time. Marriages in which one party was marrying for the first time and the other was marrying for the second time added 19 per cent. Thirteen per cent had both parties marrying for the second time and, in five per cent of the cases, either party was marrying for the third time or more.

A breakdown of previous marital status is shown in Table 37. Marriages between one previously unmarried and one divorced partner accounted for 19 per cent of the total; marriages between two divorced individuals accounted for twelve per cent; between two widowed parties, two per cent; and where only one of the parties was widowed, four per cent.

The age distribution of brides and grooms by previous marital status is shown in Table 35. Seventeen per cent of all brides who were marrying for the first time in 1979 were under 20 years of age, compared with 19 per cent in 1978. Seven per cent of the grooms (the same as in 1978) were under age 20. Only 8 brides under 20 years of age had been married previously, and all of the grooms in this age bracket were marrying for the first time. Forty-two per cent of all brides and 37 per cent of all grooms were in the age group 20-24 years. The percentage of teenage brides and grooms has decreased over the last several years.

The median age at first marriage was 22.6 years for brides and 24.2 years for grooms. The median age for remarried persons was much higher than for single persons: for brides whose previous marital status was "divorced", it was 31.3 years; for previously divorced grooms, it was 34.4 years. The median age at

remarriage for the widowed was 54.0 years for brides and 62.1 years for grooms. The median age in Rhode Island for all marriages was 23.9 years for brides and 26.3 for grooms.

Educational achievement is shown in Table 38. Nineteen per cent of the brides and 24 per cent of the grooms were college graduates (the 1978 figures were 18 and 24 per cent, respectively). Four per cent of all brides and six per cent of all grooms had completed eight or less years of schooling.

The race of the vast majority (95 per cent) of the 1979 marital partners was white, and 94 per cent of the marriages were between two white persons. Marriages between white brides and non-white grooms were 1.4 per cent of the total; between non-white brides and white grooms, slightly more than one-half of one per cent.

D I V O R C E

Reports of 3,603 final divorces were received by the Division of Vital Statistics in 1979 from the State's Family Courts. The rate of 3.9 per 1,000 estimated population was five per cent above the 1978 rate, and was the highest rate ever recorded. The 1975-1979 average rate of 3.5 was 192 per cent higher than the 1965-1969 rate of 1.2 (Table A).

The 1979 provisional National rate of 5.3 was 36 per cent above the State rate. The provisional National rates for the three previous years were 5.2, 5.0 and 5.0. Rhode Island's rate has been consistently below the National rate for the past 10 years (Figure 13).

The total population is a poor base for determining the divorce rate. A more precise measure of divorce is the number of divorces per 1,000 married females aged 15 and over. This rate is accurately known only in decennial census years. The Rhode Island rate for 1970 was 8.1 divorces per 1,000 married females aged 15 and over. The rates for the previous ten-year intervals, 1960, 1950, 1940, and 1930 were: 5.0; 4.7; 4.2; and 5.0, respectively.

The highest daily average for divorces (12.2 per day) occurred in January and February when 377 and 341 decrees were finalized. The lowest daily average (7.0 per day) occurred in December when 217 decrees became final. The daily average for the year was 9.9.

Rhode Island law does not provide for annulment, but there were seven divorces on the grounds of "void marriage" in 1979. The most frequent grounds for obtaining a final decree was "irreconcilable differences", accounting for 83 per cent of all divorces. Twelve per cent were granted on grounds of "living separate and apart three years", and four per cent on grounds of "extreme cruelty". The remaining divorces were distributed among the following grounds: "wilful desertion", "neglect and refusal to provide", "adultery", and "other gross misbehavior".

The 1979 data on duration of marriage show that 45 per cent of the marriages had endured ten years or more; 31 per cent, five to nine years; and 24 per cent, one to four years. Only four final decrees were entered before the couple had been married a full year.

Age of husband and wife at the time of divorce are cross-tabulated for all 1979 divorces in Table 39 and are tabulated by age according to previous marital status for husband and wife in Table 41. The median age at time of divorce for all men

was 33.5 years and for all women, 31.2. The median age at time of divorce after a first marriage was 31.9 for husbands and 29.7 for wives. The median age of persons for whom the 1979 divorce terminated a remarriage was 41.3 for men and 37.8 for women. Among those terminating a remarriage, 25 per cent of the husbands and 17 per cent of the wives were 50 years of age or older.

Eighty per cent of both husbands and wives were terminating a first marriage; 15 per cent of each were terminating a remarriage. Previous marital status was not stated on five per cent of the records for both parties.

At least 4,136 children under 18 years of age were affected by a 1979 divorce decree. There were 453 records with the information regarding children not stated (13 per cent) (See Table 43). Twenty-seven per cent of the divorces in 1979 involved no children; 26 per cent involved one child; 22 per cent involved two children; eight per cent, three children; and five per cent, four or more children.

Education is one of the most poorly reported items on the divorce record. Education was not stated for 12 per cent of both husbands and wives divorced in 1979. In those cases where the item was reported, 16 per cent of the husbands and eleven per cent of the wives were college graduates; ten per cent of the husbands and six per cent of the wives had completed eight years or less of schooling. A breakdown of educational achievement is shown in Table 44.

The race of the vast majority of people divorced in 1979 was white. Ninety per cent of husbands and 91 per cent of wives were stated to be white; four per cent of both husbands and wives were stated to be non-white; and the race item was not specified for six per cent of each.

Table 1 - United States Census Population of Rhode Island by Race and Age by Sex, 1960 and 1970

Characteristic	Total Population*			Male			Female		
	1970	1960	Per Cent Change	1970	1960	Per Cent Change	1970	1960	Per Cent Change
RACE									
Total	949,723	859,488	+10.5	464,291	421,845	+10.1	482,434	437,643	+10.2
White	914,757	838,712	+9.1	447,892	411,265	+8.9	466,865	427,447	+9.2
Non-White	31,968	20,776	+53.9	16,399	10,580	+55.0	15,569	10,196	+52.7
Negro	25,338	18,332	+38.2	12,825	9,228	+39.0	12,513	9,104	+37.4
Other Races	6,630	2,444	+171.3	3,574	1,352	+164.3	3,056	1,092	+179.9
AGE IN YEARS									
All Ages	949,723	859,488	+10.5	464,291	421,845	+10.1	482,434	437,643	+10.2
Under 5	76,035	89,771	-15.3	38,878	45,655	-14.8	37,157	44,116	-15.8
Under 1	15,096	18,337	-17.7	7,712	9,326	-17.3	7,384	9,011	-18.1
1 - 4	60,939	71,434	-14.7	31,166	36,329	-14.2	29,773	35,105	-15.2
5 - 9	85,874	80,227	+7.0	43,903	40,783	+7.7	41,971	39,444	+6.4
10 - 14	88,289	73,830	+19.6	44,935	37,561	+19.6	43,354	36,269	+19.5
15 - 19	85,680	63,207	+35.6	44,181	33,295	+32.7	41,499	29,912	+38.7
20 - 24	87,963	54,152	+62.4	49,076	29,855	+64.4	38,887	24,297	+60.0
25 - 29	59,319	47,304	+25.4	30,154	23,579	+27.9	29,165	23,725	+22.9
30 - 34	47,276	57,414	-17.7	23,586	28,030	-15.9	23,690	29,384	-19.4
35 - 39	47,465	62,418	-24.0	23,374	30,483	-23.3	24,091	31,935	-24.6
40 - 44	56,237	57,609	-2.4	27,220	27,640	-1.5	29,017	29,969	-3.2
45 - 49	59,557	53,889	+10.5	28,677	25,981	+10.4	30,880	27,908	+10.6
50 - 54	55,598	48,072	+15.7	26,266	22,647	+16.0	29,332	25,425	+15.4
55 - 59	50,268	43,438	+15.7	23,523	20,473	+14.9	26,745	22,965	+16.5
60 - 64	43,232	38,617	+12.0	19,278	17,634	+9.3	23,954	20,983	+14.2
65 - 69	35,251	33,730	+4.5	14,947	15,262	-2.1	20,304	18,468	+9.9
70 - 74	28,665	25,715	+11.5	11,498	11,149	+3.1	17,167	14,566	+17.9
75 - 79	20,268	16,276	+24.5	7,892	6,668	+18.4	12,376	9,608	+28.8
80 - 84	12,030	8,696	+38.3	4,375	3,305	+32.4	7,655	5,391	+42.0
85 & Over	7,718	5,123	+50.7	2,528	1,845	+37.0	5,190	3,278	+58.3
Median Age	29.2	31.9		26.9	30.0		31.9	33.6	
65 Years & Over	103,932	89,540	+16.1	41,240	38,229	+7.9	62,692	51,311	+22.2

* The 1970 figures in this table add to 946,725 -- the original total. This total was later corrected to 949,723, but no corrections for age, sex, or race have been received.

Table 2 - Population of Rhode Island Cities and Towns by County: Census of 1960, 1970, and 1979 Estimate

City or Town by County	CENSUS ENUMERATION 1960	1970	1979 Estimate**
STATE TOTAL	859,488	949,723	929,300
Bristol County	37,146	45,937	44,800
Barrington	13,326	17,554	16,100
Bristol	14,570	17,860	18,000
Warren	8,750	10,523	10,600
Kent County	112,619	142,382	150,100
Coventry	15,432	22,947	26,500
East Greenwich	6,100	9,577	10,200
Warwick	68,504	83,694	85,700
West Greenwich	1,169	1,841	2,700
West Warwick	21,414	24,323	25,100
Newport County	81,405	94,228	80,400
Jamestown	2,267	2,911	4,000
Little Compton	1,702	2,385	3,100
Middletown	12,675	29,290	17,300
Newport	47,049	34,562	28,500
Portsmouth	8,251	12,521	14,300
Tiverton	9,461	12,559	13,300
Providence County	568,778	581,470	563,600
Burrillville	9,119	10,087	13,100
Central Falls	19,858	18,716	17,100
Cranston	66,766	74,287	72,000
Cumberland	18,792	26,605	27,200
East Providence	41,955	48,207	50,500
Foster	2,097	2,626	3,000
Glocester	3,397	5,160	7,600
Johnston	17,160	22,037	24,700
Lincoln	13,551	16,182	16,400
North Providence	18,220	24,337	28,600
North Smithfield	7,632	9,349	10,200
Pawtucket	81,001	76,984	70,700
Providence	207,498	179,116	153,800
Scituate	5,210	7,489	8,400
Smithfield	9,442	13,468	16,400
Woonsocket	47,080	46,820	44,000
Washington County	59,540	85,706	90,400
Charlestown	1,966	2,863	4,800
Exeter	2,298	3,245	3,700
Hopkinton	4,174	5,392	6,300
Narragansett	3,444	7,138	11,500
*New Shoreham	486	489	500
North Kingstown	18,977	29,793	21,500
Richmond	1,986	2,625	3,900
South Kingstown	11,942	16,913	19,600
Westerly	14,267	17,248	18,600

* Transferred to Washington County - 9/17/63

** Estimates obtained by interpolation using the provisional 1980 U.S. Census Population and the 1979 U.S. Census Population Estimates for the State by County.

Table 3 - Number of Live Births, Deaths, and Marriages with Rates by City and Town - Rhode Island, 1979
(Rates per 1,000 Estimated Population)

City or Town	LIVE BIRTHS Number Occurrences	LIVE BIRTHS Number Residents	LIVE BIRTHS Resident Rate	DEATHS Number Occurrences	DEATHS Number Residents	DEATHS Resident Rate	MARRIAGES Occurrences Number	MARRIAGES Occurrences Rate
STATE TOTAL	12,251	11,860	12.8	9,309	9,060	9.7	7,366	7.9
Barrington	2	154	9.6	29	128	7.9	122	7.6
Bristol	1	225	12.5	148	189	10.5	155	8.6
Burrillville	0	175	13.4	189	114	8.7	103	7.9
Central Falls	0	267	15.7	150	222	13.0	119	7.0
Charlestown	0	66	13.8	5	28	5.9	38	8.0
Coventry	0	366	13.8	48	176	6.7	168	6.3
Cranston	4	696	9.7	473	695	9.7	460	6.4
Cumberland	5	266	9.8	87	218	8.0	225	8.3
East Greenwich	0	104	10.2	17	105	10.3	88	8.7
East Providence	3	556	11.0	271	494	9.8	275	5.5
Exeter	1	63	17.1	10	22	6.0	16	4.3
Foster	2	37	12.2	6	28	9.2	31	10.2
Glocester	0	101	13.3	10	50	6.6	40	5.3
Hopkinton	1	86	13.7	10	55	8.8	47	7.5
Jamestown	1	54	13.6	8	45	11.3	54	13.6
Johnston	0	268	10.9	116	180	7.3	137	5.6
Lincoln	2	163	9.9	24	164	10.0	97	5.9
Little Compton	1	39	12.7	8	27	8.8	30	9.8
Middletown	2	238	13.7	82	121	7.0	61	3.5
Narragansett	3	160	13.9	16	75	6.5	88	7.6
Newport	852	439	15.4	363	290	10.2	466	16.4
New Shorenam	0	11	22.1	4	9	18.1	20	40.2
North Kingstown	2	325	15.1	96	128	6.0	139	6.5
North Providence	0	292	10.2	323	275	9.6	103	3.6
North Smithfield	0	111	10.9	194	81	8.0	56	5.5
Pawtucket	968	940	13.3	851	874	12.4	509	7.2
Portsmouth	2	200	14.0	21	101	7.1	99	6.9
Providence	6,590	2,300	15.0	3,474	1,926	12.5	1,532	10.0
Richmond	0	63	16.2	8	21	5.4	17	4.4
Scituate	1	91	10.8	12	63	7.5	100	11.9
Smithfield	0	163	9.9	74	90	5.5	106	6.4
South Kingstown	513	249	12.7	233	115	5.9	215	11.0
Tiverton	1	143	10.8	25	99	7.5	120	9.0
Warren	1	114	10.7	83	106	10.0	81	7.6
Warwick	1,836	935	10.9	944	775	9.0	678	7.9
Westerly	662	265	14.2	284	158	8.5	199	10.7
West Greenwich	0	39	14.6	10	18	6.8	7	2.6
West Warwick	2	384	15.3	68	245	9.8	215	8.6
Woonsocket	793	712	16.2	535	550	12.5	350	8.0

Table 4 - Population, Live Births, Deaths, Marriages and Divorces with Rates per 1,000 Population: Rhode Island, 1949 - 1979

Year	Population Estimates (Except Census Years)	Resident Live Births		Resident Total Deaths		Rhode Island Occurrences Marriages		Divorces	
		Number	Rate	Number	Rate	Number	Rate	Number	Rate
1949	801,000	16,492	20.6	8,071	10.1	7,098	8.9	1,011	1.3
1950	791,896	16,210	20.5	8,308	10.5	7,501	9.5	907	1.1
1951	777,000	16,980	21.9	8,156	10.5	7,040	9.1	1,035	1.3
1952	797,000	17,098	21.5	8,240	10.3	6,592	8.3	1,026	1.3
1953	814,000	17,472	21.5	8,286	10.2	6,422	7.9	797	1.0
1954	817,000	18,046	22.1	8,191	10.0	6,110	7.5	823	1.0
1955	825,000	17,895	21.7	8,697	10.5	6,357	7.7	827	1.0
1956	843,000	18,174	21.6	8,415	10.0	6,325	7.5	913	1.1
1957	854,000	18,846	22.1	8,512	10.0	5,884	6.9	933	1.1
1958	860,000	18,295	21.3	8,737	10.2	5,659	6.6	946	1.1
1959	854,000	18,667	21.9	8,767	10.3	5,770	6.8	1,049	1.2
1960	859,488	18,386	21.4	8,984	10.5	5,817	6.8	1,055	1.2
1961	869,000	18,326	21.1	8,814	10.1	5,640	6.5	1,040	1.2
1962	877,600	18,320	20.9	9,127	10.4	5,575	6.4	921	1.0
1963	885,600	18,121	20.5	9,520	10.7	5,967	6.7	1,055	1.2
1964	893,500	18,010	20.2	9,319	10.4	6,103	6.8	1,100	1.2
1965	892,709	17,270	19.3	9,614	10.8	6,321	7.1	1,193	1.3
1966	898,000	16,314	18.2	9,454	10.5	6,122	6.8	1,273	1.4
1967	900,000	15,803	17.6	9,370	10.4	6,536	7.3	871	1.0
1968	914,000	15,211	16.6	9,717	10.6	7,311	8.0	971	1.1
1969	938,000	15,463	16.5	9,288	9.9	7,548	8.0	1,267	1.4
1970	949,723	15,821	16.7	9,497	10.0	7,531	7.9	1,687	1.8
1971	960,000	14,903	15.5	9,377	9.8	7,589	7.9	1,803	1.9
1972	968,000	13,288	13.7	9,519	9.8	7,858	8.1	2,018	2.1
1973	967,000	12,275	12.7	9,476	9.8	7,715	8.0	2,409	2.5
1974	940,300	11,337	12.1	9,089	9.7	7,255	7.7	2,522	2.7
1975	927,000	10,724	11.6	8,866	9.6	6,695	7.2	2,658	2.9
1976	927,000	10,786	11.6	9,168	9.9	6,905	7.4	3,276	3.5
1977	935,000	11,617	12.4	9,034	9.7	7,114	7.6	3,420	3.7
1978	935,000	11,515	12.3	8,847	9.5	7,277	7.8	3,475	3.7
1979	929,300	11,860	12.8	9,060	9.7	7,366	7.9	3,603	3.9

1949-1956 Data from VITAL STATISTICS OF THE UNITED STATES, U.S. Government Publications.

Table 5 - Number of Infant, Neonatal and Perinatal Deaths with Rates
Rhode Island Residents, 1951 - 1979

	INFANT DEATHS (Under One Year)		NEONATAL DEATHS (Under 28 Days)		PERINATAL DEATHS						MATERNAL DEATHS	
					Early Infants (Under 7 Days)		Late Fetal Deaths (28 Weeks & Over)		Total Perinatal			
Year	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate#
1951	429	25.3	342	20.1	312	18.4	228	13.4	540	31.4	7	4.1
1952	390	22.8	305	17.8	272	15.9	196	11.5	468	27.1	8	4.7
1953	434	24.8	334	19.1	304	17.4	184	10.5	488	27.6	6	3.4
1954	416	23.1	332	18.4	295	16.3	199	11.0	494	27.1	11	6.1
1955	419	23.4	321	17.9	295	16.5	222	12.4	517	28.5	2	1.1
1956	439	24.2	332	18.3	304	16.7	223	12.3	527	28.6	3	1.7
1957	450	23.9	345	18.3	311	16.5	228	12.1	539	28.3	5	2.7
1958	388	21.2	287	15.7	257	14.0	208	11.4	465	25.1	5	2.7
1959	444	23.8	336	18.0	301	16.1	191	10.2	492	26.1	3	1.6
1960	423	23.0	300	16.3	280	15.2	195	10.6	475	25.6	6	3.3
1961	412	22.5	310	16.9	286	15.6	198	10.8	484	26.1	2	1.1
1962	468	25.5	350	19.1	311	17.0	202	11.0	513	27.7	1	0.5
1963	438	24.2	342	18.9	315	17.4	208	11.5	523	28.5	5	2.8
1964	449	24.9	342	19.0	310	17.2	196	10.9	506	27.8	2	1.1
1965	385	22.3	299	17.3	274	15.9	188	10.9	462	26.5	2	1.2
1966	359	22.0	269	16.5	247	15.1	151	9.3	398	24.2	2	1.2
1967	306	19.4	244	15.4	219	13.9	155	9.8	374	23.4	2	1.3
1968	326	21.4	252	16.6	236	15.5	131	8.6	267	23.9	-	-
1969	304	19.7	235	15.2	214	13.8	151	9.8	365	23.4	4	2.6
1970	312	19.7	241	15.2	218	13.8	135	8.5	353	22.1	4	2.5
1971	289	19.4	231	15.5	210	14.1	113	7.6	323	21.5	2	1.3
1972	257	19.3	194	14.6	176	13.2	93	7.0	269	20.1	-	-
1973	206	16.8	164	13.4	154	12.5	72	5.9	226	18.3	1	0.8
1974	176	15.5	137	12.1	124	10.9	79	7.0	203	17.8	1	0.9
1975	156	14.5	108	10.1	93	8.7	81	7.6	174	16.1	1	0.9
1976	155	14.4	121	11.2	106	9.8	74	6.9	180	16.6	1	0.9
1977	139	12.0	94	8.1	77	6.6	70	6.0	147	12.6	-	-
1978	158	13.7	121	10.5	99	8.6	61	5.3	160	13.8	2	1.7
1979	167	14.1	119	10.0	101	8.5	74	6.2	175	14.7	-	-

* Rate per 1,000 Live Births
** Rate per 1,000 Live Births Combined with Late Fetal Deaths
\# Rate per 10,000 Live Births

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
TOTAL
RHODE ISLAND, 1979

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	9060	167	16	19	14	69	82	133	197	538	556	758	1021	1203	1250	1307	1708	22
BARRINGTON	128	1	0	0	1	1	2	3	1	6	20	5	11	13	12	11	36	1
BRISTOL	185	3	0	0	1	2	0	1	5	17	13	23	19	15	17	27	41	1
BURRILLVILLE	114	1	0	2	0	2	1	1	5	15	7	6	9	13	15	16	21	0
CENTRAL FALLS	222	3	0	0	1	1	1	4	4	16	6	18	19	29	40	43	34	1
CHARLESTOWN	26	2	0	0	0	1	2	0	1	0	2	2	5	3	4	3	3	0
COVENTRY	176	8	1	0	0	2	5	1	9	15	16	10	18	28	18	23	21	1
CRANSTON	695	4	0	1	1	5	1	11	13	33	50	67	88	96	99	97	129	0
CUMBERLAND	218	7	0	1	0	2	1	4	7	6	21	14	32	31	30	34	27	1
EAST GREENWICH	105	3	0	0	0	4	0	2	3	7	4	5	7	16	14	13	22	1
EAST PROVIDENCE	454	6	0	0	0	4	5	8	7	25	23	36	58	62	82	81	92	3
EXETER	22	2	0	0	0	0	2	2	1	1	1	1	1	2	1	2	6	0
FOSTER	28	0	1	0	0	0	0	1	2	3	3	2	3	3	1	4	5	0
GLOCESTER	50	1	0	0	0	1	0	0	1	3	3	7	10	5	5	2	12	0
HOPKINTON	55	2	0	0	0	0	1	1	0	2	2	7	1	6	13	9	9	0
JAMESTOWN	45	1	0	0	0	0	1	0	3	4	3	4	3	1	7	4	14	0
JOHNSTON	180	0	0	0	0	0	1	4	3	16	13	23	21	29	26	26	18	0
LINCOLN	164	2	0	0	0	0	1	2	3	6	13	13	20	22	23	32	27	0
LITTLE COMPTON	27	0	0	0	0	1	0	1	2	1	1	0	5	3	3	4	6	0
MIDDLETOWN	121	4	0	0	0	0	2	1	3	9	8	11	23	11	13	24	12	0
NARRAGANSETT	75	1	0	0	0	1	1	1	1	4	3	6	9	13	9	13	13	0
NEWPORT	290	8	0	0	0	1	4	3	6	22	13	24	28	37	38	34	72	0
NEW SHOREHAM	9	0	0	0	0	0	0	0	0	1	0	0	2	2	1	1	2	0
NORTH KINGSTOWN	128	1	1	3	0	2	3	2	4	6	15	6	16	14	18	16	19	0
NORTH PROVIDENCE	275	2	2	0	0	3	4	2	6	12	12	34	40	31	31	38	58	0
NORTH SMITHFIELD	81	2	0	0	0	0	2	0	0	5	8	5	6	13	6	13	21	0
PAWTUCKET	874	12	2	2	1	4	8	11	18	40	60	72	85	125	133	125	174	2
PORTSMOUTH	101	2	0	0	0	2	0	5	4	10	16	9	10	14	9	7	13	0
PROVIDENCE	1526	51	7	6	2	13	14	33	37	114	84	137	200	261	272	285	408	2
RICHMOND	21	0	0	0	0	0	0	0	1	3	1	1	0	5	2	4	3	1
SCITUATE	63	2	0	0	0	0	0	2	1	3	3	6	5	9	11	6	11	0
SMITHFIELD	90	0	0	0	1	0	0	0	2	6	5	9	9	14	8	13	19	4
SOUTH KINGSTOWN	115	1	0	0	0	1	1	2	3	10	3	7	14	16	13	18	26	0
TIVERTON	99	1	0	0	0	2	2	1	1	10	6	11	11	14	19	10	11	0
WARREN	106	0	0	0	0	1	1	3	1	7	6	7	9	12	19	17	23	0
WARWICK	775	8	2	2	1	8	7	9	22	54	55	74	109	100	105	95	122	2
WESTERLY	158	1	0	0	2	1	2	3	2	9	6	15	18	14	16	30	39	0
WEST GREENWICH	18	0	0	0	0	0	0	1	0	0	1	2	8	2	0	0	4	0
WEST WARWICK	245	7	0	1	1	1	3	2	6	11	15	28	29	32	31	33	44	1
WOONSOCKET	550	16	0	1	2	3	4	6	9	26	33	39	60	81	86	92	91	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
WHITE MALES RHODE ISLAND, 1975

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	4565	73	3	10	9	48	52	88	128	335	322	465	625	660	610	537	551	3
BARRINGTON	67	0	0	0	1	1	1	2	1	3	10	6	7	7	8	5	15	0
BRISTOL	110	2	0	0	0	2	0	0	3	11	6	14	15	12	7	16	20	0
BURRILLVILLE	75	1	0	2	0	2	1	1	4	10	6	5	6	10	9	6	10	0
CENTRAL FALLS	114	1	0	0	0	0	1	3	4	10	6	13	15	15	16	16	10	0
CHARLESTOWN	16	0	0	0	0	1	1	0	1	0	2	2	3	2	1	1	2	0
COVENTRY	96	4	0	0	0	1	3	0	5	12	9	4	11	14	14	10	9	0
CRANSTON	338	3	0	0	1	3	1	6	9	20	25	45	53	51	44	35	35	0
CUMBERLAND	111	4	0	0	0	1	0	3	7	4	14	5	20	15	10	11	6	0
EAST GREENWICH	58	2	0	0	0	4	0	2	2	5	2	4	4	10	5	7	7	0
EAST PROVIDENCE	240	3	0	0	0	2	2	4	3	16	14	22	40	30	37	35	31	1
EXETER	13	1	0	0	0	0	1	0	1	1	1	0	0	2	1	1	4	0
FOSTER	18	0	0	0	0	0	0	1	1	3	2	2	2	2	1	1	3	0
GLOCESTER	27	0	0	0	0	1	0	0	1	0	3	5	6	3	2	1	5	0
HOPKINTON	30	1	0	0	0	0	1	1	0	1	0	6	1	6	6	2	3	0
JAMESTOWN	21	0	0	0	0	0	1	0	3	3	2	2	1	1	4	1	3	0
JOHNSTON	106	0	0	0	0	0	1	3	0	10	7	15	14	20	17	12	7	0
LINCOLN	79	1	0	0	0	0	0	0	1	5	6	4	14	14	17	10	5	0
LITTLE COMPTON	16	0	0	0	0	1	0	1	2	0	1	0	3	2	1	3	2	0
MIDDLETOWN	74	3	0	0	0	0	2	1	3	8	4	7	14	5	10	13	4	0
NARRAGANSETT	34	0	0	0	0	0	1	1	0	0	2	3	5	4	5	7	6	0
NEWPORT	142	5	0	0	0	1	2	2	6	16	8	14	13	21	22	12	20	0
NEW SHOREHAM	6	0	0	0	0	0	0	0	0	1	0	0	1	2	1	1	0	0
NORTH KINGSTOWN	63	0	0	2	0	1	2	2	4	5	10	3	10	6	8	4	6	0
NORTH PROVIDENCE	158	2	1	0	0	3	3	2	4	6	7	25	25	15	18	17	22	0
NORTH SMITHFIELD	42	0	0	0	0	0	1	0	0	2	6	4	5	5	4	6	7	0
PAWTUCKET	433	8	0	1	0	2	5	6	10	20	35	46	53	64	64	54	63	0
PORTSMOUTH	62	0	0	0	0	1	0	5	4	6	11	5	5	5	6	3	3	0
PROVIDENCE	854	15	1	3	2	7	6	16	17	65	40	67	116	136	117	103	137	0
RICHMOND	9	0	0	0	0	0	0	0	1	2	1	0	0	3	0	2	0	0
SCITUATE	30	2	0	0	0	0	0	2	0	0	2	5	2	3	6	2	6	0
SMITHFIELD	35	0	0	0	1	0	0	0	2	6	2	6	5	3	3	3	3	1
SOUTH KINGSTOWN	63	0	0	0	0	1	1	2	3	5	2	5	10	5	8	10	7	0
TIVERTON	63	0	0	0	0	2	2	1	1	7	4	7	8	6	5	7	7	0
WARREN	56	0	0	0	0	0	1	2	1	5	3	4	5	10	11	5	5	0
WARWICK	405	6	1	2	0	6	5	7	15	37	34	46	58	51	51	45	42	1
WESTERLY	78	0	0	0	2	1	1	3	0	6	2	10	13	6	7	11	14	0
WEST GREENWICH	5	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	0
WEST WARWICK	143	5	0	0	1	1	3	0	3	7	5	21	23	22	13	16	19	0
WOONSOCKET	275	4	0	0	1	3	3	4	6	17	15	24	37	52	35	31	35	0

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESILENCE BY AGE, RACE, AND SEX
WHITE FEMALES RHODE ISLAND, 1979

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	4295	55	8	7	5	18	25	35	55	176	215	275	374	515	615	750	1095	18
BARRINGTON	60	1	0	0	0	0	1	1	0	2	10	3	4	6	4	6	21	1
BRISTOL	79	1	0	0	1	0	0	1	2	6	5	5	4	7	10	11	21	1
BURRILLVILLE	35	0	0	0	0	0	0	0	1	5	1	1	1	3	6	10	11	0
CENTRAL FALLS	108	2	0	0	1	1	0	1	0	6	2	5	4	14	22	25	24	1
CHARLESTOWN	10	1	0	0	0	0	1	0	0	0	0	0	1	1	3	2	1	0
COVENTRY	80	4	1	0	0	1	2	1	4	3	7	6	7	14	4	13	12	1
CRANSTON	354	1	0	1	0	2	0	6	4	13	25	22	35	44	55	58	88	0
CUMBERLAND	107	3	0	1	0	1	1	1	0	2	7	5	12	12	20	23	18	1
EAST GREENWICH	46	1	0	0	0	0	0	0	1	2	2	5	3	5	5	6	15	1
EAST PROVIDENCE	240	4	0	0	0	2	3	4	4	5	6	13	17	30	44	43	57	2
EXETER	9	1	0	0	0	0	1	2	0	0	0	1	1	0	0	1	2	0
FOSTER	10	0	1	0	0	0	0	0	1	0	1	0	1	1	0	3	2	0
GLOCESTER	23	1	0	0	0	0	0	0	0	3	0	2	4	2	3	1	7	0
HOPKINTON	24	1	0	0	0	0	0	0	0	1	2	1	0	2	4	7	6	0
JAMESTOWN	24	1	0	0	0	0	0	0	0	1	1	2	2	0	3	3	11	0
JOHNSTON	73	0	0	0	0	0	0	1	3	6	6	8	7	8	9	14	11	0
LINCOLN	83	1	0	0	0	0	1	2	2	1	4	5	6	7	6	22	22	0
LITTLE COMPTON	11	0	0	0	0	0	0	0	0	1	0	0	2	1	2	1	4	0
MIDDLETOWN	43	1	0	0	0	0	0	0	0	0	3	4	4	5	2	11	8	0
NARRAGANSETT	40	1	0	0	0	1	0	0	1	4	1	3	4	5	3	6	7	0
NEWPORT	125	2	0	0	0	0	1	1	0	3	3	5	13	15	16	17	45	6
NEW SHOREHAM	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	0
NORTH KINGSTOWN	63	1	1	1	0	1	0	0	0	1	4	5	6	6	10	12	13	0
NORTH PROVIDENCE	117	0	1	0	0	0	1	0	2	6	5	5	11	12	13	21	36	0
NORTH SMITHFIELD	39	2	0	0	0	0	1	0	0	3	2	1	1	6	2	5	14	0
PAWTUCKET	430	3	2	1	1	2	3	3	6	18	24	25	31	61	67	70	111	2
PORTSMOUTH	39	2	0	0	0	1	0	0	0	4	5	0	5	5	3	4	10	0
PROVIDENCE	522	5	1	1	0	3	5	7	12	33	33	61	74	111	139	173	259	1
RICHMOND	12	0	0	0	0	0	0	0	0	1	0	1	0	2	2	2	3	1
SCITUATE	32	0	0	0	0	0	0	0	1	3	1	3	3	5	5	6	5	0
SMITHFIELD	54	0	0	0	0	0	0	0	0	0	3	2	4	11	5	10	16	3
SOUTH KINGSTOWN	69	1	0	0	0	0	0	0	0	4	1	2	3	7	4	8	15	0
TIVERTON	34	1	0	0	0	0	0	0	0	3	2	4	3	6	9	3	3	0
WARREN	48	0	0	0	0	1	0	1	0	1	3	3	4	2	8	7	18	0
WARWICK	364	2	1	0	1	2	2	2	7	16	20	28	51	48	54	45	80	1
WESTERLY	80	1	0	0	0	0	1	0	2	3	4	5	5	6	9	15	25	0
WEST GREENWICH	13	0	0	0	0	0	0	1	0	0	0	1	6	2	0	0	3	0
WEST WARWICK	102	2	0	1	0	0	0	2	3	4	6	7	6	10	18	17	25	1
WOONSOCKET	266	8	0	1	1	0	1	2	3	8	14	14	21	25	46	61	56	1

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE MALES RHODE ISLAND, 1979

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-99	100+
RHODE ISLAND	128	1e	3	1	0	1	1	4	6	16	9	7	12	1e	12	12	12	C
BARRINGTON	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
BRISTOL	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
BURRILLVILLE	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
CENTRAL FALLS	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
CHARLESTOWN	1	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
COVENTRY	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
CRANSTON	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	1	C
CUMBERLAND	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
EAST GREENWICH	1	C	C	C	C	C	C	C	C	C	C	C	C	1	C	C	C	C
EAST PROVIDENCE	9	C	C	C	C	C	C	C	C	C	1	1	1	1	1	2	2	C
EXETER	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
FOSTER	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
GLOCESTER	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
HOPKINTON	1	C	C	C	C	C	C	C	C	C	C	C	C	C	1	C	C	C
JAMESTOWN	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
JOHNSTON	1	C	C	C	C	C	C	C	C	C	C	C	C	1	C	C	C	C
LINCOLN	1	C	C	C	C	C	C	C	C	C	C	C	C	1	C	C	C	C
LITTLE COMPTON	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
MIDDLETOWN	1	C	C	C	C	C	C	C	C	1	C	C	C	C	C	C	C	C
NARRAGANSETT	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
NEWPORT	13	1	C	C	C	C	C	C	C	3	2	2	C	1	C	3	1	C
NEW SHOREHAM	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
NORTH KINGSTOWN	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
NORTH PROVIDENCE	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
NORTH SMITHFIELD	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
PAWTUCKET	5	1	C	C	C	C	C	C	1	1	C	C	1	C	1	C	C	C
PORTSMOUTH	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
PROVIDENCE	82	12	3	1	C	1	1	4	5	8	6	4	8	5	6	7	7	C
RICHMOND	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
SCITUATE	1	C	C	C	C	C	C	C	C	C	C	C	C	1	C	C	C	C
SMITHFIELD	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
SOUTH KINGSTOWN	3	C	C	C	C	C	C	C	C	1	C	C	1	C	1	C	C	C
TIVERTON	1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	1	C
WARREN	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
WARWICK	3	C	C	C	C	C	C	C	C	1	C	C	1	1	C	C	C	C
WESTERLY	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
WEST GREENWICH	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
WEST WARWICK	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
WOONSOCKET	3	1	C	C	C	C	C	C	C	1	C	C	C	C	1	C	C	C

TABLE 6 - RESIDENT DEATHS BY CITY OR TOWN OF RESIDENCE BY AGE, RACE, AND SEX
NON-WHITE FEMALES RHODE ISLAND, 1975

CITY TOWN	TOTAL	UNDER ONE	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	100+
RHODE ISLAND	102	15	2	1	0	2	3	4	3	6	5	11	6	6	13	6	10	1
BARRINGTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTRAL FALLS	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
COVENTRY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CRANSTON	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
EAST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EAST PROVIDENCE	5	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
EXETER	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0
FOSTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
GLOCESTER	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HOPKINTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JAMESTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
JOHNSTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
LITTLE COMPTON	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MIDDLETOWN	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0
NEWPORT	9	0	0	0	0	0	1	0	0	0	0	3	1	0	0	2	2	0
NEW SHOREHAM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
NORTH PROVIDENCE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PAWTUCKET	5	0	0	0	0	0	0	0	1	1	0	1	0	0	1	1	0	0
PORTSMOUTH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PROVIDENCE	64	12	2	1	0	2	2	4	2	4	5	5	2	5	10	2	5	1
RICHMOND	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SCITUATE	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SMITHFIELD	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
SOUTH KINGSTOWN	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TIVERTON	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WARREN	2	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0
WARWICK	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0
WESTERLY	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WEST WARWICK	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	4	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0

Table 7 - Deaths and Death Rates for Leading Causes in 1979 with Comparability Ratios and for Comparable Causes in 1970-1978
(Rhode Island Residents, Rate per 100,000 Population)

1978 Rank	Cause of Death(ICDA)	1979 * Number	1979 * Rate	Comparability Ratio	1978 Number	1978 Rate	1977 Number	1977 Rate	1976 Number	1976 Rate	1975 Number	1975 Rate	1974 Number	1974 Rate	1973 Number	1973 Rate	1972 Number	1972 Rate	1971 Number	1971 Rate	1970 Number	1970 Rate
1.	Diseases of Heart(390-398, 402,404-429)	2798	408.7	1.0126	3754	401.5	3757	401.8	3833	413.5	3778	407.6	4060	431.8	4051	418.9	4077	421.2	4086	425.6	4136	435.5
2.	Malignant Neoplasms#(140-208)	2124	228.6	1.0026	2159	230.9	2237	239.3	2117	228.4	2025	218.4	1926	204.8	1946	201.2	1939	200.3	1903	198.2	1910	201.1
3.	Cerebrovascular Diseases (430-438)	708	76.2	1.0049	698	74.7	769	82.2	761	82.1	770	83.1	713	75.8	834	86.2	881	91.0	825	85.9	907	95.5
4.	Accidents and Adverse Effects(E800-E949)	309	33.3	0.9970	262	28.0	335	35.8	287	31.0	290	31.3	336	35.7	399	41.3	353	36.5	321	33.4	320	33.7
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	239	25.7	N.A.	211	22.6	169	18.1	222	23.9	177	19.1	186	19.8	169	17.5	174	18.0	153	15.9	126	13.3
6.	Diabetes Mellitus(250)	198	21.3	0.9991	205	21.9	185	19.8	209	22.5	223	24.1	202	21.5	257	26.6	250	25.8	274	28.5	269	28.3
7.	Atherosclerosis(440)	166	17.9	1.0649	132	14.1	129	13.8	137	14.8	129	13.9	104	11.1	122	12.6	112	11.6	115	12.0	140	14.7
8.	Pneumonia and Influenza (480-487)	149	16.0	0.9264	171	18.3	130	13.9	212	22.9	149	16.1	232	24.7	303	31.3	289	29.9	299	31.1	250	26.3
9.	Chronic Liver Disease and Cirrhosis(571)	139	15.0	1.0110	136	14.5	163	17.4	161	17.4	185	20.0	172	18.3	146	15.1	166	17.1	138	14.4	139	14.6
10.	Suicide(E950-E959)	115	12.4	1.0032	110	11.8	142	15.2	112	12.1	102	11.0	104	11.1	79	8.2	63	6.5	81	8.4	74	7.8
11.	Certain Conditions Originating in the Perinatal Period(760-779)	93	10.0	1.0765	81	8.7	62	6.6	82	8.8	75	8.1	104	11.1	114	11.8	145	15.0	164	17.1	188	19.8
12.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	80	8.6	1.7397	32	3.4	43	4.6	43	4.6	49	5.3	30	3.2	33	3.4	38	3.9	19	2.0	40	4.2
13.	Congenital Anomalies(740-759)	60	6.5	0.9984	65	7.0	59	6.3	61	6.6	45	4.9	51	5.4	69	7.1	67	6.9	91	9.5	81	8.5
14.	Homicide and Legal Intervention(E960-E978)	37	4.0	1.0057	41	4.4	41	4.4	27	2.9	36	3.9	36	3.8	37	3.8	23	2.4	32	3.3	36	3.8
14.	Hypertension with or without Renal Disease(401,403)	37	4.0	1.2703	33	3.5	21	2.2	36	3.9	23	2.5	26	2.8	31	3.2	37	3.8	39	4.1	45	4.7
14.	Septicemia(038)	37	4.0	0.8500	26	2.8	19	2.0	29	3.1	12	1.3	22	2.3	21	2.2	20	2.1	10	1.0	11	1.2
17.	Ulcer of Stomach and Duodenum (531-533)	27	2.9	1.1192	26	2.8	30	3.2	34	3.7	32	3.5	25	2.7	40	4.1	33	3.4	49	5.1	46	4.8
18.	Benign Neoplasms#(210-239)	24	2.6	1.2085	22	2.4	29	3.1	24	2.6	15	1.6	30	3.2	31	3.2	20	2.1	20	2.1	22	2.3
19.	Hernia and Intestinal Obstruction#(550-553,560)	21	2.3	0.9432	16	1.7	31	3.3	27	2.9	25	2.7	39	4.1	32	3.3	26	2.7	22	2.3	29	3.1
20.	Anemias(280-285)	16	1.7	0.9296	13	1.4	6	0.6	10	1.1	16	1.7	10	1.1	22	2.3	18	1.9	10	1.0	13	1.4

* Caution should be observed in comparing 1979 causes with previous years because of major classification changes resulting in the adoption of the Ninth Revision of the International Statistical Classification of Diseases in 1979. See Introduction for a discussion of comparability ratios.

\# For complete category title, see Ninth Revision, ICD, 1975.

N.A. comparability ratio not available for categories 490-496.

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town: Five-Year Totals* with Average Rates, 1975-1979

Neighborhood by City or Town	Census Tracts	1975 Population Estimate	Total Deaths		Infant Deaths		Live Births		Births Out of Wedlock		Low Birth Weight	
			Number	Average Rate**	Number	Average Rate#	Number	Average Rate**	Number	Ratio=	Number	Ratio-
RHODE ISLAND	ALL	927,578	44,975	9.7	775	13.7	56,502	12.2	7,500	132.7	3,792	67.1
Barrington	301-304	16,994	605	7.1	10	13.4	748	8.8	25	33.4	43	57.5
Bristol	307-309	18,195	835	9.2	9	7.8	1,151	12.7	69	59.9	66	57.3
Burrillville	129,130	11,400	540	9.5	10	12.5	803	14.1	68	84.7	52	64.8
Central Falls	108-111	17,600	1,093	12.4	24	18.4	1,304	14.8	241	184.8	93	71.3
Charlestown	511	3,400	144	8.5	4	12.9(a)	311	18.3	27	86.8(a)	19	61.1(a)
Coventry	206,207	25,000	907	7.3	25	14.3	1,750	14.0	126	72.0	102	58.3
Cranston	134-148	75,797	3,589	9.5	28	8.8	3,189	8.4	218	68.4	177	55.5
Edgewood-Pawtuxet	134-136	13,957	795	11.4	2	2.8	721	10.3	69	95.7	39	54.1
Auburn	137,138,140	19,501	1,126	11.5	7	7.7	913	9.4	44	48.2	40	43.8
Garden City-Dean Estates	139,143,144	13,728	521	7.6	3	9.2(a)	325	4.7	18	55.4(a)	22	67.7(a)
Arlington-Knightsville	141,147	10,859	680	12.5	6	9.7	621	11.4	56	90.2	40	64.4
West Cranston	145,146,148	13,487	390	5.8	10	18.8	533	7.9	26	48.8	30	56.3
State Institutions-Pettaconsett	142	4,265	73	3.4	0	0.0(a)	73	3.4	4	54.8(a)	6	82.2(a)
Cumberland	112-114	27,498	998	7.3	22	18.5	1,187	8.6	80	67.4	59	49.7
North	114	13,738	470	6.8	10	18.6	537	7.8	25	46.6	26	48.4
South	112,113	13,760	528	7.7	12	18.5	650	9.4	55	84.6	33	50.8
East Greenwich	209	10,200	397	7.8	5	10.9(a)	459	9.0	39	85.0(a)	32	69.7(a)
East Providence	101-107	50,000	2,480	9.9	29	10.5	2,758	11.0	244	88.5	157	56.9
North	101	7,474	361	9.7	3	8.4(a)	358	9.6	17	47.5(a)	16	44.7(a)
North Center	102,103	11,817	637	10.8	8	11.4	703	11.9	80	113.8	45	64.0
South Center	104,105	15,606	763	9.8	8	8.8	914	11.7	73	79.9	52	56.9
South	106,107	15,103	718	9.5	9	11.5	781	10.3	74	94.8	44	56.3
Exeter	505	3,701	104	5.6	4	13.9(a)	287	15.5	25	87.1(a)	16	55.7(a)
Foster	133	3,100	132	8.5	5	25.6(a)	195	12.6	10	51.3(a)	17	87.2(a)
Glocester	131	6,300	265	8.4	6	14.1(a)	427	13.6	20	46.8(a)	23	53.9(a)
Hopkinton	507	5,700	227	8.0	6	14.9(a)	404	14.2	33	81.7(a)	27	66.8(a)
Jamestown	413	3,500	189	10.8	3	12.4(a)	241	13.8	20	83.0(a)	7	29.0(a)
Johnston	122-125	23,398	875	7.5	8	7.0	1,147	9.8	61	53.2	62	54.1
Lincoln	115-117	17,400	843	9.7	10	13.6	735	8.4	38	51.7	40	54.4
North	115	4,888	271	11.1	5	21.6(a)	232	9.5	4	17.2(a)	16	69.0(a)
South	116,117	12,512	572	9.1	5	10.0	501	8.0	34	67.9	24	47.9
Little Compton	414	2,600	152	11.7	3	17.4(a)	172	13.2	17	98.8(a)	10	58.1(a)
Middletown	402-404	15,000	553	7.4	25	17.5	1,426	19.0	90	63.1	83	58.2
Narragansett	515	8,801	357	8.1	3	4.5	671	15.2	49	73.0	32	47.7

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town
Five-Year Totals* with Average Rates, 1975-1979

Neighborhood by City or Town	Census Tracts	1975 Population Estimate	Total Deaths		Infant Deaths		Live Births		Births Out of Wedlock		Low Birth Weight	
			Number	Average Rate**	Number	Average Rate#	Number	Average Rate**	Number	Ratio#	Number	Ratio#
Newport	405-412	29,399	1,481	10.1	38	18.1	2,101	14.3	458	218.0	174	82.8
North	405,406,410-412	16,053	797	9.9	26	21.1	1,232	15.3	342	277.6	116	94.2
South	407-409	13,346	656	9.8	10	14.1	711	10.7	96	135.0	50	70.3
New Shoreham	415	500	51	20.4	0	0.0(a)	36	14.4	5	138.9(a)	1	27.8(a)
North Kingstown	501-504	18,500	701	7.6	6	4.0	1,518	16.4	115	75.8	71	46.8
North Providence	118-121	26,398	1,199	9.1	11	8.6	1,275	9.7	54	42.4	73	57.3
North Smithfield	128	10,300	421	8.2	5	10.5(a)	475	9.2	26	54.7(a)	19	40.0(a)
Pawtucket	149-171	73,162	4,413	12.1	65	14.7	4,433	12.1	592	133.5	290	65.4
Fairlawn	150,163	7,445	385	10.3	4	11.0(a)	363	9.8	24	66.1(a)	18	49.6(a)
Woodlawn-Downtown	149-151,152,161,162,164	15,421	1,245	16.1	18	14.7	1,221	15.8	257	210.5	79	64.7
Oaknill	165,166	5,960	357	12.0	1	3.1(a)	323	10.8	29	89.8(a)	21	65.0(a)
Pleasant View-East Side	153,154,160,167,171	15,731	845	10.7	23	19.9	1,157	14.7	180	155.6	84	72.6
North Darlington	155-159	19,073	1,037	10.9	13	12.9	1,010	10.6	76	75.2	61	60.4
South Darlington	168-170	9,532	540	11.3	6	16.9(a)	354	7.4	26	73.4(a)	26	73.4(a)
Portsmouth	401	12,600	418	6.6	7	6.8	1,025	16.3	61	59.5	54	52.7
Providence	001-037	165,433	9,780	11.8	208	19.2	10,857	13.1	3,034	279.5	1,011	93.1
Washington Park	001	7,465	400	10.7	8	13.1	612	16.4	136	222.2	39	63.7
Elmwood	002,003	14,309	884	12.4	39	28.1	1,390	19.4	533	383.5	150	107.9
South Providence ***	004-007	9,813	627	12.8	36	31.2	1,153	23.5	687	595.8	154	133.6
Federal Hill-Olneyville	008-011,019	14,891	1,310	17.6	7	8.1	863	11.6	219	253.8	80	92.7
West End	012-015	14,932	943	12.6	33	22.6	1,459	19.5	541	370.8	166	113.8
Annex-Manton	016-018,020	18,835	1,124	11.9	22	16.5	1,334	14.2	282	211.4	113	84.7
Elmhurst-Upper Mt. Pleasant	021,023,024	21,931	1,165	10.6	9	10.6	852	7.8	67	78.6	53	62.2
Smith Hill-Lower Mt. Pleasant	022,025,026	9,570	704	14.7	13	17.3	752	15.7	173	230.1	63	83.8
Eagle Park-Wanskuck	027-029	16,102	849	10.5	11	12.4	886	11.0	160	180.6	52	58.7
Hope	030-033	13,077	807	12.3	17	23.1	737	11.3	177	240.2	77	104.5
East Side	034-035	11,031	638	11.6	6	14.9(a)	402	7.3	18	44.8(a)	27	67.2(a)
College Hill-Fox Point	036-037	13,477	317	4.7	7	17.2(a)	406	6.0	37	91.1(a)	35	86.2(a)
Inner City ##	003-007,009-014,019,025,026,031,037	55,948	3,724	13.3	116	24.0	4,833	17.3	1,943	402.0	545	112.8
Richmond	506	2,900	106	7.3	3	10.7(a)	280	19.3	39	139.3(a)	11	39.3(a)
Scituate	132	8,400	328	7.8	5	11.0(a)	454	10.8	26	57.3(a)	29	63.9(a)
Smithfield	126,127	14,300	502	7.0	7	9.5	738	10.3	43	58.3	39	52.8

Table 8 - Selected Health Characteristics for Rhode Island Residents by Neighborhood and City or Town
Five-Year Totals* with Average Rates, 1975-1979

Neighborhood by City or Town	Census Tracts	1975 Population Estimate	Total Deaths		Infant Deaths		Live Births		Births Out of Wedlock		Low Birth Weight	
			Number	Average Rate**	Number	Average Rate#	Number	Average Rate**	Number	Ratio#	Number	Ratio=
South Kingstown	512-514	19,496	635	6.5	8	7.5	1,066	10.9	130	122.0	56	52.5
Tiverton	416,417	13,000	483	7.4	10	14.5	689	10.6	40	58.1	43	62.4
Warren	305,306	10,399	536	10.3	7	10.5	667	12.8	55	82.5	39	58.5
Warwick	210-224	85,302	3,903	9.2	49	10.3	4,738	11.1	368	77.7	290	61.2
Lakewood-Spring Green	210,212,213	18,361	1,027	11.2	8	9.2	869	9.5	52	59.8	42	48.3
Norwood-Hillsgrove	211,214	15,449	660	8.5	5	6.3	791	10.2	59	74.6	49	61.9
Greenwood-Pontiac	221,223	8,476	419	9.9	4	10.6(a)	379	8.9	20	52.8(a)	17	44.9(a)
Buttonwoods	219	12,790	466	7.3	9	12.0	753	11.8	40	53.1	42	55.8
Oakland Beach-Warwick Neck	215-218	17,845	813	9.1	13	11.1	1,166	13.1	161	138.1	90	77.2
Cowesett-Potowamut	220,222,224	12,381	517	8.4	10	12.8	779	12.6	36	46.2	50	64.2
Westerly	508-510	16,812	867	10.3	18	14.3	1,255	14.9	120	95.6	54	51.0
West Greenwich	208	2,400	74	6.2	1	6.6(a)	151	12.6	13	86.1(a)	9	59.6(a)
West Warwick	201-205	24,999	1,138	9.1	23	11.8	1,946	15.6	210	107.9	122	62.7
Woonsocket	172-185	47,694	2,654	11.1	65	18.9	3,433	14.4	611	178.0	280	81.6
Fairmount-Central	172,174,176	9,205	452	9.8	13	16.7	778	16.9	239	307.2	67	86.1
Globe-North End	173,175	8,123	428	10.5	7	13.9	503	12.4	46	91.5	33	65.6
Bernon	177-179	10,317	561	10.9	17	22.1	769	14.9	115	149.5	76	98.8
Social	180-183	10,452	758	14.5	19	24.6	776	14.8	149	192.0	67	86.3
East Woonsocket	184,185	9,597	452	9.4	9	14.9	606	12.6	61	100.7	37	61.1

* Many city and town totals include items with tract unknown; thus, the sum of neighborhood figures will not always equal the city or town total.
** Average rate per 1,000 population according to the 1975 population estimate.
*** South Providence is referred to as "Model City" Area.
# Average rate per 1,000 live births 1975-1979.
Providence "Inner City" grouping includes census tracts that also appear in other Providence neighborhoods.
(a) Caution should be observed in using rates based on fewer than 500 births.

Table 9 - Number of Births Out of Wedlock with Ratio per 1,000 Live Births: Rhode Island, 1956-1979 (Rhode Island Residents)

	BIRTHS OUT OF WEDLOCK				
Year	Number	Ratio	Year	Number	Ratio
1956	398	21.9	1968	911	59.9
1957	534	28.3	1969	1,022	66.1
1958	576	31.5	1970	1,148	72.6
1959	614	32.9	1971	1,116	74.9
1960	611	33.2	1972	1,064	80.1
1961	611	33.3	1973	1,140	92.9
1962	528	28.8	1974	1,133	99.9
1963	580	32.0	1975	1,244	116.0
1964	662	36.8	1976	1,352	125.3
1965	694	40.2	1977	1,577	135.7
1966	778	47.7	1978	1,623	140.9
1967	847	53.6	1979	1,704	143.7

Source: National Office of Vital Statistics: Vital Statistics of the United States, 1955-1957. Rhode Island Department of Health, Division of Vital Statistics, data for 1958-1979.

Table 10 - Resident Births Out of Wedlock with Ratio per 1,000 Total Births in Specified Age Group: Rhode Island 1970-1979

			AGE OF MOTHER IN YEARS				
Year		Total	Under 20	20-24	25-29	30-34	35 and Over
1970	Number	1,148	497	400	156	59	36
	Ratio	72.6	261.9	63.0	34.4	31.3	31.4
1971	Number	1,116*	545	345	125	68	31
	Ratio	74.9	278.1	58.9	28.6	37.6	34.5
1972	Number	1,064	520	335	111	57	41
	Ratio	80.1	281.8	68.2	27.0	35.3	51.6
1973	Number	1,140*	567	380	112	53	27
	Ratio	92.9	304.3	87.8	29.0	34.6	39.4
1974	Number	1,133*	585	331	142	53	19
	Ratio	99.9	336.8	85.4	37.3	38.1	37.0
1975	Number	1,244	618	379	163	53	31
	Ratio	116.0	385.5	103.6	44.5	40.0	66.1
1976	Number	1,352*	632	430	192	66	31
	Ratio	125.3	401.3	116.5	51.8	48.2	70.0
1977	Number	1,577	700	589	181	72	35
	Ratio	135.7	431.6	147.4	46.3	45.1	71.4
1978	Number	1,623*	693	583	215	95	36
	Ratio	140.9	467.0	150.6	55.5	53.2	72.6
1979	Number	1,704*	715	605	260	90	34
	Ratio	143.7	477.9	154.7	64.3	47.0	68.8

* Includes one or more items with age not stated.

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1975

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	11860*	5250	4070	1635	504	166	78	44	35	31
WHITE MALE	5472	2478	1902	733	217	72	31	15	10	14
WHITE FEMALE	5220	2337	1817	725	217	63	24	16	11	10
NON-WHITE MALE	471	152	144	77	28	8	5	7	5	1
NON-WHITE FEMALE	494	166	144	87	25	13	5	5	1	1
UNKNOWN MALE	108	50	38	10	4	3	0	1	0	2
UNKNOWN FEMALE	94	47	25	7	5	2	1	0	0	3
UNDER 15 YEARS										
TOTAL	17	16	1	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0
WHITE FEMALE	5	5	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	1	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	46	43	3	0	0	0	0	0	0	0
WHITE MALE	20	19	1	0	0	0	0	0	0	0
WHITE FEMALE	11	11	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	9	7	2	0	0	0	0	0	0	0
16 YEARS										
TOTAL	146	136	9	1	0	0	0	0	0	0
WHITE MALE	62	60	2	0	0	0	0	0	0	0
WHITE FEMALE	56	52	3	1	0	0	0	0	0	0
NON-WHITE MALE	15	13	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	9	7	2	0	0	0	0	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
17 YEARS										
TOTAL	275	243	28	2	0	0	0	0	0	2
WHITE MALE	122	110	10	1	0	0	0	0	0	1
WHITE FEMALE	98	91	6	0	0	0	0	0	0	1
NON-WHITE MALE	26	20	5	1	0	0	0	0	0	0
NON-WHITE FEMALE	23	18	5	0	0	0	0	0	0	0
UNKNOWN MALE	3	2	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	2	1	0	0	0	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1979

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	413	332	74	6	0	0	0	0	0	1
WHITE MALE	159	127	29	3	0	0	0	0	0	0
WHITE FEMALE	188	145	22	0	0	0	0	0	0	1
NON-WHITE MALE	33	21	10	2	0	0	0	0	0	0
NON-WHITE FEMALE	33	21	11	1	0	0	0	0	0	0
UNKNOWN MALE	12	11	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	8	7	1	0	0	0	0	0	0	0
19 YEARS										
TOTAL	599	440	134	23	2	0	0	0	0	0
WHITE MALE	262	208	46	8	0	0	0	0	0	0
WHITE FEMALE	251	186	54	10	1	0	0	0	0	0
NON-WHITE MALE	35	17	16	1	1	0	0	0	0	0
NON-WHITE FEMALE	36	22	10	4	0	0	0	0	0	0
UNKNOWN MALE	5	3	2	0	0	0	0	0	0	0
UNKNOWN FEMALE	6	4	2	0	0	0	0	0	0	0
20 YEARS										
TOTAL	610	356	172	31	7	2	0	0	0	2
WHITE MALE	267	170	76	16	4	0	0	0	0	1
WHITE FEMALE	255	172	74	6	2	1	0	0	0	0
NON-WHITE MALE	32	18	10	3	0	0	0	0	0	1
NON-WHITE FEMALE	30	16	8	5	0	1	0	0	0	0
UNKNOWN MALE	12	9	1	1	1	0	0	0	0	0
UNKNOWN FEMALE	14	11	3	0	0	0	0	0	0	0
21 YEARS										
TOTAL	803	456	261	67	13	2	0	0	0	2
WHITE MALE	367	216	117	30	4	0	0	0	0	0
WHITE FEMALE	339	201	112	22	3	0	0	0	0	1
NON-WHITE MALE	43	15	15	9	0	0	0	0	0	0
NON-WHITE FEMALE	29	9	11	6	2	1	0	0	0	0
UNKNOWN MALE	14	7	5	0	2	0	0	0	0	0
UNKNOWN FEMALE	11	8	1	0	2	1	0	0	0	1
22 YEARS										
TOTAL	807	433	282	72	14	3	1	0	0	2
WHITE MALE	384	212	133	32	6	1	0	0	0	0
WHITE FEMALE	346	191	122	25	6	1	0	0	0	1
NON-WHITE MALE	32	12	11	7	2	0	0	0	0	0
NON-WHITE FEMALE	31	15	8	8	0	0	0	0	0	0
UNKNOWN MALE	7	2	4	0	0	1	0	0	0	0
UNKNOWN FEMALE	7	1	4	0	0	0	1	0	0	1

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1979

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	784	350	253	82	15	2	0	0	0	2
WHITE MALE	380	166	146	33	5	0	0	0	0	0
WHITE FEMALE	337	135	113	34	5	0	0	0	0	2
NON-WHITE MALE	22	5	5	3	0	1	0	0	0	0
NON-WHITE FEMALE	36	11	13	6	1	1	0	0	0	0
UNKNOWN MALE	5	1	3	1	0	0	0	0	0	0
UNKNOWN FEMALE	4	2	1	1	0	0	0	0	0	0
24 YEARS										
TOTAL	906	367	354	112	30	10	3	0	0	0
WHITE MALE	422	156	169	46	5	2	0	0	0	2
WHITE FEMALE	387	174	153	47	5	4	0	0	0	0
NON-WHITE MALE	32	8	10	5	3	1	1	0	0	0
NON-WHITE FEMALE	51	13	18	7	8	3	2	0	0	0
UNKNOWN MALE	11	4	4	2	1	0	0	0	0	0
UNKNOWN FEMALE	3	2	0	1	0	0	0	0	0	0
25-29 YEARS										
TOTAL	4046	1505	1644	650	154	45	23	6	4	15
WHITE MALE	1891	711	788	286	65	22	7	2	2	8
WHITE FEMALE	1868	718	764	298	61	14	7	2	1	3
NON-WHITE MALE	127	36	40	28	14	3	4	2	0	0
NON-WHITE FEMALE	114	28	34	25	10	6	5	0	1	1
UNKNOWN MALE	19	4	8	5	0	0	0	0	0	2
UNKNOWN FEMALE	27	8	10	4	4	0	0	0	0	1
30-34 YEARS										
TOTAL	1913	446	700	464	198	56	23	14	10	2
WHITE MALE	908	232	331	221	83	23	10	2	4	2
WHITE FEMALE	875	186	334	215	101	24	7	8	0	0
NON-WHITE MALE	47	9	14	10	7	3	2	1	1	0
NON-WHITE FEMALE	67	13	16	11	4	6	4	2	5	0
UNKNOWN MALE	9	3	4	1	0	0	0	1	0	0
UNKNOWN FEMALE	7	3	1	0	3	0	0	0	0	0
35-39 YEARS										
TOTAL	421	47	108	116	61	40	21	14	11	3
WHITE MALE	189	16	52	47	33	20	12	7	0	2
WHITE FEMALE	199	25	52	62	24	17	7	4	7	1
NON-WHITE MALE	13	3	1	3	0	0	0	3	3	0
NON-WHITE FEMALE	16	3	1	3	4	2	2	0	1	0
UNKNOWN MALE	1	0	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	0	1	1	0	1	0	0	0	0

TABLE 11 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1979

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	67	7	5	13	10	7	6	10	5	0
WHITE MALE	30	4	2	6	4	4	2	4	4	0
WHITE FEMALE	22	1	3	5	5	2	2	2	2	0
NON-WHITE MALE	6	0	0	1	1	0	2	1	1	0
NON-WHITE FEMALE	7	1	0	1	0	0	0	3	2	0
UNKNOWN MALE	2	1	0	0	0	1	0	0	0	0
45-49 YEARS										
TOTAL	8	1	1	0	0	1	1	0	4	0
WHITE MALE	1	1	0	0	0	0	0	0	0	0
WHITE FEMALE	2	0	0	0	0	0	1	0	1	0
NON-WHITE FEMALE	1	0	1	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	1	0	0	0	0
AGE UNKNOWN										
TOTAL	1	0	1	0	0	0	0	0	0	0
WHITE FEMALE	1	0	1	0	0	0	0	0	0	0

* Totals may include births of unknown sex.

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1979

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
ALL AGES										
TOTAL	1704	987	402	192	61	31	14	7	4	6
WHITE MALE	611	377	128	70	21	8	4	1	1	1
WHITE FEMALE	567	358	121	45	16	14	5	1	1	2
NON-WHITE MALE	223	111	58	36	9	3	2	3	0	1
NON-WHITE FEMALE	207	87	66	31	11	5	3	1	2	1
UNKNOWN MALE	57	32	15	4	1	0	0	1	0	0
UNKNOWN FEMALE	39	22	10	2	3	1	0	0	0	1
UNDER 15 YEARS										
TOTAL	14	13	1	0	0	0	0	0	0	0
WHITE MALE	8	8	0	0	0	0	0	0	0	0
WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
NON-WHITE MALE	2	1	1	0	0	0	0	0	0	0
NON-WHITE FEMALE	2	2	0	0	0	0	0	0	0	0
15 YEARS										
TOTAL	41	38	3	0	0	0	0	0	0	0
WHITE MALE	20	19	1	0	0	0	0	0	0	0
WHITE FEMALE	6	6	0	0	0	0	0	0	0	0
NON-WHITE MALE	6	6	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	9	7	2	0	0	0	0	0	0	0
16 YEARS										
TOTAL	100	92	7	1	0	0	0	0	0	0
WHITE MALE	39	39	0	0	0	0	0	0	0	0
WHITE FEMALE	35	31	3	1	0	0	0	0	0	0
NON-WHITE MALE	15	13	2	0	0	0	0	0	0	0
NON-WHITE FEMALE	9	7	2	0	0	0	0	0	0	0
UNKNOWN MALE	2	2	0	0	0	0	0	0	0	0
17 YEARS										
TOTAL	159	137	19	2	0	0	0	0	0	1
WHITE MALE	58	53	4	1	0	0	0	0	0	0
WHITE FEMALE	51	46	4	0	0	0	0	0	0	1
NON-WHITE MALE	26	20	5	1	0	0	0	0	0	0
NON-WHITE FEMALE	18	14	4	0	0	0	0	0	0	0
UNKNOWN MALE	3	2	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	3	2	1	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1975

RACE, SEX, AND AGE OF MOTHER	TOTAL	LIVE BIRTH ORDER								
		FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
18 YEARS										
TOTAL	184	152	28	4	0	0	0	0	0	0
WHITE MALE	91	45	5	1	0	0	0	0	0	0
WHITE FEMALE	67	60	7	0	0	0	0	0	0	0
NON-WHITE MALE	25	17	6	2	0	0	0	0	0	0
NON-WHITE FEMALE	24	19	8	1	0	0	0	0	0	0
UNKNOWN MALE	10	9	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	7	6	1	0	0	0	0	0	0	0
19 YEARS										
TOTAL	217	151	54	11	1	0	0	0	0	0
WHITE MALE	70	58	11	1	0	0	0	0	0	0
WHITE FEMALE	82	61	16	5	0	0	0	0	0	0
NON-WHITE MALE	26	12	12	1	1	0	0	0	0	0
NON-WHITE FEMALE	28	14	10	4	0	0	0	0	0	0
UNKNOWN MALE	7	3	4	0	0	0	0	0	0	0
UNKNOWN FEMALE	4	3	1	0	0	0	0	0	0	0
20 YEARS										
TOTAL	154	99	34	15	2	2	0	0	0	2
WHITE MALE	46	32	8	6	1	0	0	0	0	1
WHITE FEMALE	56	38	14	2	1	1	0	0	0	0
NON-WHITE MALE	17	10	4	2	0	0	0	0	0	1
NON-WHITE FEMALE	19	9	5	4	0	1	0	0	0	0
UNKNOWN MALE	7	5	1	1	0	0	0	0	0	0
UNKNOWN FEMALE	7	5	2	0	0	0	0	0	0	0
21 YEARS										
TOTAL	159	87	40	24	5	2	0	0	0	1
WHITE MALE	51	27	14	8	2	0	0	0	0	0
WHITE FEMALE	53	36	11	6	0	0	0	0	0	0
NON-WHITE MALE	24	11	7	6	0	0	0	0	0	0
NON-WHITE FEMALE	15	4	4	4	2	1	0	0	0	0
UNKNOWN MALE	11	6	4	0	1	0	0	0	0	0
UNKNOWN FEMALE	5	3	0	0	0	1	0	0	0	1
22 YEARS										
TOTAL	110	51	34	21	4	0	0	0	0	0
WHITE MALE	52	23	20	8	1	0	0	0	0	0
WHITE FEMALE	26	16	5	3	2	0	0	0	0	0
NON-WHITE MALE	14	5	2	6	1	0	0	0	0	0
NON-WHITE FEMALE	12	4	4	4	0	0	0	0	0	0
UNKNOWN MALE	2	1	1	0	0	0	0	0	0	0
UNKNOWN FEMALE	2	0	2	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1979

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
23 YEARS										
TOTAL	83	42	30	7	3	1	0	0	0	0
WHITE MALE	32	15	11	3	3	0	0	0	0	0
WHITE FEMALE	26	15	6	1	0	0	0	0	0	0
NON-WHITE MALE	11	4	5	1	0	1	0	0	0	0
NON-WHITE FEMALE	11	3	6	2	0	0	0	0	0	0
UNKNOWN MALE	2	0	2	0	0	0	0	0	0	0
UNKNOWN FEMALE	1	1	0	0	0	0	0	0	0	0
24 YEARS										
TOTAL	99	21	37	21	12	7	1	0	0	0
WHITE MALE	29	5	11	5	2	2	0	0	0	0
WHITE FEMALE	29	6	14	6	1	2	0	0	0	0
NON-WHITE MALE	13	0	4	5	2	1	1	0	0	0
NON-WHITE FEMALE	24	4	7	4	7	2	0	0	0	0
UNKNOWN MALE	4	2	1	1	0	0	0	0	0	0
25-29 YEARS										
TOTAL	260	63	81	61	18	7	6	2	1	1
WHITE MALE	108	37	33	23	6	4	3	1	1	0
WHITE FEMALE	84	31	26	18	4	3	1	1	0	0
NON-WHITE MALE	31	5	8	5	4	0	1	0	0	0
NON-WHITE FEMALE	23	3	10	7	1	0	1	0	0	1
UNKNOWN MALE	5	1	2	2	0	0	0	0	0	0
UNKNOWN FEMALE	5	2	2	2	3	0	0	0	0	0
30-34 YEARS										
TOTAL	90	16	26	20	14	8	2	3	1	0
WHITE MALE	34	7	8	12	5	2	0	0	0	0
WHITE FEMALE	32	4	10	5	7	4	2	0	0	0
NON-WHITE MALE	10	3	2	2	1	1	0	1	0	0
NON-WHITE FEMALE	10	1	4	1	1	1	0	1	1	0
UNKNOWN MALE	4	1	2	0	0	0	0	1	0	0
35-39 YEARS										
TOTAL	31	4	8	5	2	4	4	1	2	1
WHITE MALE	10	4	2	2	1	0	1	0	0	0
WHITE FEMALE	15	0	5	2	1	4	1	0	1	1
NON-WHITE MALE	2	0	0	1	0	0	0	1	0	0
NON-WHITE FEMALE	3	0	0	0	0	0	2	0	1	0
UNKNOWN FEMALE	1	0	1	0	0	0	0	0	0	0

TABLE 12 - RESIDENT BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, SEX OF CHILD, RACE AND LIVE BIRTH ORDER, RHODE ISLAND, 1975

RACE, SEX, AND AGE OF MOTHER	LIVE BIRTH ORDER									
	TOTAL	FIRST	SECOND	THIRD	FOURTH	FIFTH	SIXTH	SEVENTH	EIGHTH & OVER	UNKNOWN
40-44 YEARS										
TOTAL	3	1	0	0	0	0	1	1	0	0
WHITE MALE	1	1	0	0	0	0	0	0	0	0
WHITE FEMALE	1	0	0	0	0	0	1	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	1	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHTS	BIRTH WEIGHT IN GRAMS									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	8180000	789	75	66	132	516	1972	4369	3429	1049	151	13
WHITE	10892	649	48	54	104	443	1705	3997	3184	595	101	11
NON-WHITE	565	104	18	11	22	53	234	351	222	47	9	1
RACE UNKNOWN	203	36	19	3	4	14	25	81	43	7	9	4
UNDER 15 YEARS												
TOTAL	17	2	0	0	1	1	3	9	7	0	0	0
WHITE	13	1	0	0	1	0	2	4	0	0	0	0
NON-WHITE	4	1	0	0	0	1	1	1	1	0	0	0
15 YEARS												
TOTAL	48	3	0	0	0	2	13	16	9	3	1	0
WHITE	31	0	0	0	0	0	5	12	7	4	1	0
NON-WHITE	13	3	1	0	0	2	4	0	2	0	0	0
16 YEARS												
TOTAL	146	10	0	4	4	0	29	62	34	4	0	0
WHITE	118	19	0	4	3	0	21	49	30	3	0	0
NON-WHITE	24	1	0	0	1	0	8	12	3	0	0	0
RACE UNKNOWN	4	0	0	0	0	0	0	2	1	1	0	0
17 YEARS												
TOTAL	279	21	2	3	2	14	55	111	62	20	2	0
WHITE	220	12	1	2	1	8	46	93	50	10	1	0
NON-WHITE	49	7	1	1	1	4	10	16	12	1	1	0
RACE UNKNOWN	6	2	0	0	0	2	3	0	0	1	0	0
18 YEARS												
TOTAL	413	33	5	8	12	28	86	165	84	22	4	0
WHITE	327	27	3	7	7	20	66	128	74	15	2	0
NON-WHITE	66	12	1	1	3	7	17	24	8	3	0	0
RACE UNKNOWN	20	4	1	0	2	1	3	11	2	0	0	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHTS	BIRTH WEIGHT IN GRAMS 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	395	38	4	0	9	25	122	231	152	42	13	0
WHITE	363	28	2	0	3	23	93	205	135	38	13	0
NON-WHITE	31	6	1	0	2	2	27	20	12	4	0	0
RACE UNKNOWN	1	2	1	0	0	0	2	6	5	0	0	0
20 YEARS												
TOTAL	610	52	3	7	12	30	113	241	152	46	4	0
WHITE	522	40	2	5	10	23	92	207	135	42	4	0
NON-WHITE	82	6	0	1	2	3	16	23	13	4	0	0
RACE UNKNOWN	26	6	1	1	0	4	5	11	4	0	0	0
21 YEARS												
TOTAL	603	60	6	9	13	32	143	295	244	51	6	1
WHITE	506	48	2	2	12	32	123	259	218	49	5	1
NON-WHITE	72	7	1	2	1	3	20	25	17	2	1	0
RACE UNKNOWN	25	5	3	0	0	2	0	11	9	0	0	0
22 YEARS												
TOTAL	607	41	6	1	6	25	134	318	231	69	14	0
WHITE	730	33	3	1	3	22	120	285	209	66	13	0
NON-WHITE	63	7	2	0	2	3	12	23	18	3	0	0
RACE UNKNOWN	14	1	1	0	0	0	2	6	4	0	1	0
23 YEARS												
TOTAL	784	57	1	4	1	45	133	303	217	65	6	0
WHITE	717	51	0	4	0	41	120	270	205	62	8	0
NON-WHITE	58	5	1	0	0	4	12	26	12	3	0	0
RACE UNKNOWN	9	1	0	0	1	0	1	7	0	0	0	0
24 YEARS												
TOTAL	906	62	5	4	7	42	138	347	273	69	17	0
WHITE	809	51	3	2	4	38	115	311	251	62	15	0
NON-WHITE	83	8	1	2	2	3	18	31	20	5	1	0
RACE UNKNOWN	14	3	1	0	1	1	1	5	2	2	1	0

TABLE 13 - RESIDENT LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	4046	217	25	16	33	143	635	1472	1224	413	66	9
WHITE	3759	195	17	14	31	133	577	1366	1144	395	64	3
NON-WHITE	241	16	5	2	2	7	50	92	68	13	1	1
RACE UNKNOWN	46	6	3	0	0	3	8	14	12	1	1	1
30-34 YEARS												
TOTAL	1913	119	13	14	17	75	282	669	600	186	46	7
WHITE	1783	98	7	11	13	67	252	626	572	180	45	7
NON-WHITE	114	17	3	2	4	8	28	37	25	5	1	0
RACE UNKNOWN	16	4	3	1	0	0	2	6	3	1	0	0
35-39 YEARS												
TOTAL	422	38	3	3	5	27	69	129	120	53	10	0
WHITE	388	33	2	2	4	25	60	124	109	49	10	0
NON-WHITE	29	4	1	0	1	2	8	3	10	4	0	0
RACE UNKNOWN	5	1	0	1	0	0	1	2	1	0	0	0
40-44 YEARS												
TOTAL	67	10	1	0	3	6	13	20	19	5	0	0
WHITE	52	7	0	0	2	5	9	13	18	5	0	0
NON-WHITE	13	2	0	0	1	1	3	7	1	0	0	0
RACE UNKNOWN	2	1	1	0	0	0	1	0	0	0	0	0
45-49 YEARS												
TOTAL	5	0	0	0	0	0	0	2	1	2	0	0
WHITE	3	0	0	0	0	0	0	1	1	1	0	0
NON-WHITE	1	0	0	0	0	0	0	1	0	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	0	0	1	0	0
AGE UNKNOWN												
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0
WHITE	1	0	0	0	0	0	0	1	0	0	0	0

* THE EQUIVALENT OF THE GRAM WEIGHTS IN TERMS OF POUNDS AND OUNCES ARE AS FOLLOWS:

1000 GR OR LESS - 2 LB 3 OZ OR LESS
1001 - 1500 GR - 2 LB 4 OZ - 3 LB 4 OZ
1501 - 2000 GR - 3 LB 5 OZ - 4 LB 6 OZ
2001 - 2500 GR - 4 LB 7 OZ - 5 LB 8 OZ
2501 - 3000 GR - 5 LB 9 OZ - 6 LB 9 OZ
3001 - 3500 GR - 6 LB 10 OZ - 7 LB 11 OZ
3501 - 4000 GR - 7 LB 12 OZ - 8 LB 13 OZ
4001 - 4500 GR - 8 LB 14 OZ - 9 LB 14 OZ
4501 - 5000 GR - 9 LB 15 OZ - 11 LB 0 OZ
5001 GR OR MORE - 11 LB 1 OZ OR MORE

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 6 OZ) OR LESS

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1979

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS*									
			1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	252**	116	5	14	20	77	70	51	11	0	0	0
WHITE	227	101	5	11	19	66	66	45	11	0	0	0
NON-WHITE	23	14	0	3	1	10	3	6	0	0	0	0
RACE UNKNOWN	2	1	0	0	0	1	1	0	0	0	0	0
UNDER 15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
15 YEARS												
TOTAL	0	0	0	0	0	0	0	0	0	0	0	0
16 YEARS												
TOTAL	2	2	0	1	1	0	0	0	0	0	0	0
WHITE	2	2	0	1	1	0	0	0	0	0	0	0
17 YEARS												
TOTAL	6	4	0	2	0	2	0	2	0	0	0	0
WHITE	4	2	0	2	0	0	0	2	0	0	0	0
NON-WHITE	2	2	0	0	0	2	0	0	0	0	0	0
18 YEARS												
TOTAL	6	6	0	1	0	5	0	0	0	0	0	0
WHITE	4	4	0	1	0	3	0	0	0	0	0	0
NON-WHITE	2	2	0	0	0	2	0	0	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	Low BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	8	8	0	0	2	6	0	0	0	0	0	0
WHITE	6	6	0	0	2	4	0	0	0	0	0	0
NON-WHITE	2	2	0	0	0	2	0	0	0	0	0	0
20 YEARS												
TOTAL	7	3	0	1	2	0	3	1	0	0	0	0
WHITE	6	2	0	0	2	0	3	1	0	0	0	0
NON-WHITE	1	1	0	1	0	0	0	0	0	0	0	0
21 YEARS												
TOTAL	18	6	0	0	3	3	8	4	0	0	0	0
WHITE	16	5	0	0	3	2	7	4	0	0	0	0
NON-WHITE	2	1	0	0	0	1	1	0	0	0	0	0
22 YEARS												
TOTAL	14	2	0	1	1	0	6	2	4	0	0	0
WHITE	14	2	0	1	1	0	6	2	4	0	0	0
23 YEARS												
TOTAL	27	10	0	2	2	12	8	3	0	0	0	0
WHITE	23	14	0	2	2	10	7	2	0	0	0	0
NON-WHITE	4	2	0	0	0	2	1	1	0	0	0	0
24 YEARS												
TOTAL	18	5	2	2	0	1	5	3	1	0	0	0
WHITE	14	3	2	0	0	1	0	2	1	0	0	0
NON-WHITE	4	2	0	2	0	0	1	1	0	0	0	0

TABLE 14 - RESIDENT PLURAL LIVE BIRTHS BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	80	43	3	0	6	34	17	16	2	0	0	0
WHITE	76	42	3	0	6	33	16	14	2	0	0	0
NON-WHITE	2	0	0	0	0	0	0	2	0	0	0	0
RACE UNKNOWN	2	1	0	0	0	1	1	0	0	0	0	0
30-34 YEARS												
TOTAL	50	16	0	4	3	11	15	14	3	0	0	0
WHITE	48	16	0	4	2	10	15	14	3	0	0	0
NON-WHITE	2	2	0	0	1	1	0	0	0	0	0	0
35-39 YEARS												
TOTAL	12	3	0	0	0	3	3	3	1	0	0	0
WHITE	12	3	0	0	0	3	3	3	1	0	0	0
40-44 YEARS												
TOTAL	4	0	0	0	0	0	1	3	0	0	0	0
WHITE	2	0	0	0	0	0	1	1	0	0	0	0
NON-WHITE	2	0	0	0	0	0	0	2	0	0	0	0
45-49 YEARS												
AGE UNKNOWN												

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 19 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT*	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
ALL AGES												
TOTAL	1704**	200	23	21	36	120	356	602	389	93	18	1
WHITE	1178	130	11	13	23	83	264	405	292	67	15	0
NON-WHITE	430	55	6	6	11	28	115	155	81	23	1	0
RACE UNKNOWN	96	15	4	0	2	9	17	42	16	3	2	1
UNDER 15 YEARS												
TOTAL	14	2	0	0	1	1	3	4	5	0	0	0
WHITE	10	1	0	0	1	0	2	3	4	0	0	0
NON-WHITE	4	1	0	0	0	1	1	1	1	0	0	0
15 YEARS												
TOTAL	41	3	1	0	0	2	12	16	7	2	1	0
WHITE	26	0	0	0	0	0	6	10	5	2	1	0
NON-WHITE	15	3	1	0	0	2	4	6	2	0	0	0
16 YEARS												
TOTAL	100	11	0	3	6	2	20	43	22	3	0	0
WHITE	74	10	0	3	5	2	12	30	19	2	0	0
NON-WHITE	24	1	0	0	1	0	8	12	3	0	0	0
RACE UNKNOWN	2	0	0	0	0	0	0	1	0	1	0	0
17 YEARS												
TOTAL	155	15	2	1	1	11	36	61	31	14	2	0
WHITE	105	6	1	0	0	5	23	45	22	12	1	0
NON-WHITE	44	7	1	1	1	4	10	16	9	1	1	0
RACE UNKNOWN	6	2	0	0	0	2	3	0	0	1	0	0
18 YEARS												
TOTAL	184	28	4	4	3	17	43	72	25	9	2	0
WHITE	118	17	3	3	1	10	28	41	22	7	2	0
NON-WHITE	45	8	0	1	1	6	12	21	6	2	0	0
RACE UNKNOWN	17	3	1	0	1	1	3	10	1	0	0	0

TABLE 15 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1979

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHTS	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
19 YEARS												
TOTAL	217	18	2	0	2	14	57	69	61	10	1	0
WHITE	152	10	0	0	0	10	32	51	50	7	1	0
NON-WHITE	54	6	1	0	2	3	23	14	8	3	0	0
RACE UNKNOWN	11	2	1	0	0	1	2	4	3	0	0	0
20 YEARS												
TOTAL	154	19	1	2	4	12	41	44	39	10	0	0
WHITE	104	12	1	1	2	8	26	26	32	7	0	0
NON-WHITE	36	5	0	1	2	2	11	11	6	3	0	0
RACE UNKNOWN	14	2	0	0	0	2	4	7	1	0	0	0
21 YEARS												
TOTAL	155	20	3	1	8	8	32	56	42	6	2	0
WHITE	104	14	1	0	8	5	22	33	28	4	2	0
NON-WHITE	39	3	0	1	0	2	10	15	9	2	0	0
RACE UNKNOWN	16	3	2	0	0	1	0	8	5	0	0	0
22 YEARS												
TOTAL	110	11	2	0	2	7	23	37	32	5	2	0
WHITE	80	7	1	0	0	6	18	26	23	4	2	0
NON-WHITE	26	4	1	0	2	1	4	9	8	1	0	0
RACE UNKNOWN	4	0	0	0	0	0	1	2	1	0	0	0
23 YEARS												
TOTAL	83	10	0	0	1	9	19	33	18	3	0	0
WHITE	58	7	0	0	0	7	14	23	13	1	0	0
NON-WHITE	22	2	0	0	0	2	5	8	5	2	0	0
RACE UNKNOWN	3	1	0	0	1	0	0	2	0	0	0	0
24 YEARS												
TOTAL	99	11	3	2	1	5	20	37	24	5	2	0
WHITE	58	5	2	0	0	3	11	21	16	3	2	0
NON-WHITE	37	5	1	2	1	1	9	14	7	2	0	0
RACE UNKNOWN	4	1	0	0	0	1	0	2	1	0	0	0

TABLE 19 - RESIDENT LIVE BIRTHS OUT OF WEDLOCK BY AGE OF MOTHER, RACE, AND BIRTH WEIGHT
RHODE ISLAND, 1975

RACE AND AGE OF MOTHER	TOTAL	LOW BIRTH WEIGHT#	BIRTH WEIGHT IN GRAMS* 1000 OR LESS	1001-1500	1501-2000	2001-2500	2501-3000	3001-3500	3501-4000	4001-4500	4501-5000	5001- & OVER
25-29 YEARS												
TOTAL	260	27	4	4	2	17	66	94	46	21	5	1
WHITE	192	21	2	3	2	14	47	71	35	15	3	0
NON-WHITE	54	5	2	1	0	2	15	20	9	5	0	0
RACE UNKNOWN	14	1	0	0	0	1	4	3	2	1	2	1
30-34 YEARS												
TOTAL	90	14	1	2	3	6	17	26	28	5	0	0
WHITE	66	11	0	1	3	7	15	18	19	3	0	0
NON-WHITE	20	3	1	1	0	1	2	6	7	2	0	0
RACE UNKNOWN	4	0	0	0	0	0	0	2	2	0	0	0
35-39 YEARS												
TOTAL	31	10	0	2	1	7	7	5	4	0	1	0
WHITE	25	8	0	2	0	6	6	7	3	0	1	0
NON-WHITE	5	2	0	0	1	1	1	1	1	0	0	0
RACE UNKNOWN	1	0	0	0	0	0	0	1	0	0	0	0
40-44 YEARS												
TOTAL	3	1	0	0	1	0	0	1	1	0	0	0
WHITE	2	1	0	0	1	0	0	0	1	0	0	0
NON-WHITE	1	0	0	0	0	0	0	1	0	0	0	0

* SEE TABLE 13 FOR EQUIVALENT WEIGHT IN POUNDS AND OUNCES

** TOTALS MAY INCLUDE BIRTHS OF UNKNOWN WEIGHT # LOW BIRTH WEIGHT REFERS TO INFANTS WHO WEIGHED 2500 GRAMS (5 LB 8 OZ) OR LESS

TABLE 16 - BIRTHS BY CITY OR TOWN BY SELECTED CHARACTERISTICS, RHODE ISLAND, 1979

CITY OR TOWN	ALL RACES				WHITE				NON-WHITE				UNKNOWN
	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL BIRTHS	BORN IN HOSPITAL	BORN OUT OF WEDLOCK	LOW BIRTH WEIGHT	TOTAL
RHODE ISLAND	11860	11786	1734	789	10692	10629	1176	649	965	956	430	104	203
BARRINGTON	154	152	6	8	150	148	6	7	2	2	0	0	2
BRISTOL	225	224	13	10	220	220	12	17	2	2	1	1	3
BURRILLVILLE	175	175	8	14	173	173	7	14	0	0	0	0	2
CENTRAL FALLS	267	267	56	27	244	244	50	20	13	13	3	1	10
CHARLESTOWN	66	66	5	0	61	61	3	0	5	5	2	0	0
COVENTRY	366	365	20	16	362	361	28	16	4	4	0	0	0
CRANSTON	696	693	54	33	674	671	51	31	15	15	0	1	7
CUMBERLAND	266	261	16	14	264	261	16	14	1	0	0	0	1
EAST GREENWICH	104	104	11	10	100	100	10	9	3	3	0	1	1
EAST PROVIDENCE	556	552	46	38	508	504	35	31	33	33	6	4	15
EXETER	63	62	6	4	60	59	6	2	1	1	0	0	2
FOSTER	37	35	0	4	37	35	0	4	0	0	0	0	0
GLOCESTER	101	101	6	4	99	99	6	4	1	1	0	0	1
HOPKINTON	86	85	6	7	85	84	6	7	1	1	0	0	0
JAMESTOWN	54	53	2	2	54	53	2	2	0	0	0	0	0
JOHNSTON	268	268	12	13	263	263	8	13	0	0	0	0	5
LINCOLN	163	161	13	8	161	159	13	8	1	1	0	0	1
LITTLE COMPTON	39	38	2	1	38	37	2	1	1	1	0	0	0
MIDDLETOWN	236	236	18	11	226	224	16	10	12	12	2	1	0
NARRAGANSETT	160	157	9	12	155	152	8	10	4	4	1	2	1
NEWPORT	439	433	107	38	364	359	68	28	74	73	38	10	1
NEW SHOREHAM	11	11	2	1	10	10	2	1	0	0	0	0	1
NORTH KINGSTOWN	326	324	23	14	313	311	20	14	13	13	3	0	0
NORTH PROVIDENCE	292	292	10	18	281	281	8	17	5	5	0	0	6
NORTH SMITHFIELD	111	111	6	4	110	110	6	4	1	1	0	0	0
PAWTUCKET	940	938	145	66	846	844	117	55	81	81	21	7	13
PORTSMOUTH	200	197	12	5	191	188	12	5	9	9	0	0	0
PROVIDENCE	2299	2282	707	205	1579	1567	312	117	605	600	330	70	115
RICHMOND	63	63	7	0	61	61	7	0	2	2	0	0	0
SCITUATE	91	90	2	6	88	87	2	6	2	2	0	0	1
SMITHFIELD	163	163	13	6	159	159	13	6	3	3	0	0	1
SOUTH KINGSTOWN	249	245	30	10	225	221	20	7	24	24	10	3	0
TIVERTON	143	142	11	8	143	142	11	8	0	0	0	0	0
WARREN	114	114	7	8	111	111	6	7	1	1	0	0	2
WARWICK	935	934	81	63	912	911	78	60	16	16	1	0	7
WESTERLY	265	264	34	9	264	263	34	9	1	1	0	0	0
WEST GREENWICH	39	39	3	3	38	38	3	2	1	1	0	1	0
WEST WARWICK	384	382	45	19	382	380	45	19	2	2	0	0	0
WOONSOCKET	712	707	142	62	681	678	129	58	26	24	12	2	5

TABLE 17 - RESIDENT LIVE BIRTHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1975

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	11860	951	882	1014	1028	947	956	1095	1056	1084	980	921	942
BARRINGTON	154	13	13	14	10	11	13	14	20	13	15	11	7
BRISTOL	225	22	15	20	15	21	20	15	15	28	14	24	12
BURRILLVILLE	175	13	6	15	24	10	14	15	12	16	21	15	10
CENTRAL FALLS	267	27	23	21	25	15	22	21	23	23	18	21	20
CHARLESTOWN	66	10	5	7	5	5	6	5	5	4	4	4	2
COVENTRY	366	25	25	34	28	27	26	42	32	32	35	25	35
CRANSTON	656	51	45	56	54	65	53	73	60	55	56	63	55
CUMBERLAND	266	24	23	20	23	14	24	25	23	25	23	23	15
EAST GREENWICH	104	13	14	6	7	7	3	12	10	11	6	8	7
EAST PROVIDENCE	556	33	46	37	54	41	62	54	48	56	45	33	43
EXETER	63	2	6	2	5	3	10	7	6	7	5	3	3
FOSTER	37	4	1	3	2	3	5	2	5	1	4	2	5
GLOCESTER	101	7	7	10	14	4	10	6	6	13	5	7	8
HOPKINTON	86	7	6	8	7	5	12	7	5	7	5	7	6
JAMESTOWN	54	5	6	6	6	8	4	3	4	3	3	3	3
JOHNSTON	268	21	20	24	23	26	22	22	27	17	18	23	25
LINCOLN	163	20	7	11	15	11	13	21	13	14	12	11	17
LITTLE COMPTON	39	2	3	4	3	3	4	3	8	2	2	3	4
MIDDLETOWN	238	15	14	18	26	30	17	18	27	21	18	10	24
NARRAGANSETT	160	21	13	8	10	10	13	9	12	17	17	13	17
NEWPORT	439	36	28	47	32	37	32	40	41	43	37	26	40
NEW SHOREHAM	11	2	0	2	1	0	1	2	2	0	0	0	1
NORTH KINGSTOWN	326	22	23	34	31	26	21	24	26	37	26	23	31
NORTH PROVIDENCE	252	18	21	25	20	34	20	34	28	28	20	21	19
NORTH SMITHFIELD	111	8	10	13	6	13	11	8	4	8	10	10	10
PAWTUCKET	940	83	86	65	86	66	80	85	90	75	81	64	75
PORTSMOUTH	200	16	15	17	19	12	17	18	17	21	13	18	17
PROVIDENCE	2295	203	155	203	181	153	171	243	216	202	159	178	159
RICHMOND	63	5	3	6	4	6	2	5	7	4	6	7	0
SCITUATE	91	6	6	5	8	7	2	7	8	14	4	11	5
SMITHFIELD	163	11	12	12	15	15	11	10	17	18	12	19	11
SOUTH KINGSTOWN	245	20	23	18	16	23	27	21	15	20	23	24	15
TIVERTON	143	13	11	11	17	14	8	10	14	11	11	12	11
WARREN	114	8	8	14	12	5	11	8	6	13	10	5	6
WARWICK	535	62	60	52	77	64	75	73	75	52	75	67	75
WESTERLY	265	16	20	22	25	23	16	24	24	31	26	22	16
WEST GREENWICH	35	5	3	2	4	2	0	5	4	5	3	4	2
WEST WARWICK	364	27	21	26	38	27	35	30	38	35	31	38	34
WOONSOCKET	712	51	55	66	68	65	55	66	57	64	53	55	45

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
RHODE ISLAND	11850	1704	785	62	C	10324	1272	57	38	159
BARRINGTON	154	6	9	C	C	145	5	0	0	4
301	50	1	2	C	C	47	C	0	0	3
302	35	2	2	C	C	32	3	0	0	0
303	46	3	3	0	C	43	2	0	0	1
304	23	0	1	C	C	23	C	0	0	0
UNKNOWN	0	0	C	C	C	C	C	0	0	0
BRISTOL	225	13	18	2	C	196	21	2	0	6
307	75	5	5	1	C	57	13	2	0	3
308	46	4	3	1	C	43	2	0	0	1
309	104	4	10	C	C	96	6	0	0	2
UNKNOWN	0	0	C	C	C	C	C	0	0	0
BURRILLVILLE	175	8	14	C	C	156	17	0	0	2
125	79	4	5	C	C	70	7	0	0	2
130	96	4	9	C	C	86	10	0	0	C
CENTRAL FALLS	267	56	27	1	C	222	36	0	5	4
108	62	15	7	C	C	45	11	0	3	3
109	66	15	6	C	C	55	10	0	1	0
110	80	12	8	C	C	66	13	0	0	1
111	59	14	6	1	C	56	2	0	1	0
UNKNOWN	0	0	C	C	C	C	0	0	0	0
CHARLESTOWN-511	66	5	C	C	C	57	9	0	0	0
COVENTRY	366	28	16	6	C	331	28	1	1	5
206	275	21	13	6	C	247	24	0	1	3
207	91	7	3	0	C	84	4	1	0	2
CRANSTON	696	54	33	1	C	625	58	1	1	11
134	55	4	C	C	C	53	2	0	0	C
135	71	3	5	0	C	61	9	0	0	1
136	43	5	1	0	C	39	4	0	0	0
137	84	6	2	C	C	74	9	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
CRANSTON(CONT.)										
138	57	0	4	1	0	55	2	0	0	0
139	12	0	0	0	0	12	0	0	0	0
140	59	5	2	0	0	54	4	0	1	0
141	48	6	3	0	0	38	9	0	0	1
142	22	2	2	0	0	21	0	0	0	1
143	34	4	1	0	0	29	4	0	0	1
144	29	3	2	0	0	26	1	0	0	2
145	39	3	1	0	0	35	3	0	0	1
146	30	1	1	0	0	28	2	0	0	0
147	79	8	6	0	0	72	4	1	0	2
148	34	4	3	0	0	28	5	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0
CUMBERLAND	266	16	14	1	0	244	22	0	0	0
112	64	6	3	1	0	58	6	0	0	0
113	73	5	2	0	0	68	5	0	0	0
114	129	5	8	0	0	118	11	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	104	11	10	0	0	87	15	0	1	1
EAST PROVIDENCE	556	46	38	0	0	500	42	2	1	11
101	77	5	6	0	0	73	3	0	0	1
102	93	9	8	0	0	84	8	0	0	1
103	48	7	4	0	0	43	3	0	0	2
104	95	7	9	0	0	78	15	0	0	2
105	76	8	0	0	0	68	4	2	0	2
106	97	8	9	0	0	88	7	0	1	1
107	70	2	2	0	0	66	2	0	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0	0
EXETER-505	63	6	4	0	0	53	8	2	0	0
FOSTER-133	37	0	4	0	0	34	1	0	1	1
GLOCESTER-131	101	6	4	0	0	95	3	1	0	2

TABLE 16 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
HOPKINTON-907	86	6	7	1	0	70	13	0	0	3
JAMESTOWN-413	54	2	2	0	0	51	3	0	0	0
JOHNSTON	268	12	13	0	0	249	13	0	1	5
122	57	0	3	0	0	54	2	0	0	1
123	82	7	4	0	0	75	6	0	0	1
124	68	4	4	0	0	64	3	0	1	0
125	41	1	2	0	0	36	2	0	0	3
UNKNOWN	0	0	0	0	0	0	0	0	0	0
LINCOLN	163	13	8	0	0	146	15	0	0	2
115	49	1	5	0	0	42	6	0	0	1
116	30	1	3	0	0	29	1	0	0	0
117	83	11	0	0	0	74	8	0	0	1
UNKNOWN	1	0	0	0	0	1	0	0	0	0
LITTLE COMPTON-414	39	2	1	0	0	32	6	0	0	1
MIDDLETOWN	238	18	11	1	0	212	24	0	1	1
402	22	0	0	1	0	21	1	0	0	0
403	165	13	10	0	0	146	18	0	0	1
404	51	5	1	0	0	45	5	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	160	9	12	2	0	142	15	0	0	3
NEWPORT	439	107	38	2	0	360	72	2	1	4
405	129	54	15	0	0	94	34	0	0	1
406	81	17	8	0	0	71	10	0	0	0
407	46	6	2	1	0	40	6	0	0	0
408	36	8	1	1	0	29	7	0	0	0
409	53	6	3	0	0	47	3	2	0	1
410	26	5	3	0	0	22	4	0	0	0
411	27	5	2	0	0	24	3	0	0	0
412	39	5	4	0	0	31	5	0	1	2
UNKNOWN	2	1	0	0	0	2	0	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
NEW SHOREHAM-415	11	2	1	0	0	9	1	0	0	1
NORTH KINGSTOWN	326	23	14	3	0	287	34	3	0	2
501	154	10	7	2	0	140	12	1	0	1
502	9	0	0	0	0	8	1	0	0	0
503	82	7	3	1	0	68	13	1	0	0
504	79	5	4	0	0	70	7	1	0	1
UNKNOWN	2	1	0	0	0	1	1	0	0	0
NORTH PROVIDENCE	292	10	18	0	0	274	14	1	1	2
118	60	4	6	0	0	58	1	0	0	1
119	57	1	1	0	0	52	4	0	0	1
120	65	2	2	0	0	62	2	1	0	0
121	110	3	9	0	0	102	7	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	111	6	4	0	0	106	5	0	0	0
PAWTUCKET	940	145	66	5	0	794	133	7	0	6
149	3	1	0	0	0	2	1	0	0	0
150	40	1	1	0	0	36	3	1	0	0
151	98	26	11	0	0	75	19	3	0	1
152	20	9	2	1	0	16	1	0	0	0
153	41	7	3	0	0	33	8	0	0	0
154	33	5	2	1	0	27	6	0	0	0
155	49	10	3	0	0	41	7	0	0	1
156	38	2	3	1	0	33	5	0	0	0
157	40	0	1	0	0	37	3	0	0	0
158	34	4	3	0	0	32	2	0	0	0
159	45	4	4	0	0	39	6	0	0	0
160	51	8	3	1	0	40	10	0	0	1
161**	94	25	8	0	0	74	18	1	0	1
163	26	1	1	0	0	22	4	0	0	0
164**	74	9	5	0	0	61	11	0	0	2

TABLE 26 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT LOW BIRTH OF WEDLOCK	WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PAWTUCKET(CONT.)										
165	42	2	2	0	0	35	3	0	0	0
166	15	1	2	0	0	12	3	0	0	0
167	46	5	1	0	0	41	5	0	0	0
168	31	4	3	0	0	27	3	1	0	0
169	16	1	2	1	0	15	1	0	0	0
170	24	2	3	0	0	21	3	0	0	0
171	79	18	3	0	0	67	11	1	0	0
UNKNOWN	1	0	0	0	0	1	0	0	0	0
PORTSMOUTH-401	200	12	5	5	0	181	16	1	0	2
PROVIDENCE	2299	707	205	4	0	1855	307	19	15	63
1	136	29	5	0	0	114	17	2	3	0
2	200	70	13	1	0	158	34	1	0	7
3	145	68	17	1	0	108	30	3	0	4
4	80	36	11	0	0	57	12	2	1	8
5	92	57	10	0	0	71	14	0	0	7
6	35	24	6	0	0	24	11	0	0	0
7	26	17	4	0	0	19	6	0	1	0
8	5	1	0	0	0	3	2	0	0	0
9	29	14	3	0	0	19	7	0	0	3
10	30	10	2	0	0	25	5	0	0	0
11	31	10	3	0	0	27	4	0	0	0
12	56	42	7	1	0	46	8	1	1	0
13	82	30	3	0	0	55	18	2	0	3
14	138	57	18	0	0	100	27	2	4	5
15	45	3	3	0	0	42	2	1	0	0
16	103	14	7	0	0	81	17	0	0	5
17	33	5	1	0	0	26	3	1	1	2
18	75	20	6	0	0	64	9	0	0	2
19	91	34	7	0	0	79	9	0	0	3
20	54	19	4	0	0	44	6	1	1	2

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
PROVIDENCE(CONT.)										
21	81	7	6	1	0	72	6	0	0	3
22	50	11	3	0	0	46	3	0	0	1
23	53	6	1	0	0	51	2	0	0	0
24	38	3	3	0	0	36	2	0	0	0
25	35	10	1	0	0	32	2	1	0	0
26	63	22	6	0	0	53	8	0	1	1
27	41	15	2	0	0	34	4	0	0	3
28	56	10	3	1	0	48	7	1	0	0
29	67	8	8	1	0	58	7	1	0	1
30	0	0	0	0	0	0	0	0	0	0
31	45	19	7	1	0	41	4	0	0	0
32	71	21	12	1	0	65	5	0	0	1
33	48	2	3	0	0	46	2	0	0	0
34	33	1	3	0	0	33	0	0	0	0
35	54	4	7	1	0	50	3	0	0	1
36	20	0	0	0	0	15	3	0	1	1
37	54	5	5	0	0	45	8	0	1	0
UNKNOWN	4	3	1	0	0	4	0	0	0	0
INNER CITY	1032	455	110	3	0	805	173	11	9	34
RICHMOND-506	63	7	0	1	0	54	8	1	0	0
SCITUATE-132	91	2	6	0	0	84	6	0	0	1
SMITHFIELD	163	13	6	1	0	144	17	1	1	0
126	88	9	5	0	0	74	13	1	0	0
127	75	4	1	1	0	70	4	0	1	0
SOUTH KINGSTOWN	249	30	10	3	0	220	27	0	1	1
512	100	21	8	2	0	87	12	0	1	0
513	144	9	2	1	0	130	13	0	0	1
514	5	0	0	0	0	3	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0
TIVERTON	143	11	8	0	0	125	14	0	0	0

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
TIVERTON(CONT.)										
416	78	1	7	0	0	71	7	0	0	0
417	65	10	1	0	0	58	7	0	0	0
WARREN	114	7	8	0	0	99	12	2	0	1
305	50	5	4	0	0	41	7	1	0	1
306	64	2	4	0	0	58	5	1	0	0
WARWICK	935	81	63	7	0	852	72	2	2	7
210	87	5	5	0	0	82	5	0	0	0
211	58	8	5	0	0	49	6	1	0	2
212	44	3	0	0	0	42	2	0	0	0
213	51	6	3	1	0	46	4	0	0	1
214	82	9	5	1	0	75	4	0	1	2
215	101	15	10	0	0	93	8	0	0	0
216	7	0	0	0	0	6	1	0	0	0
217	79	20	8	0	0	66	11	0	1	1
218	59	4	6	0	0	54	5	0	0	0
219	142	5	10	0	0	134	7	1	0	0
220	51	6	1	1	0	47	4	0	0	0
221	45	3	1	1	0	36	9	0	0	0
222	71	0	3	1	0	68	3	0	0	0
223	26	2	4	1	0	24	2	0	0	0
224	32	0	2	1	0	30	1	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0
WESTERLY	265	34	9	2	0	206	43	5	0	11
508	138	22	7	2	0	110	20	3	0	5
509	108	10	2	0	0	84	19	2	0	3
510	18	1	0	0	0	12	3	0	0	3
UNKNOWN	1	1	0	0	0	0	1	0	0	0
WEST GREENWICH-208	39	3	3	0	0	32	6	1	0	0
WEST WARWICK	384	45	19	3	0	321	57	0	3	3
201	131	8	11	0	0	122	8	0	0	1

TABLE 18 - SELECTED NATALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	TOTAL BIRTHS	BIRTHS OUT OF WEDLOCK	LOW BIRTH WEIGHT	WITH INJURY	WITH MAL-FORMATION	PRENATAL CARE BEGAN 1ST-3RD MONTH	4TH-7TH MONTH	8TH-9TH MONTH	NO CARE	NOT STATED
WEST WARWICK(CONT.)										
202	58	9	2	1	0	48	8	0	2	0
203	94	19	3	1	0	67	25	0	1	1
204	55	5	2	0	0	45	9	0	0	1
205	46	4	1	1	0	39	7	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	712	142	62	6	0	630	74	3	2	3
172	25	10	5	2	0	20	5	0	0	0
173	68	12	6	1	0	63	5	0	0	0
174	86	30	4	0	0	71	13	0	1	1
175	48	5	4	1	0	45	3	0	0	0
176	55	13	3	1	0	46	7	2	0	0
177	37	2	8	0	0	35	2	0	0	0
178	64	19	6	0	0	61	3	0	0	0
179	70	10	7	0	0	61	8	1	0	0
180	21	6	1	1	0	19	1	0	1	0
181	40	8	1	0	0	34	6	0	0	0
182	47	5	4	0	0	41	6	0	0	0
183	35	6	4	0	0	30	5	0	0	0
184	73	13	7	0	0	65	6	0	0	2
185	42	2	2	0	0	39	3	0	0	0
UNKNOWN	1	1	0	0	0	0	1	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 19A - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
RACE OF FETUS, WEEKS OF UTEROGESTATION, AND MODE OF DELIVERY, 1979

MODE OF DELIVERY	TOTAL	RACE			WEEKS OF UTEROGESTATION			
		WHITE	NON-WHITE	UNKNOWN	UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	6030	4820	480	730	5888	57	74	11
SPONTANEOUS	641	213	22	406	513	53	74	1
INDUCED	5389	4607	458	324	5375	4	0	10

TABLE 19B - FETAL DEATHS OCCURRING IN RHODE ISLAND BY
MONTH OF DELIVERY BY WEEKS OF UTEROGESTATION 1979

MONTH	TOTAL	WEEKS OF UTEROGESTATION			
		UNDER 20	20 - 27	28 AND OVER	UNKNOWN
TOTAL	6030	5888	57	74	11
JANUARY	437	425	5	7	0
FEBRUARY	420	409	4	6	1
MARCH	566	556	4	4	2
APRIL	452	442	3	7	0
MAY	536	522	5	6	3
JUNE	545	537	5	3	0
JULY	544	532	3	9	0
AUGUST	566	557	4	5	0
SEPTEMBER	470	462	3	4	1
OCTOBER	557	540	8	9	0
NOVEMBER	501	482	5	10	4
DECEMBER	436	424	8	4	0

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1979

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
RHODE ISLAND	5270	1699	3490	604	455	123	4666	1240	3367
BARRINGTON	81	39	42	14	13	1	67	26	41
301	22	10	12	2	1	1	20	9	11
302	21	9	12	3	3	0	18	6	12
303	25	13	12	6	6	0	19	7	12
304	13	7	6	3	3	0	10	4	6
BRISTOL	86	43	43	24	23	1	62	20	42
307	21	12	9	8	8	0	13	4	9
308	19	6	13	4	3	1	15	3	12
309	46	25	21	12	12	0	34	13	21
BURRILLVILLE	55	26	28	10	9	0	45	17	28
129	25	13	11	4	3	0	21	10	11
130	30	13	17	6	6	0	24	7	17
CENTRAL FALLS	119	52	64	12	9	3	107	43	61
108	34	15	18	1	1	0	33	14	18
109	25	14	11	4	4	0	21	10	11
110	31	13	18	5	3	2	26	10	16
111	27	10	16	2	1	1	25	9	15
UNKNOWN TRACT	2	0	1	0	0	0	2	0	1
CHARLESTOWN	15	3	11	0	0	0	15	3	11
511	15	3	11	0	0	0	15	3	11
COVENTRY	114	38	71	8	7	0	106	31	71
206	77	27	46	5	5	0	72	22	46
207	37	11	25	3	2	0	34	9	25
CRANSTON	353	121	228	35	29	5	318	92	223
134	31	5	26	2	1	1	29	4	25
135	26	10	16	5	4	1	21	6	15
136	23	9	14	2	2	0	21	7	14
137	51	18	33	8	7	1	43	11	32
138	29	10	19	4	4	0	25	6	19
139	11	3	8	1	1	0	10	2	8

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1975

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
140	24	11	13	1	0	1	23	11	12
141	35	12	21	4	3	0	31	9	21
142	3	1	2	0	0	0	3	1	2
143	18	7	11	2	2	0	16	5	11
144	10	3	7	0	0	0	10	3	7
145	23	7	16	1	1	0	22	6	16
146	8	4	4	1	1	0	7	3	4
147	36	10	25	2	1	1	34	9	24
148	21	10	10	2	2	0	19	8	10
UNKNOWN TRACT	4	1	3	0	0	0	4	1	3
CUMBERLAND	111	33	78	11	9	2	100	24	76
112	27	14	13	3	3	0	24	11	13
113	33	8	25	5	3	2	28	5	23
114	49	10	39	3	3	0	46	7	39
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
EAST GREENWICH	67	12	53	4	3	0	63	9	53
209	67	12	53	4	3	0	63	9	53
EAST PROVIDENCE	262	91	168	48	37	10	214	54	158
101	38	11	27	3	3	0	35	8	27
102	37	20	16	9	9	0	28	11	16
103	18	4	14	5	2	3	13	2	11
104	52	22	30	13	12	1	39	10	29
105	51	12	39	4	2	2	47	10	37
106	37	12	24	6	5	1	31	7	23
107	25	8	16	7	3	3	18	5	13
UNKNOWN TRACT	4	2	2	1	1	0	3	1	2
EXETER	20	9	10	3	3	0	17	6	10
505	20	9	10	3	3	0	17	6	10
FOSTER	19	10	9	6	5	1	13	5	8
133	19	10	9	6	5	1	13	5	8

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1979

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
GLOCESTER	17	10	7	6	4	2	11	6	5
131	17	10	7	6	4	2	11	6	5
HOPKINTON	17	7	10	1	1	0	16	6	10
507	17	7	10	1	1	0	16	6	10
JAMESTOWN	18	5	13	0	0	0	18	5	13
413	18	5	13	0	0	0	18	5	13
JOHNSTON	122	48	74	20	17	3	102	31	71
122	12	5	7	1	1	0	11	4	7
123	44	19	25	8	7	1	36	12	24
124	43	14	29	5	4	1	38	10	28
125	20	8	12	6	5	1	14	3	11
UNKNOWN TRACT	3	2	1	0	0	0	3	2	1
LINCOLN	89	41	48	18	16	2	71	25	46
115	24	10	14	6	4	2	18	6	12
116	14	7	7	3	3	0	11	4	7
117	51	24	27	9	9	0	42	15	27
LITTLE COMPTON	5	1	3	0	0	0	5	1	3
414	5	1	3	0	0	0	5	1	3
MIDDLETOWN	88	26	62	6	5	1	82	21	61
402	2	2	0	0	0	0	2	2	0
403	51	16	35	4	4	0	47	12	35
404	34	7	27	2	1	1	32	6	26
UNKNOWN TRACT	1	1	0	0	0	0	1	1	0
NARRAGANSETT	91	14	76	2	1	1	89	13	75
515	91	14	76	2	1	1	89	13	75
NEWPORT	210	38	166	2	1	0	208	37	166
405	42	5	36	1	0	0	41	5	36
406	40	8	31	1	1	0	39	7	31
407	29	4	23	0	0	0	29	4	23
408	35	11	22	0	0	0	35	11	22

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1979

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
409	24	3	21	0	0	0	24	3	21
410	11	1	10	0	0	0	11	1	10
411	11	4	7	0	0	0	11	4	7
412	15	2	13	0	0	0	15	2	13
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
NEW SHOREHAM	13	3	9	0	0	0	13	3	9
415	13	3	9	0	0	0	13	3	9
NORTH KINGSTOWN	116	37	75	11	9	1	105	28	74
501	54	16	35	3	2	0	51	14	35
502	2	1	1	1	1	0	1	0	1
503	35	9	26	2	2	0	33	7	26
504	20	9	10	4	3	1	16	6	9
UNKNOWN TRACT	5	2	3	1	1	0	4	1	3
NORTH PROVIDENCE	188	73	112	30	26	3	158	47	109
118	56	20	35	11	8	2	45	12	33
119	33	12	21	4	4	0	29	8	21
120	36	16	18	5	5	0	31	11	18
121	62	24	38	10	9	1	52	15	37
UNKNOWN TRACT	1	1	0	0	0	0	1	1	0
NORTH SMITHFIELD	40	14	24	7	4	2	33	10	22
128	40	14	24	7	4	2	33	10	22
PAWTUCKET	433	163	265	51	38	12	382	125	253
150	20	11	8	7	5	1	13	6	7
151	34	15	18	5	4	1	29	11	17
152	7	4	3	0	0	0	7	4	3
153	9	6	3	2	2	0	7	4	3
154	21	9	12	2	1	1	19	8	11
155	21	7	14	2	2	0	19	5	14
156	16	7	9	1	1	0	15	6	9
157	16	5	11	1	1	0	15	4	11

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1979

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
158	18	6	12	4	3	1	14	3	11
159	13	6	7	2	2	0	11	4	7
160	32	9	23	3	2	1	29	7	22
161	39	13	25	0	0	0	39	13	25
163	13	5	8	1	1	0	12	4	8
164	40	12	27	7	3	4	33	9	23
165	19	7	12	3	3	0	16	4	12
166	15	5	10	2	2	0	13	3	10
167	17	3	14	1	1	0	16	2	14
168	23	4	18	0	0	0	23	4	18
169	7	3	4	1	1	0	6	2	4
170	16	8	8	2	2	0	14	6	8
171	33	17	16	5	2	3	28	15	13
UNKNOWN TRACT	4	1	3	0	0	0	4	1	3
PORTSMOUTH	40	14	26	1	1	0	39	13	26
401	40	14	26	1	1	0	39	13	26
PROVIDENCE	1373	387	959	167	97	60	1206	290	899
1	58	20	37	7	3	3	51	17	34
2	102	29	71	7	4	3	95	25	68
3	64	17	46	5	3	2	59	14	44
4	26	6	19	5	1	3	21	5	16
5	45	11	31	10	4	4	35	7	27
6	13	3	9	4	1	2	9	2	7
7	10	2	8	4	2	2	6	0	6
8	17	3	14	0	0	0	17	3	14
9	27	10	17	3	3	0	24	7	17
10	18	8	10	5	4	1	13	4	9
11	24	8	16	1	0	1	23	8	15
12	42	11	30	7	1	6	35	10	24
13	38	14	24	5	3	2	33	11	22

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1975

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
14	46	22	23	6	2	3	40	20	20
15	14	6	8	1	1	0	13	5	8
16	45	14	29	9	7	2	36	7	27
17	15	6	9	3	2	1	12	4	8
18	37	13	24	6	6	0	31	7	24
19	40	12	27	3	3	0	37	9	27
20	35	9	26	3	1	2	32	8	24
21	38	13	25	6	5	1	32	8	24
22	23	7	15	4	1	2	19	6	13
23	31	12	19	3	3	0	28	9	19
24	40	6	34	4	4	0	36	2	34
25	22	10	9	6	4	0	16	6	9
26	25	12	13	3	1	2	22	11	11
27	34	7	26	4	2	1	30	5	25
28	37	8	28	3	3	0	34	5	28
29	35	7	27	4	2	2	31	5	25
30	1	0	1	0	0	0	1	0	1
31	61	11	50	7	2	5	54	9	45
32	42	8	32	9	5	4	33	3	28
33	37	18	19	4	4	0	33	14	19
34	32	12	20	3	2	1	29	10	19
35	47	12	33	6	5	1	41	7	32
36	89	6	83	3	2	1	86	4	82
37	37	7	30	1	1	0	36	6	30
UNKNOWN TRACT	26	7	17	3	0	3	23	7	14
RICHMOND	6	3	3	0	0	0	6	3	3
506	6	3	3	0	0	0	6	3	3
SCITUATE	40	13	27	4	4	0	36	9	27
132	40	13	27	4	4	0	36	9	27
SMITHFIELD	89	34	55	18	16	2	71	18	53

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1979

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
126	58	18	40	8	7	1	50	11	39
127	31	16	15	10	9	1	21	7	14
SOUTH KINGSTOWN	124	31	93	4	4	0	120	27	93
512	34	11	23	2	2	0	32	9	23
513	47	16	31	2	2	0	45	14	31
514	41	3	38	0	0	0	41	3	38
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
TIVERTON	20	5	15	1	1	0	19	4	15
416	14	2	12	1	1	0	13	1	12
417	6	3	3	0	0	0	6	3	3
WARREN	56	17	39	5	5	0	51	12	39
305	27	9	18	2	2	0	25	7	18
306	29	8	21	3	3	0	26	5	21
WARWICK	414	120	288	34	26	7	380	94	281
210	44	14	29	7	5	2	37	9	27
211	31	10	19	2	1	0	29	9	19
212	25	7	17	1	1	0	24	6	17
213	19	5	14	2	1	1	17	4	13
214	42	15	27	6	6	0	36	9	27
215	37	13	24	3	3	0	34	10	24
216	2	0	2	0	0	0	2	0	2
217	39	12	27	5	3	2	34	9	25
218	15	2	12	0	0	0	15	2	12
219	49	13	36	2	2	0	47	11	36
220	20	5	15	2	2	0	18	3	15
221	15	3	12	2	1	1	13	2	11
222	46	15	31	2	1	1	44	14	30
223	18	4	13	0	0	0	18	4	13
224	7	1	6	0	0	0	7	1	6
UNKNOWN TRACT	5	1	4	0	0	0	5	1	4

TABLE 20 - RESIDENT FETAL DEATHS OCCURRING IN RHODE ISLAND BY MODE OF DELIVERY BY CITY OR TOWN AND CENSUS TRACT OF MOTHER'S RESIDENCE BY MARITAL STATUS OF MOTHER 1975

	ALL FETAL DEATHS			SPONTANEOUS			INDUCED		
		MOTHER			MOTHER			MOTHER	
	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED	TOTAL*	MARRIED	NOT MARRIED
WESTERLY	48	7	40	0	0	0	48	7	40
508	20	6	14	0	0	0	20	6	14
509	20	1	18	0	0	0	20	1	18
510	5	0	5	0	0	0	5	0	5
UNKNOWN TRACT	3	0	3	0	0	0	3	0	3
WEST GREENWICH	11	3	8	1	0	1	10	3	7
208	11	3	8	1	0	1	10	3	7
WEST WARWICK	138	46	89	7	6	1	131	40	88
201	47	19	27	2	2	0	45	17	27
202	19	7	12	0	0	0	19	7	12
203	44	13	31	3	3	0	41	10	31
204	12	3	7	1	1	0	11	2	7
205	14	3	11	1	0	1	13	3	10
UNKNOWN TRACT	2	1	1	0	0	0	2	1	1
WOONSOCKET	162	62	99	33	30	2	129	32	97
172	7	3	4	0	0	0	7	3	4
173	15	9	6	4	4	0	11	5	6
174	22	9	13	3	3	0	19	6	13
175	14	7	7	5	5	0	9	2	7
176	11	7	4	3	2	1	8	5	3
177	11	3	8	3	3	0	8	0	8
178	11	2	9	0	0	0	11	2	9
179	6	1	5	0	0	0	6	1	5
180	7	3	4	2	2	0	5	1	4
181	5	1	4	0	0	0	5	1	4
182	5	5	0	3	3	0	2	2	0
183	13	4	8	4	3	0	9	1	8
184	19	6	13	5	4	1	14	2	12
185	12	2	10	1	1	0	11	1	10
UNKNOWN TRACT	4	0	4	0	0	0	4	0	4

* Totals include items with unknown marital status.

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1979

			AGE OF MOTHER IN YEARS															
		ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNK-NOWN
TOTAL		5369	22	60	126	236	377	525	534	411	425	318	295	994	541	251	86	6	9
MARITAL STATUS OF MOTHER																			
MARRIED		1427	0	1	3	8	34	53	68	61	89	87	99	421	281	155	63	4	3
UNMARRIED		3889	21	59	122	199	341	469	458	342	329	226	195	556	250	94	21	2	5
UNKNOWN		73	1	0	1	2	2	6	8	8	7	5	1	17	10	2	2	0	1
PREVIOUS DELIVERIES TO MOTHER																			
NONE		2564	22	58	112	168	425	342	335	233	202	147	103	311	87	12	4	0	3
ONE		1241	0	1	13	36	117	127	125	116	118	83	88	283	105	24	6	1	4
PREVIOUS DELIVERIES WERE																			
L.B.	S.F.D.	I.F.D.																	
0	0	1	641	0	1	5	21	70	76	78	69	64	45	52	128	25	3	2	0	2
0	1	0	42	0	0	0	0	5	4	1	7	2	4	0	14	2	2	1	0	0
1	0	0	558	0	0	8	15	42	47	46	43	52	31	36	138	78	19	3	1	2
TWO			722	0	1	1	4	21	36	51	38	67	57	51	188	133	61	12	0	1
PREVIOUS DELIVERIES WERE																			
L.B.	S.F.D.	I.F.D.																	
0	0	2	98	0	0	0	0	5	8	14	11	16	6	9	21	4	2	0	0	0
0	1	1	17	0	0	0	0	0	2	1	0	2	1	2	7	1	1	0	0	0
0	2	0	8	0	0	0	0	0	1	0	0	2	0	0	0	5	0	0	0	0
1	0	1	203	0	0	0	2	9	13	19	15	27	26	17	46	22	6	1	0	0
1	1	0	51	0	1	0	2	1	3	3	3	2	3	9	12	9	3	0	0	0
2	0	0	347	0	0	1	0	6	9	14	9	18	21	14	102	92	49	11	0	1

Table 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1979

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
THREE			446	0	0	0	0	10	12	15	17	28	25	31	124	100	59	23	1	1
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	3	23	0	0	0	0	3	2	6	1	1	2	3	2	2	1	0	0	0
0	1	2	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
0	3	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1	0	2	54	0	0	0	0	3	2	1	2	7	7	5	16	8	2	0	1	0
1	1	1	14	0	0	0	0	0	0	1	0	1	4	3	3	2	0	0	0	0
1	2	0	12	0	0	0	0	0	0	1	0	1	0	1	5	3	1	0	0	0
2	0	1	121	0	0	0	0	1	2	1	8	8	8	8	39	28	13	4	0	1
2	1	0	57	0	0	0	0	1	2	2	0	4	1	1	26	15	3	2	0	0
3	0	0	161	0	0	0	0	2	4	3	5	5	3	10	33	41	38	17	0	0
FOUR			202	0	0	0	0	3	5	3	4	7	4	12	48	53	42	19	2	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
0	0	4	5	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0
0	1	3	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
1	0	3	16	0	0	0	0	0	1	1	0	0	0	2	8	4	0	0	0	0
1	1	2	3	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	0
1	2	1	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
1	3	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
2	0	2	39	0	0	0	0	0	0	1	0	0	4	2	3	14	8	4	3	0	0
2	1	1	18	0	0	0	0	1	1	1	1	0	1	1	6	5	1	0	0	0
2	2	0	18	0	0	0	0	0	0	0	0	0	0	2	7	4	2	3	0	0
3	0	1	32	0	0	0	0	1	0	1	2	1	0	1	5	10	10	1	0	0
3	1	0	24	0	0	0	0	1	0	0	0	1	0	0	3	7	9	2	1	0
4	0	0	45	0	0	0	0	0	0	0	0	0	0	2	3	13	16	10	1	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1979

				AGE OF MOTHER IN YEARS															
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
FIVE			87	0	0	0	0	1	0	1	0	0	2	3	24	28	19	9	0	0
PREVIOUS DELIVERIES WERE																				
*L.B.	S.F.D.	I.F.D.																		
1	0	+	6	0	0	0	0	0	0	1	0	0	0	1	4	0	0	0	0	0
1	1	3	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
2	0	3	4	0	0	0	0	1	0	0	0	0	0	0	2	0	1	0	0	0
2	1	2	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0
2	2	1	4	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0
2	3	0	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0
3	0	2	12	0	0	0	0	0	0	0	0	0	0	0	2	8	2	0	0	0
3	1	1	6	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	0	0
3	2	0	5	0	0	0	0	0	0	0	0	0	0	0	1	2	2	0	0	0
4	0	1	17	0	0	0	0	0	0	0	0	0	1	0	5	5	6	0	0	0
4	1	0	8	0	0	0	0	0	0	0	0	0	0	0	1	4	2	1	0	0
5	0	0	19	0	0	0	0	0	0	0	0	0	0	0	3	5	4	7	0	0

TABLE 21 - INDUCED FETAL DEATHS

BY AGE AND MARITAL STATUS OF MOTHER AND BY NUMBER AND

NATURE OF PREVIOUS DELIVERIES TO MOTHER. RHODE ISLAND OCCURRENCES 1979

			AGE OF MOTHER IN YEARS																
			ALL AGES	< 15	15	16	17	18	19	20	21	22	23	24	25-29	30-34	35-39	40-44	45-49	UNKNOWN
SIX			43	0	0	0	0	0	0	0	0	0	2	2	7	12	14	5	1	0
PREVIOUS DELIVERIES WERE *L.B.	S.F.D.	I.F.D.																		
1	0	5	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
2	0	4	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
2	1	3	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
2	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
3	0	3	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
3	1	2	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0
3	2	1	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0
3	3	0	1	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0
4	0	2	5	0	0	0	0	0	0	0	0	0	0	0	3	1	1	0	0	0
4	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
4	2	0	4	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0
5	0	1	6	0	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0
5	1	0	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0
6	0	0	11	0	0	0	0	0	0	0	0	0	0	0	0	3	5	3	0	0
SEVEN +			49	0	0	0	0	0	0	0	0	0	0	2	6	16	17	7	1	0
UNKNOWN			35	0	0	0	1	0	3	4	3	3	1	3	6	7	3	1	0	0

* L.B. REFERS TO PREVIOUS LIVE BIRTHS, S.F.D. TO PREVIOUS SPONTANEOUS FETAL DEATHS, AND I.F.D. TO PREVIOUS INDUCED FETAL DEATHS

TABLE 22A - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1979

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	TOTAL PERCENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL FETAL DEATHS OF 20 WEEKS OR MORE	127	100.0	20	32	41	22	7	2	0	3
FIRST DELIVERY	46	36.2	11	20	11	2	1	0	0	1
SECOND DELIVERY	29	22.8	7	6	13	2	0	0	0	1
NO PREVIOUS FETAL DEATHS	17		4	2	9	1	0	0	0	1
ONE PREVIOUS FETAL DEATH	12		3	4	4	1	0	0	0	0
THIRD DELIVERY	18	14.2	0	2	7	9	0	0	0	0
NO PREVIOUS FETAL DEATHS	11		0	2	3	6	0	0	0	0
ONE PREVIOUS FETAL DEATH	6		0	0	3	3	0	0	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
FOURTH DELIVERY	9	7.1	0	1	2	3	3	0	0	0
NO PREVIOUS FETAL DEATHS	6		0	0	1	3	2	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	2		0	0	1	0	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	1	0	0	0	0	0	0
FIFTH DELIVERY	7	5.5	0	1	2	4	0	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	5		0	1	1	3	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
SIXTH DELIVERY	4	3.1	0	0	1	0	2	1	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	2		0	0	0	0	1	1	0	0
TWO PREVIOUS FETAL DEATHS	1		0	0	1	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
SEVENTH DELIVERY	1	0.8	0	0	0	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
EIGHTH OR MORE DELIVERY	1	0.8	0	0	0	1	0	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	1	0	0	0	0
UNKNOWN BIRTH ORDER	12	9.4	2	2	5	0	1	1	0	1

TABLE 22B - SPONTANEOUS FETAL DEATHS OCCURRING IN RHODE ISLAND BY NUMBER OF CHILD IN TOTAL BIRTH ORDER NUMBER OF PREVIOUS FETAL DEATHS AND AGE OF MOTHER 1979

BIRTH ORDER OF THIS FETUS	TOTAL NUMBER	TOTAL PERCENT	AGE OF MOTHER IN YEARS UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	OVER 44	UNKNOWN
TOTAL SPONTANEOUS FETAL DEATHS	641	100.0	86	182	212	111	33	12	1	4
FIRST DELIVERY	216	33.7	53	77	71	11	3	0	0	1
SECOND DELIVERY	191	29.8	24	56	73	33	4	0	0	1
NO PREVIOUS FETAL DEATHS	130		13	36	50	27	3	0	0	1
ONE PREVIOUS FETAL DEATH	61		11	20	23	6	1	0	0	0
THIRD DELIVERY	104	16.2	4	27	33	29	8	3	0	0
NO PREVIOUS FETAL DEATHS	57		2	11	19	18	6	1	0	0
ONE PREVIOUS FETAL DEATH	39		2	12	11	10	2	2	0	0
TWO PREVIOUS FETAL DEATHS	8		0	4	3	1	0	0	0	0
FOURTH DELIVERY	48	7.5	0	10	12	18	5	3	0	0
NO PREVIOUS FETAL DEATHS	23		0	3	5	9	3	3	0	0
ONE PREVIOUS FETAL DEATH	15		0	4	5	6	0	0	0	0
TWO PREVIOUS FETAL DEATHS	8		0	1	2	3	2	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	2	0	0	0	0	0	0
FIFTH DELIVERY	29	4.5	1	4	9	9	3	2	1	0
NO PREVIOUS FETAL DEATHS	9		0	1	1	3	2	2	0	0
ONE PREVIOUS FETAL DEATH	10		1	1	3	4	0	0	1	0
TWO PREVIOUS FETAL DEATHS	5		0	1	3	1	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	5		0	1	2	1	1	0	0	0
SIXTH DELIVERY	13	2.0	0	0	3	5	4	1	0	0
NO PREVIOUS FETAL DEATHS	4		0	0	1	2	1	0	0	0
ONE PREVIOUS FETAL DEATH	3		0	0	0	1	1	1	0	0
TWO PREVIOUS FETAL DEATHS	5		0	0	2	2	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
SEVENTH DELIVERY	4	0.6	0	0	1	1	2	0	0	0
NO PREVIOUS FETAL DEATHS	1		0	0	0	0	1	0	0	0
ONE PREVIOUS FETAL DEATH	1		0	0	0	0	1	0	0	0
TWO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
THREE+ PREVIOUS FETAL DEATHS	2		0	0	1	1	0	0	0	0
EIGHTH OR MORE DELIVERY	6	0.9	0	0	1	3	2	0	0	0
NO PREVIOUS FETAL DEATHS	0		0	0	0	0	0	0	0	0
ONE PREVIOUS FETAL DEATH	0		0	0	0	0	0	0	0	0
TWO PREVIOUS FETAL DEATHS	3		0	0	1	1	1	0	0	0
THREE+ PREVIOUS FETAL DEATHS	3		0	0	0	2	1	0	0	0
UNKNOWN BIRTH ORDER	30	4.7	4	8	9	2	2	3	0	2

TABLE 23 - SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OCCURRING IN RHODE ISLAND BY WEIGHT OF FETUS AND AGE OF MOTHER 1975

FETAL WEIGHT IN GRAMS	TOTAL		AGE OF MOTHER IN YEARS							
	NUMBER	PER CENT	UNDER 20	20 - 24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	UNKNOWN
TOTAL	127	100.0	20	32	41	22	7	2	0	3
1,000 OR LESS	46	36.2	10	13	11	7	4	0	0	1
1,001 - 1,500	15	11.8	2	6	4	2	1	0	0	0
1,501 - 2,000	14	11.0	2	4	4	1	1	1	0	1
2,001 - 2,500	9	7.1	2	1	5	1	0	0	0	0
LOW WEIGHT TOTAL	84	66.1	16	24	24	11	6	1	0	2
2,501 - 3,000	8	6.3	1	2	4	1	0	0	0	0
3,001 - 3,500	6	4.7	1	1	3	1	0	0	0	0
3,501 - 4,000	6	4.7	0	2	2	2	0	0	0	0
4,001 - 4,500	1	0.8	0	0	0	0	0	1	0	0
4,501 - 5,000	0	0.0	0	0	0	0	0	0	0	0
5,001 OR MORE	0	0.0	0	0	0	0	0	0	0	0
NOT STATED	22	17.3	2	3	8	7	1	0	0	1

TABLE 24 - FETAL DEATHS OCCURRING IN RHODE ISLAND BY

SELECTED CAUSE OF DEATH AND WEEKS OF UTEROGESTATION 1979

CAUSE OF FETAL DEATH (ICD 1975)	FETAL DEATHS BY WEEKS OF UTEROGESTATION									
	TOTAL		UNDER 20		20 - 27		28 OR MORE		UNKNOWN	
	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT	NUMBER	PERCENT
ALL CAUSES	6030	100.0	5888	97.6	57	0.9	74	1.2	11	0.2
CONGENITAL ANOMALIES(740-759)	7	0.1	0	0.0	2	3.5	5	6.8	0	0.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	6023	99.9	5888	100.0	55	96.5	69	93.2	11	100.0
MATERNAL COMPLICATIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY(760)	17	0.3	3	0.1	4	7.0	10	13.5	0	0.0
MATERNAL COMPLICATIONS OF PREGNANCY(761)	513	8.5	481	8.2	26	45.6	5	6.8	1	9.1
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	49	0.8	18	0.3	9	15.8	22	29.7	0	0.0
OTHER COMPLICATIONS OF LABOR AND DELIVERY(763)	1	0.0	0	0.0	0	0.0	1	1.4	0	0.0
SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	3	0.0	3	0.1	0	0.0	0	0.0	0	0.0
BIRTH TRAUMA(767)	1	0.0	0	0.0	1	1.8	0	0.0	0	0.0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	8	0.1	0	0.0	1	1.8	7	9.5	0	0.0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	1	0.0	0	0.0	0	0.0	1	1.4	0	0.0
FETAL HEMORRHAGE(772)	1	0.0	0	0.0	0	0.0	1	1.4	0	0.0
HEMOLYTIC DISEASE DUE TO ISOIMMUNIZATION(773)	2	0.0	0	0.0	0	0.0	2	2.7	0	0.0
OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(779)	5427	90.0	5383	91.4	14	24.6	20	27.0	10	90.9

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ALL CAUSES																	
TOTAL	9060*	167	16	19	14	69	82	133	197	538	556	758	1021	1203	1250	1307	1730
WHITE MALE	4565	73	3	10	5	48	52	88	128	339	322	465	629	660	610	537	594
WHITE FEMALE	4255	59	8	7	5	18	25	39	55	176	215	275	372	519	615	750	1113
NON-WHITE MALE	128	10	3	4	0	1	1	4	6	16	9	7	12	16	12	12	12
NON-WHITE FEMALE	102	15	2	1	0	2	3	4	3	6	9	11	6	8	13	8	11
UNKNOWN MALE	8	3	0	0	0	0	1	0	1	1	1	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
UNKNOWN SEX	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CERTAIN OTHER INTESTINAL INFECTIONS (007,009)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
TUBERCULOSIS(010-018)																	
TOTAL	5	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	1
WHITE MALE	4	0	0	0	0	0	0	0	1	0	0	1	0	1	1	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1
OTHER TUBERCULOSIS(013-018)																	
TOTAL	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MENINGOCOCCAL INFECTION(036)																	
TOTAL	3	1	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0
WHITE MALE	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
WHITE FEMALE	2	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
SEPTICEMIA(038)																	
TOTAL	37	0	0	0	0	0	0	1	0	2	2	1	0	8	8	9	6
WHITE MALE	16	0	0	0	0	0	0	1	0	2	1	0	0	2	5	1	4
WHITE FEMALE	20	0	0	0	0	0	0	0	0	0	1	1	0	6	3	7	2
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
VIRAL HEPATITIS(070)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	1
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0
SYPHILIS(090-097)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER INFECTIOUS AND PARASITIC DISEASES(001-003,005,020-032,037, 039-041,046-054,056-060,071-088,098-139)																	
TOTAL	17	2	1	0	0	0	1	1	1	1	1	1	2	2	1	1	2
WHITE MALE	5	0	0	0	0	0	0	1	1	0	0	1	1	0	0	1	0
WHITE FEMALE	10	1	1	0	0	0	1	0	0	0	1	0	1	2	1	0	2
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)																	
TOTAL	2124	0	1	2	4	1	9	19	62	201	210	270	316	318	269	242	200
WHITE MALE	1095	0	0	1	3	0	3	4	32	103	106	153	173	168	135	121	93
WHITE FEMALE	983	0	1	1	1	1	6	13	28	88	96	113	141	143	132	116	103
NON-WHITE MALE	28	0	0	0	0	0	0	1	1	8	2	2	2	5	1	4	2
NON-WHITE FEMALE	16	0	0	0	0	0	0	1	1	2	6	2	0	2	1	1	2
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX(140-149)																	
TOTAL	67	0	0	0	0	0	0	1	1	11	8	15	10	7	8	1	5
WHITE MALE	47	0	0	0	0	0	0	1	1	8	3	12	7	4	6	1	4
WHITE FEMALE	17	0	0	0	0	0	0	0	0	0	5	3	3	3	2	0	1
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM(150-159)																	
TOTAL	660	0	0	0	0	0	1	2	12	46	51	71	106	95	106	92	78
WHITE MALE	321	0	0	0	0	0	0	0	7	23	30	36	56	50	45	40	34
WHITE FEMALE	316	0	0	0	0	0	1	0	4	17	20	33	49	43	60	48	41
NON-WHITE MALE	16	0	0	0	0	0	0	1	1	4	0	2	1	2	1	3	1
NON-WHITE FEMALE	7	0	0	0	0	0	0	1	0	2	1	0	0	0	0	1	2

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS(160-165)																	
TOTAL	520	0	0	0	0	0	0	0	16	61	59	82	91	94	50	41	26
WHITE MALE	378	0	0	0	0	0	0	0	8	45	43	58	69	72	40	29	14
WHITE FEMALE	134	0	0	0	0	0	0	0	8	15	14	23	22	19	10	11	12
NON-WHITE MALE	6	0	0	0	0	0	0	0	0	1	1	0	0	3	0	1	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0
MALIGNANT NEOPLASMS OF BREAST(174-175)																	
TOTAL	206	0	0	0	0	0	0	6	9	27	29	21	25	22	24	24	19
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0
WHITE FEMALE	199	0	0	0	0	0	0	6	9	27	28	19	25	19	24	23	19
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)																	
TOTAL	209	0	0	0	0	0	0	1	5	17	19	25	22	33	33	28	26
WHITE MALE	87	0	0	0	0	0	0	0	1	2	3	7	12	12	18	18	14
WHITE FEMALE	117	0	0	0	0	0	0	1	3	15	15	18	9	20	15	10	11
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
NON-WHITE FEMALE	3	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)																	
TOTAL	87	0	0	0	0	0	0	0	1	5	9	13	15	13	5	12	14
WHITE MALE	54	0	0	0	0	0	0	0	1	3	7	10	7	6	3	8	9
WHITE FEMALE	32	0	0	0	0	0	0	0	0	2	1	3	8	7	2	4	5
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES(170-173,190-199)																	
TOTAL	212	0	1	1	1	1	6	4	4	21	21	29	31	29	21	27	15
WHITE MALE	116	0	0	1	0	0	3	2	3	14	9	20	17	14	10	15	8
WHITE FEMALE	94	0	1	0	1	1	3	2	1	7	10	9	14	15	11	12	7
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0
LEUKEMIA(204-208)																	
TOTAL	63	0	0	1	2	0	2	2	2	4	4	2	7	6	11	10	10
WHITE MALE	30	0	0	0	2	0	0	1	1	2	2	1	3	3	5	5	5
WHITE FEMALE	32	0	0	1	0	0	2	1	1	2	2	1	4	3	5	5	5
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES(200-203)																	
TOTAL	100	0	0	0	1	0	0	3	12	9	10	12	9	15	11	7	7
WHITE MALE	58	0	0	0	1	0	0	0	10	6	9	8	2	5	8	4	5
WHITE FEMALE	42	0	0	0	0	0	0	3	2	3	1	4	7	10	3	3	2
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE(210-239)																	
TOTAL	24	0	0	0	0	0	2	1	0	1	1	3	2	1	3	6	4
WHITE MALE	14	0	0	0	0	0	2	0	0	1	0	1	1	1	2	3	3
WHITE FEMALE	9	0	0	0	0	0	0	1	0	0	1	2	1	0	0	3	1
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
DIABETES MELLITUS(250)																	
TOTAL	158	0	0	0	0	0	0	2	4	13	10	23	18	28	41	27	32
WHITE MALE	76	0	0	0	0	0	0	0	4	10	2	14	11	8	11	7	9
WHITE FEMALE	112	0	0	0	0	0	0	1	0	2	7	9	6	19	30	20	18
NON-WHITE MALE	8	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	4
NON-WHITE FEMALE	2	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1
NUTRITIONAL DEFICIENCIES(260-269)																	
TOTAL	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
ANEMIAS(280-285)																	
TOTAL	16	1	0	0	0	1	0	0	1	0	1	1	0	1	4	3	3
WHITE MALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2
WHITE FEMALE	8	0	0	0	0	0	0	0	0	0	1	0	0	0	4	2	1
NON-WHITE MALE	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0
NON-WHITE FEMALE	2	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
MENINGITIS(320-322)																	
TOTAL	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MAJOR CARDIOVASCULAR DISEASES (390-448)																	
TOTAL	4807	1	0	1	0	1	1	7	47	197	243	348	535	664	723	809	1230
WHITE MALE	2350	0	0	0	0	0	1	5	38	153	169	224	348	370	352	298	392
WHITE FEMALE	2360	1	0	1	0	1	0	1	6	40	68	114	174	279	353	497	825
NON-WHITE MALE	45	0	0	0	0	0	0	0	2	3	2	2	7	9	7	7	6
NON-WHITE FEMALE	48	0	0	0	0	0	0	1	0	1	3	8	4	6	11	7	7
UNKNOWN MALE	3	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICC CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
DISEASES OF THE HEART (390-398,402,404-429)																	
TOTAL	3798	0	0	0	0	1	0	7	41	170	214	297	441	536	572	619	900
WHITE MALE	1946	0	0	0	0	0	0	5	35	138	155	199	294	310	284	222	304
WHITE FEMALE	1780	0	0	0	0	1	0	1	4	29	54	92	136	215	278	384	586
NON-WHITE MALE	35	0	0	0	0	0	0	0	1	2	2	1	6	7	4	7	5
NON-WHITE FEMALE	33	0	0	0	0	0	0	1	0	1	2	5	3	4	6	6	5
UNKNOWN MALE	3	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE(390-398)																	
TOTAL	42	0	0	0	0	0	0	0	0	1	7	8	9	5	6	3	3
WHITE MALE	17	0	0	0	0	0	0	0	0	1	2	3	4	4	1	2	0
WHITE FEMALE	24	0	0	0	0	0	0	0	0	0	4	5	5	1	5	1	3
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
HYPERTENSIVE HEART DISEASE(402)																	
TOTAL	75	0	0	0	0	0	0	0	4	3	5	7	9	8	9	14	16
WHITE MALE	33	0	0	0	0	0	0	0	3	2	4	6	5	3	3	3	4
WHITE FEMALE	39	0	0	0	0	0	0	0	0	1	1	0	4	5	5	11	12
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
HYPERTENSIVE HEART AND RENAL DISEASE (404)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0
ISCHEMIC HEART DISEASE (410-414)																	
TOTAL	3168	0	0	0	0	0	0	5	27	133	166	238	360	462	497	518	762
WHITE MALE	1646	0	0	0	0	0	0	4	24	112	125	163	245	271	255	189	258
WHITE FEMALE	1467	0	0	0	0	0	0	1	2	19	38	71	105	181	236	318	496
NON-WHITE MALE	30	0	0	0	0	0	0	0	1	2	2	1	6	6	2	6	4
NON-WHITE FEMALE	22	0	0	0	0	0	0	0	0	0	0	3	2	4	4	5	4
UNKNOWN MALE	2	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE MYOCARDIAL INFARCTION (410)																	
TOTAL	1725	0	0	0	0	0	0	3	16	57	115	161	241	299	272	246	275
WHITE MALE	984	0	0	0	0	0	0	2	14	81	90	111	168	171	137	99	111
WHITE FEMALE	706	0	0	0	0	0	0	1	2	14	23	49	63	121	130	142	161
NON-WHITE MALE	22	0	0	0	0	0	0	0	0	2	2	0	6	4	2	3	3
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	0	1	2	3	3	2	0
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
UNKNOWN FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE(411)																	
TOTAL	14	0	0	0	0	0	0	0	0	1	0	1	2	4	0	3	3
WHITE MALE	5	0	0	0	0	0	0	0	0	1	0	1	1	2	0	0	0
WHITE FEMALE	9	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3	3
ANGINA PECTORIS(413)																	
TOTAL	4	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
WHITE FEMALE	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE(412,414)																	
TOTAL	1425	0	0	0	0	0	0	2	11	35	51	75	117	159	225	268	482
WHITE MALE	656	0	0	0	0	0	0	2	10	30	35	51	76	98	118	90	146
WHITE FEMALE	749	0	0	0	0	0	0	0	0	5	15	21	41	58	106	172	331
NON-WHITE MALE	8	0	0	0	0	0	0	0	1	0	0	1	0	2	0	3	1
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	4
UNKNOWN MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
OTHER DISEASES OF ENDOCARDIUM(424)																	
TOTAL	35	0	0	0	0	0	0	0	0	2	3	2	2	6	3	10	7
WHITE MALE	13	0	0	0	0	0	0	0	0	2	1	1	1	2	1	2	3
WHITE FEMALE	21	0	0	0	0	0	0	0	0	0	2	0	1	4	2	8	4
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)																	
TOTAL	475	0	0	0	0	1	0	2	10	31	33	42	61	54	57	72	112
WHITE MALE	237	0	0	0	0	0	0	1	8	21	23	26	39	30	24	26	39
WHITE FEMALE	226	0	0	0	0	1	0	0	2	9	9	16	21	23	30	44	71
NON-WHITE MALE	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1
NON-WHITE FEMALE	7	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	1
HYPERTENSION WITH OR WITHOUT RENAL DISEASE(401,403)																	
TOTAL	37	0	0	0	0	0	0	0	0	0	3	2	5	7	7	6	7
WHITE MALE	14	0	0	0	0	0	0	0	0	0	1	0	2	3	4	2	2
WHITE FEMALE	21	0	0	0	0	0	0	0	0	0	2	1	3	3	3	4	5
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CEREBROVASCULAR DISEASES (430-438)																	
TOTAL	708	1	0	1	0	0	1	0	5	21	19	38	61	89	111	142	219
WHITE MALE	264	0	0	0	0	0	1	0	2	10	8	20	35	38	42	54	54
WHITE FEMALE	426	1	0	1	0	0	0	0	2	11	10	16	25	50	61	87	162
NON-WHITE MALE	7	0	0	0	0	0	0	0	1	0	0	0	1	1	3	0	1
NON-WHITE FEMALE	11	0	0	0	0	0	0	0	0	0	1	2	0	0	5	1	2
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE(431-432)																	
TOTAL	102	0	0	1	0	0	1	0	2	7	5	13	20	14	15	11	13
WHITE MALE	45	0	0	0	0	0	1	0	1	3	2	11	13	7	3	2	2
WHITE FEMALE	55	0	0	1	0	0	0	0	1	4	3	2	6	7	11	9	11
NON-WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)																	
TOTAL	200	1	0	0	0	0	0	0	0	4	1	8	12	19	37	43	75
WHITE MALE	71	0	0	0	0	0	0	0	0	3	0	5	7	9	12	17	18
WHITE FEMALE	124	1	0	0	0	0	0	0	0	1	1	3	5	9	22	26	56
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
NON-WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1
CEREBRAL EMBOLISM(434.1)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)																	
TOTAL	403	0	0	0	0	0	0	0	3	10	13	17	29	55	59	87	130
WHITE MALE	147	0	0	0	0	0	0	0	1	4	6	4	15	21	27	35	34
WHITE FEMALE	246	0	0	0	0	0	0	0	1	6	6	11	14	34	28	51	95
NON-WHITE MALE	4	0	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1
NON-WHITE FEMALE	6	0	0	0	0	0	0	0	0	0	1	2	0	0	2	1	0
ATHEROSCLEROSIS(440)																	
TOTAL	166	0	0	0	0	0	0	0	0	4	4	5	15	15	18	24	81
WHITE MALE	68	0	0	0	0	0	0	0	0	4	3	1	8	9	11	7	25
WHITE FEMALE	97	0	0	0	0	0	0	0	0	0	1	4	7	5	7	17	56
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES(441-448)																	
TOTAL	98	0	0	0	0	0	0	0	1	2	3	6	13	17	15	18	23
WHITE MALE	58	0	0	0	0	0	0	0	1	1	2	4	9	10	11	13	7
WHITE FEMALE	36	0	0	0	0	0	0	0	0	0	1	1	3	6	4	5	16
NON-WHITE MALE	3	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
ACUTE BRONCHITIS AND BRONCHIOLITIS(466)																	
TOTAL	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA(480-487)																	
TOTAL	149	1	0	0	0	0	1	1	0	3	5	5	9	15	25	28	56
WHITE MALE	78	1	0	0	0	0	0	0	0	2	2	4	6	12	15	11	25
WHITE FEMALE	67	0	0	0	0	0	0	1	0	1	2	1	2	3	9	17	31
NON-WHITE MALE	4	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0
PNEUMONIA(480-486)																	
TOTAL	149	1	0	0	0	0	1	1	0	3	5	5	9	15	25	28	56
WHITE MALE	78	1	0	0	0	0	0	0	0	2	2	4	6	12	15	11	25
WHITE FEMALE	67	0	0	0	0	0	0	1	0	1	2	1	2	3	9	17	31
NON-WHITE MALE	4	0	0	0	0	0	1	0	0	0	1	0	1	0	1	0	0
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS(490-496)																	
TOTAL	239	0	0	1	0	0	0	1	1	8	13	17	29	44	44	59	22
WHITE MALE	165	0	0	0	0	0	0	1	0	5	9	13	20	33	34	41	14
WHITE FEMALE	71	0	0	1	0	0	0	0	1	3	3	3	8	11	9	18	8
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	2	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)																	
TOTAL	16	0	0	1	0	0	0	0	0	0	0	3	2	3	3	4	0
WHITE MALE	10	0	0	0	0	0	0	0	0	0	0	3	1	3	2	1	0
WHITE FEMALE	6	0	0	1	0	0	0	0	0	0	0	0	1	0	1	3	0
EMPHYSEMA(492)																	
TOTAL	51	0	0	0	0	0	0	0	0	1	4	4	8	13	7	11	3
WHITE MALE	39	0	0	0	0	0	0	0	0	1	1	3	4	11	7	8	4
WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	3	1	2	2	0	3	1

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ASTHMA(493)																	
TOTAL	11	0	0	0	0	0	0	0	1	1	0	1	2	2	1	1	2
WHITE MALE	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
WHITE FEMALE	8	0	0	0	0	0	0	0	1	1	0	1	1	1	1	0	2
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)																	
TOTAL	161	0	0	0	0	0	0	1	0	6	5	9	19	26	33	43	19
WHITE MALE	114	0	0	0	0	0	0	1	0	4	3	7	15	18	25	31	10
WHITE FEMALE	45	0	0	0	0	0	0	0	0	2	6	1	4	8	7	12	5
NON-WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
ULCER OF STOMACH AND DUODENUM(531-533)																	
TOTAL	27	0	0	0	0	0	0	0	1	2	0	3	5	6	2	4	4
WHITE MALE	15	0	0	0	0	0	0	0	1	2	0	2	3	4	1	1	1
WHITE FEMALE	12	0	0	0	0	0	0	0	0	0	0	1	2	2	1	3	3
APPENDICITIS(540-543)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA(550-553,560)																	
TOTAL	21	0	0	0	0	0	0	0	0	3	0	0	3	1	4	1	9
WHITE MALE	6	0	0	0	0	0	0	0	0	0	0	0	1	0	4	0	1
WHITE FEMALE	14	0	0	0	0	0	0	0	0	3	0	0	2	1	0	1	7
NON-WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS(571)																	
TOTAL	139	1	0	0	0	0	0	2	10	21	17	33	21	20	8	5	1
WHITE MALE	88	0	0	0	0	0	0	1	7	15	10	23	16	11	2	3	0
WHITE FEMALE	48	1	0	0	0	0	0	0	3	6	7	9	4	9	6	2	1
NON-WHITE MALE	3	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER(574-575)																	
TOTAL	14	0	0	0	0	0	0	0	0	0	0	0	2	1	6	2	3
WHITE MALE	7	0	0	0	0	0	0	0	0	0	0	0	2	0	3	2	0
WHITE FEMALE	7	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	3

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS(580-589)																	
TOTAL	80	1	0	0	0	0	0	2	1	2	1	5	4	8	22	10	24
WHITE MALE	40	0	0	0	0	0	0	2	0	2	0	3	3	6	10	4	10
WHITE FEMALE	40	1	0	0	0	0	0	0	1	0	1	2	1	2	12	6	14
ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME(580-581)																	
TOTAL	2	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
WHITE MALE	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
WHITE FEMALE	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
CHRONIC GLOMERULONEPHRITIS, NEPHRITIS, NEPHROPATHY, AND RENAL SCLEROSIS, UNSPECIFIED(582-583,587)																	
TOTAL	14	0	0	0	0	0	0	1	0	0	0	1	2	2	2	2	4
WHITE MALE	10	0	0	0	0	0	0	1	0	0	0	1	2	1	2	2	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
RENAL FAILURE,DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, & SMALL KIDNEY OF UNKNOWN CAUSE(584-586,588-589)																	
TOTAL	64	1	0	0	0	0	0	1	1	2	1	3	2	5	20	8	20
WHITE MALE	29	0	0	0	0	0	0	1	0	2	0	2	1	4	8	2	9
WHITE FEMALE	35	1	0	0	0	0	0	0	1	0	1	1	1	1	12	6	11
INFECTIONS OF KIDNEY(590)																	
TOTAL	7	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	3
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1
WHITE FEMALE	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2
HYPERPLASIA OF PROSTATE(600)																	
TOTAL	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
WHITE MALE	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
CONGENITAL ANOMALIES(740-759)																	
TOTAL	60	38	4	1	1	1	1	4	3	2	2	3	0	0	0	0	0
WHITE MALE	26	16	2	1	0	1	1	1	1	1	0	2	0	0	0	0	0
WHITE FEMALE	28	18	0	0	1	0	0	3	2	1	2	1	0	0	0	0	0
NON-WHITE MALE	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN SEX	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)																	
TOTAL	93	93	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	45	45	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	29	29	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME(767-769)																	
TOTAL	18	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	9	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	6	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-766,770-779)																	
TOTAL	75	75	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE MALE	36	36	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
WHITE FEMALE	23	23	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE MALE	8	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	5	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS(780-799)																	
TOTAL	22	11	0	1	0	1	1	1	0	2	2	1	0	0	0	1	1
WHITE MALE	10	3	0	1	0	0	1	1	0	1	2	0	0	0	0	0	1
WHITE FEMALE	6	3	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0
NON-WHITE MALE	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	3	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
ALL OTHER DISEASES(RESIDUAL)																	
TOTAL	494	12	1	2	0	4	5	15	14	36	27	29	56	57	55	77	100
WHITE MALE	216	5	0	2	0	2	2	11	7	18	14	15	28	28	26	30	28
WHITE FEMALE	259	4	1	0	0	2	2	3	4	13	10	13	27	29	32	47	72
NON-WHITE MALE	9	1	0	0	0	0	0	0	1	2	3	1	0	0	1	0	0
NON-WHITE FEMALE	9	2	0	0	0	0	0	1	2	3	0	0	1	0	0	0	0
UNKNOWN MALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0

TABLE 25 - RESIDENT DEATHS FROM 72 SELECTED CAUSES BY RACE, AGE, AND SEX: RHODE ISLAND, 1979

CAUSE(ICD CODE) RACE AND SEX	TOTAL NUMBER	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)																	
TOTAL	309	3	8	10	5	49	35	35	31	25	10	12	8	15	27	14	22
WHITE MALE	185	2	1	4	2	37	24	27	24	13	8	8	7	7	8	7	6
WHITE FEMALE	113	0	4	4	3	12	11	7	7	10	2	4	1	7	18	7	16
NON-WHITE MALE	9	1	2	1	0	0	0	1	0	2	0	0	0	1	1	0	0
NON-WHITE FEMALE	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
MOTOR VEHICLE ACCIDENTS(E810-E825)																	
TOTAL	140	1	2	4	0	38	21	23	12	12	2	2	4	1	9	5	4
WHITE MALE	95	1	0	2	0	26	14	18	11	7	1	2	4	0	3	3	3
WHITE FEMALE	42	0	1	2	0	12	7	5	1	4	1	0	0	0	6	2	1
NON-WHITE MALE	3	0	1	0	0	0	0	0	0	1	0	0	0	1	0	0	0
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS(E800-E807,E826-E949)																	
TOTAL	169	2	6	6	5	11	14	12	19	13	8	10	4	14	18	9	18
WHITE MALE	90	1	1	2	2	11	10	9	13	6	7	6	3	7	5	4	3
WHITE FEMALE	71	0	3	2	3	0	4	2	6	6	1	4	1	7	12	5	15
NON-WHITE MALE	6	1	1	1	0	0	0	1	0	1	0	0	0	0	1	0	0
NON-WHITE FEMALE	2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
SUICIDE(E950-E959)																	
TOTAL	115	0	0	0	1	7	17	30	13	16	8	2	9	8	1	2	1
WHITE MALE	81	0	0	0	1	7	12	22	5	9	4	1	8	6	0	1	1
WHITE FEMALE	32	0	0	0	0	0	3	8	4	7	4	1	1	2	1	1	0
NON-WHITE FEMALE	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0	0
HOMICIDE AND LEGAL INTERVENTION (E960-E978)																	
TOTAL	37	1	1	1	1	3	9	11	3	2	2	0	0	1	0	2	0
WHITE MALE	22	0	0	1	1	1	6	9	1	2	0	0	0	0	0	1	0
WHITE FEMALE	12	1	1	0	0	1	2	1	2	0	2	0	0	1	0	1	0
NON-WHITE MALE	2	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0
NON-WHITE FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
ALL OTHER EXTERNAL CAUSES(E980-E999)																	
TOTAL	6	0	0	0	1	0	0	0	4	1	0	0	0	0	0	0	0
WHITE MALE	4	0	0	0	1	0	0	0	3	0	0	0	0	0	0	0	0
WHITE FEMALE	2	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0

* TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 26 - RESIDENT DEATHS BY CITY OR TOWN BY MONTH
RHODE ISLAND, 1979

CITY OR TOWN	TOTAL	JAN	FEB	MARCH	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
RHODE ISLAND	9360	793	719	782	738	787	705	746	702	746	769	747	826
BARRINGTON	128	6	9	16	12	15	9	6	9	13	12	12	9
BRISTOL	189	17	13	16	11	25	18	17	15	9	12	15	21
BURRILLVILLE	114	16	11	10	8	12	9	9	9	8	9	7	6
CENTRAL FALLS	222	19	22	15	19	22	11	15	11	23	27	17	21
CHARLESTOWN	28	1	0	3	1	5	3	1	4	3	4	2	1
COVENTRY	176	19	16	15	14	10	17	13	22	6	16	15	13
CRANSTON	695	67	56	60	40	63	66	57	47	66	61	55	55
CUMBERLAND	216	18	15	17	21	17	18	18	20	16	21	25	12
EAST GREENWICH	105	12	6	11	11	6	12	8	10	5	11	7	6
EAST PROVIDENCE	494	40	40	30	42	41	33	52	44	42	43	43	42
EXETER	22	0	4	0	2	3	1	2	2	1	4	2	1
FOSTER	28	2	5	0	1	1	1	3	4	2	3	4	2
GLOCESTER	50	4	2	7	4	6	6	1	5	2	3	5	3
HOPKINTON	55	5	1	7	3	3	6	7	5	5	4	4	5
JAMESTOWN	45	6	4	2	2	0	3	10	2	2	6	1	2
JOHNSTON	180	17	9	22	11	20	15	16	14	12	12	13	19
LINCOLN	164	9	9	24	17	13	9	14	14	7	12	22	14
LITTLE COMPTON	27	3	2	2	4	1	2	0	2	3	2	2	4
MIDDLETOWN	121	6	7	8	7	10	10	8	9	16	15	14	11
NARRAGANSETT	75	2	4	4	8	5	10	6	6	10	6	7	9
NEWPORT	290	32	21	17	28	18	21	20	30	20	22	29	32
NEW SHOREHAM	9	0	0	2	0	2	1	0	0	0	2	1	1
NORTH KINGSTOWN	128	13	14	11	7	9	8	11	7	13	13	10	12
NORTH PROVIDENCE	275	18	22	26	23	33	26	15	20	13	24	20	35
NORTH SMITHFIELD	81	6	8	10	2	3	6	5	5	10	12	8	6
PAWTUCKET	874	64	71	84	68	73	71	70	72	74	62	76	89
PORTSMOUTH	101	4	10	3	5	15	14	10	6	14	8	6	6
PROVIDENCE	1926	175	145	174	162	165	136	160	147	157	160	156	189
RICHMOND	21	5	2	3	1	2	3	0	3	0	2	0	0
SCITUATE	63	3	9	4	3	10	2	7	4	6	4	4	7
SMITHFIELD	90	9	6	6	5	10	4	7	7	6	10	5	11
SOUTH KINGSTOWN	115	15	6	13	9	11	7	14	7	8	8	9	8
TIVERTON	99	10	10	9	9	7	4	16	6	6	4	6	12
WARREN	106	6	13	10	7	13	8	8	5	8	6	9	13
WARWICK	775	66	58	60	75	57	70	60	53	63	77	66	70
WESTERLY	158	13	13	15	13	18	14	11	13	17	11	10	10
WEST GREENWICH	18	1	0	1	2	2	0	4	1	3	1	1	2
WEST WARWICK	245	21	25	23	19	16	13	28	19	20	25	18	20
WOONSOCKET	550	63	46	42	56	45	36	39	43	57	35	41	47

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1979

CAUSE OF DEATH(ICDA)	ALL INFANTS	NEONATAL (1-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
ALL CAUSES - TOTAL	167	115	68	33	14	48
MENINGOCOCCAL INFECTION(036)	1	0	0	0	0	1
VIRAL DISEASES(045-079)	2	1	0	0	1	1
DISEASES OF BLOOD AND BLOOD FORMING ORGANS (280-289)	1	1	1	0	0	0
MENINGITIS(320-322)	1	0	0	0	0	1
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS(323-389)	3	0	0	0	0	3
PNEUMONIA AND INFLUENZA(480-487)	1	1	0	0	1	0
PNEUMONIA(480-486)	1	1	0	0	1	0
REMAINDER OF DISEASES OF RESPIRATORY SYSTEM (470-478,492-519)	1	0	0	0	0	1
REMAINDER OF DISEASES OF DIGESTIVE SYSTEM(520-534, 536-543,562-579)	1	0	0	0	0	1
CONGENITAL ANOMALIES(740-759)	38	32	6	10	6	16
ANENCEPHALUS AND SIMILAR ANOMALIES(740)	2	2	1	1	0	0
SPINA BIFIDA(741)	1	0	0	0	0	1
CONGENITAL HYDROCEPHALUS(742.3)	2	1	0	0	1	1
CONGENITAL ANOMALIES OF HEART(745-746)	10	3	0	2	1	7
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM(747)	5	4	0	2	2	1
CONGENITAL ANOMALIES OF RESPIRATORY SYSTEM (748)	5	4	3	0	1	1
CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM (749-751)	4	2	0	1	1	2
CONGENITAL ANOMALIES OF GENITOURINARY SYSTEM (752-753)	3	2	0	2	0	1
CONGENITAL ANOMALIES OF MUSCULOSKELETAL SYSTEM (754-756)	1	1	0	1	0	0
DOWN'S SYNDROME(758.0)	1	0	0	0	0	1
ALL OTHER AND UNSPECIFIED CONGENITAL ANOMALIES (744,757,759)	4	3	2	1	0	1

TABLE 27 - RESIDENT INFANT DEATHS FROM 61 SELECTED CAUSES BY AGE, RHODE ISLAND 1979

CAUSE OF DEATH(ICD CODE)	ALL INFANTS	NEONATAL (0-28 DAYS)	UNDER 1 DAY	1 - 6 DAYS	7 -27 DAYS	28 DAYS-11 MONTHS
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD(760-779)	93	89	61	22	6	4
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY(761)	14	14	13	1	0	0
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES(762)	11	11	11	0	0	0
NEWBORN AFFECTED BY OTHER COMPLICATIONS OF LABOR AND DELIVERY(763)	2	2	2	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT(765)	17	17	16	1	0	0
BIRTH TRAUMA(767)	6	6	1	5	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA(768)	4	4	1	2	1	0
FETAL DISTRESS IN LIVEBORN INFANT(768.2-768.4)	1	1	1	0	0	0
BIRTH ASPHYXIA(768.5-768.9)	3	3	0	2	1	0
RESPIRATORY DISTRESS SYNDROME(769)	8	8	1	6	1	0
OTHER RESPIRATORY CONDITIONS OF NEWBORN(770)	9	7	5	2	0	2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD(771)	6	6	2	1	3	0
NEONATAL HEMORRHAGE(772)	2	2	2	0	0	0
HEMOLYTIC DISEASE OF NEWBORN,DUE TO ISOIMMUN.,AND OTHR PERIN. JAUND.(773,774)	1	1	0	1	0	0
HEMORRHAGIC DISEASE OF NEWBORN(776.0)	1	1	1	0	0	0
ALL OTHER & ILL-DEFIC CONDITIONS IN PERINATAL PERIOD(775.2-775.9,776.1-779)	12	10	6	3	1	2
SYMPTOMS,SIGNS, AND ILL-DEFINED CONDITIONS(780-799)	11	2	0	0	2	9
SUDDEN INFANT DEATH SYNDROME(798.0)	11	2	0	0	2	9
ACCIDENTS AND ADVERSE EFFECTS(E800-E949)	3	0	0	0	0	3
OTHER ACCIDENTAL CAUSES AND ADVERSE EFFECTS (E800-E819,E914-E949)	3	0	0	0	0	3
HOMICIDE(E960-E969)	1	0	0	0	0	1
CHILD BATTERING AND OTHER MALTREATMENT(E967)	1	0	0	0	0	1
ALL OTHER CAUSES(RESIDUAL)	10	3	0	1	2	7

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1979

TYPE OF PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
		AGE OF DECEDENT IN YEARS															
ALL ACCIDENTS (E800-949)*																	
TOTAL	305**	3	8	10	5	45	35	35	31	25	10	12	8	15	27	14	22
MALE	194	3	3	5	2	37	24	28	24	15	6	8	7	8	9	7	6
FEMALE	115	0	5	5	3	12	11	7	7	10	2	4	1	7	18	7	16
MOTOR VEHICLE ACCIDENTS (E810-825)																	
TOTAL	140	1	2	4	0	38	21	23	12	12	2	2	4	1	9	5	4
MALE	98	1	1	2	0	26	14	18	11	8	1	2	4	1	3	3	3
FEMALE	42	0	1	2	0	12	7	5	1	4	1	0	0	0	6	2	1
NON-MOTOR VEHICLE ACCIDENTS (E800-807,E826-949)																	
TOTAL	165	2	6	6	5	11	14	12	19	13	8	10	4	14	18	9	18
MALE	96	2	2	3	2	11	10	10	13	7	7	6	3	7	6	4	3
FEMALE	73	0	4	3	3	0	4	2	6	6	1	4	1	7	12	5	15
00 HOME																	
TOTAL	72	2	5	6	2	1	4	4	5	5	1	5	1	6	7	5	5
MALE	33	2	2	3	0	1	2	3	4	4	1	3	0	2	2	2	2
FEMALE	39	0	3	3	2	0	2	1	5	5	0	2	1	4	5	3	3
20 MINE AND QUARRY																	
TOTAL	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
30-39 INDUSTRIAL																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
30 MANUFACTURING																	
TOTAL	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
40-49 PLACE OF RECREATION																	
TOTAL	10	0	0	0	1	4	3	1	1	0	0	0	0	0	0	0	0
MALE	9	0	0	0	1	4	2	1	1	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
41 BOATING																	
TOTAL	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
FEMALE	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
43 SWIMMING																	
TOTAL	6	0	0	0	1	3	1	0	1	0	0	0	0	0	0	0	0
MALE	6	0	0	0	1	3	1	0	1	0	0	0	0	0	0	0	0
44 FISHING																	
TOTAL	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0

TABLE 28 - RESIDENT ACCIDENTAL DEATHS, WITH NON-MOTOR VEHICLE ACCIDENTS SHOWN, BY NEW ENGLAND STANDARD LOCATIONS BY SEX AND AGE: RHODE ISLAND, 1979

TYPE OF PLACE OF ACCIDENT	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-59	60-64	65-69	70-74	75-79	80-84	85 & OVER
		AGE OF DECEDENT IN YEARS															
50 STREET AND HIGHWAY - SIDEWALK																	
TOTAL	7	0	0	0	0	0	1	1	0	1	0	0	1	0	0	2	1
MALE	5	0	0	0	0	0	1	1	0	1	0	0	1	0	0	1	0
FEMALE	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
60 PUBLIC BUILDING																	
TOTAL	4	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	0
MALE	4	0	0	0	0	1	0	0	1	0	0	0	0	1	1	0	0
70 RESIDENT INSTITUTION																	
TOTAL	19	0	0	0	0	0	0	1	2	1	1	1	0	1	4	2	6
MALE	6	0	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1
FEMALE	13	0	0	0	0	0	0	1	1	1	0	0	0	0	4	1	5
80-88 OTHER SPECIFIED PLACE																	
TOTAL	21	0	1	0	2	4	3	3	0	1	3	2	1	1	0	0	0
MALE	19	0	0	0	1	4	3	3	0	1	3	2	1	1	0	0	0
FEMALE	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
80 OPEN SEA																	
TOTAL	7	0	0	0	0	0	2	0	0	1	2	1	0	1	0	0	0
MALE	7	0	0	0	0	0	2	0	0	1	2	1	0	1	0	0	0
82 FIELD AND FOREST - OTHER THAN RECREATIONAL & FARMING																	
TOTAL	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
MALE	2	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0
83 LAKE, RIVER, AND STREAM - OTHER THAN RECREATION																	
TOTAL	6	0	1	0	2	3	0	0	0	0	0	0	0	0	0	0	0
MALE	4	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0
FEMALE	2	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0
84 MILITARY INSTALLATION(FUNCTIONAL)																	
TOTAL	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
MALE	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
88 OTHER																	
TOTAL	5	0	0	0	0	1	0	2	0	0	0	1	1	0	0	0	0
MALE	5	0	0	0	0	1	0	2	0	0	0	1	1	0	0	0	0
90 UNKNOWN																	
TOTAL	17	0	0	0	0	1	0	0	2	0	1	1	1	2	5	0	4
MALE	8	0	0	0	0	1	0	0	2	0	1	0	1	1	3	0	4
FEMALE	9	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0

* NEW ENGLAND STANDARD LOCATION CATEGORIES ARE ASSIGNED ONLY TO DEATHS CLASSIFIED TO ICDA E830-E838, E846-E869, AND E880-E928.
** TOTALS MAY INCLUDE DEATHS OF UNKNOWN AGE

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
RHODE ISLAND	9060	119	167	2124	450	202	20	67	158	3798	1725	42
BARRINGTON	128	1	1	38	7	1	0	2	1	49	17	0
301	41	0	0	13	2	0	0	1	0	12	3	0
302	24	0	0	7	0	0	0	0	1	9	5	0
303	32	1	1	10	3	1	0	1	0	11	4	0
304	31	0	0	8	2	0	0	0	0	17	5	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	189	3	3	46	15	3	0	1	9	64	31	0
307	51	2	2	15	4	1	0	1	0	17	9	0
308	33	1	1	8	2	1	0	0	1	12	5	0
309	104	0	0	22	8	1	0	0	8	35	17	0
UNKNOWN	1	0	0	1	1	0	0	0	0	0	0	0
BURRILLVILLE	114	0	1	25	4	1	1	1	2	43	21	0
125	67	0	1	14	2	1	1	1	1	25	14	0
130	47	0	0	11	2	0	0	0	1	18	7	0
CENTRAL FALLS	222	1	3	44	6	5	0	2	5	102	39	1
108	75	0	0	14	1	1	0	1	2	45	14	0
109	60	1	1	12	2	1	0	0	0	29	14	1
110	50	0	1	11	2	2	0	1	2	16	7	0
111	37	0	1	7	1	1	0	0	1	12	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	28	1	2	3	1	0	0	0	1	15	10	0
COVENTRY	176	4	8	53	15	5	1	3	2	71	30	0
206	141	4	7	42	10	5	1	3	2	56	26	0
207	35	0	1	11	5	0	0	0	0	15	4	0
CRANSTON	695	3	4	186	45	14	0	5	15	294	151	2
134	57	0	0	14	3	1	0	1	0	25	10	0
135	64	0	0	15	4	0	0	0	1	26	14	1
136	25	0	0	9	1	1	0	1	0	11	6	0
137	87	0	0	22	7	2	0	0	1	35	19	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
CHARLESTON(CONT.)												
138	62	2	2	13	6	1	0	0	0	31	17	0
139	45	0	0	13	4	2	0	0	0	17	12	0
140	60	0	0	19	1	1	0	1	4	23	11	0
141	33	0	0	4	2	0	0	0	1	13	6	0
142	16	0	0	4	0	1	0	0	1	5	2	0
143	44	0	0	10	2	0	0	0	0	28	11	0
144	27	0	0	5	3	0	0	0	2	8	4	0
145	34	1	2	10	1	2	0	0	1	10	8	0
146	18	0	0	5	1	1	0	0	1	5	3	0
147	92	0	0	33	8	1	0	2	2	43	23	1
148	27	0	0	6	1	0	0	0	1	12	3	0
UNKNOWN	3	0	0	0	0	0	0	0	0	2	2	0
CUMBERLAND	218	7	7	41	9	1	1	0	4	93	37	2
112	54	0	0	10	1	0	0	0	2	24	10	0
113	66	3	3	9	1	0	1	0	1	29	14	1
114	98	4	4	22	3	1	0	0	1	40	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-205	105	1	3	20	5	0	0	1	3	38	11	0
EAST PROVIDENCE	454	4	8	115	33	12	1	3	10	229	102	4
101	69	1	2	16	3	4	0	0	0	36	16	1
102	67	1	1	15	8	0	1	0	4	28	20	0
103	62	1	2	15	5	1	0	0	2	26	10	0
104	55	0	0	13	4	0	0	0	1	27	13	1
105	108	0	1	26	5	2	0	2	2	50	20	1
106	74	1	2	18	5	4	0	0	0	35	14	0
107	59	0	0	12	3	1	0	1	1	27	9	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	22	2	2	1	0	0	0	0	1	7	3	0
FOSTER-133	28	0	0	11	5	1	0	1	0	11	5	0
GLOCESTER-131	50	1	1	11	4	3	0	0	0	24	11	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
HOPKINTON-907	55	1	2	14	3	1	1	0	1	23	13	0
JAMESTOWN-413	45	1	1	11	4	0	1	0	0	21	8	0
JOHNSTON	180	0	0	56	15	7	0	4	1	76	45	1
122	35	0	0	10	3	2	0	1	0	14	5	0
123	46	0	0	13	4	1	0	0	0	22	10	1
124	65	0	0	20	5	2	0	1	1	30	23	0
125	30	0	0	13	3	2	0	2	0	10	7	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	164	2	2	43	12	4	0	1	4	78	35	1
115	53	1	1	12	1	2	0	0	0	29	12	1
116	21	1	1	5	3	0	0	0	1	10	6	0
117	90	0	0	26	8	2	0	1	3	39	17	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	27	0	0	6	0	1	0	0	0	11	6	0
MIDDLETOWN	121	3	4	35	6	1	0	1	5	45	22	0
402	5	1	1	1	0	0	0	0	0	2	1	0
403	67	2	3	20	4	1	0	1	5	24	12	0
404	48	0	0	13	2	0	0	0	0	19	9	0
UNKNOWN	1	0	0	1	0	0	0	0	0	0	0	0
NARRAGANSETT-515	75	1	1	15	4	2	1	0	2	29	12	0
NEWPORT	290	5	8	60	10	3	1	1	4	123	61	2
405	39	1	3	12	1	0	0	0	0	15	4	0
406	62	2	2	13	2	0	0	0	1	24	11	1
407	39	0	0	3	1	0	0	0	1	21	13	1
408	38	0	0	6	1	0	1	1	0	18	10	0
409	44	2	2	6	1	0	0	0	2	16	9	0
410	37	0	0	11	1	1	0	0	0	15	5	0
411	23	0	1	6	1	2	0	0	0	12	7	0
412	8	0	0	3	2	0	0	0	0	2	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 294 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
NEW SHOREHAM-415	9	0	0	3	0	0	0	0	0	4	3	1
NORTH KINGSTOWN	128	1	1	29	5	7	1	0	4	53	20	0
501	50	0	0	10	2	1	1	0	3	20	5	0
502	0	0	0	0	0	0	0	0	0	0	0	0
503	47	0	0	12	1	3	0	0	1	21	11	0
504	31	1	1	7	2	3	0	0	0	12	4	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	275	2	2	59	12	4	0	1	3	141	58	1
118	55	1	1	16	5	1	0	0	1	25	5	1
119	40	0	0	8	1	0	0	0	0	19	5	0
120	86	0	0	17	3	3	0	0	1	45	14	0
121	94	1	1	18	3	0	0	1	1	52	24	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	81	2	2	14	3	1	0	0	2	45	28	1
PAWTUCKET	874	10	12	195	48	22	1	8	16	389	157	7
149	15	0	0	3	0	1	0	0	0	9	4	0
150	46	0	0	14	4	4	0	0	0	23	7	1
151	44	0	0	9	3	1	0	0	4	19	8	0
152	56	0	0	14	7	0	0	0	0	25	8	0
153	30	0	0	6	0	2	0	0	0	11	5	0
154	18	1	1	6	2	0	0	0	0	8	2	1
155	37	1	1	4	2	0	0	1	0	23	7	1
156	23	0	1	5	1	0	0	0	0	11	4	0
157	54	0	0	11	4	1	0	0	0	24	11	0
158	46	0	0	7	2	2	0	0	1	21	10	1
159	39	0	1	12	4	0	0	1	0	16	5	0
160	31	3	3	8	0	1	0	1	1	12	8	0
161**	59	0	0	11	2	0	1	1	0	21	9	0
163	28	0	0	7	1	0	0	1	0	13	4	0
164**	70	2	2	13	2	0	0	0	0	29	5	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PAWTUCKET(CONT.)												
165	55	0	0	12	2	0	0	0	1	32	11	0
166	16	0	0	3	1	0	0	0	1	8	4	1
167	40	0	0	12	4	3	0	1	3	12	6	0
168	42	0	0	12	2	2	0	0	1	18	7	2
169	26	2	2	7	1	2	0	0	0	13	9	0
170	49	0	0	10	2	0	0	1	2	24	7	0
171	44	1	1	9	1	4	0	1	2	17	12	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	101	1	2	26	4	4	0	0	2	35	19	0
PROVIDENCE	1926	33	51	438	101	44	7	18	51	754	346	10
1	78	1	2	12	4	0	0	3	2	34	19	1
2	93	5	6	19	3	3	0	1	3	32	15	0
3	70	4	6	13	6	1	0	1	3	22	12	1
4	32	3	4	7	3	0	0	1	0	14	7	0
5	32	3	4	5	1	0	0	0	0	8	4	0
6	17	0	1	2	0	0	0	0	1	4	4	0
7	38	0	1	2	1	0	0	1	1	20	6	0
8	52	0	0	13	3	0	0	0	2	24	14	0
9	50	0	1	8	3	0	0	0	0	25	12	0
10	46	0	2	9	2	1	0	0	2	22	10	0
11	47	0	0	14	7	0	1	0	1	16	8	0
12	35	1	1	5	1	0	1	0	0	17	10	0
13	37	0	0	11	1	0	1	0	1	13	8	0
14	51	1	2	13	2	4	0	0	1	18	6	1
15	41	0	0	12	0	2	0	1	1	12	4	0
16	60	0	0	16	4	1	0	0	2	23	10	0
17	38	0	0	11	1	1	0	0	1	15	9	0
18	74	1	2	15	1	1	0	0	4	32	19	0
19	64	0	0	21	7	0	1	2	0	25	11	0
20	32	1	1	7	1	1	0	1	3	11	2	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
PROVIDENCE(CONT.)												
21	52	1	2	23	7	4	0	1	3	41	19	1
22	37	1	1	3	0	0	0	0	0	12	8	1
23	69	0	0	16	4	2	0	0	3	28	14	1
24	65	0	0	17	1	1	2	0	1	26	8	1
25	32	0	1	7	1	1	0	0	0	11	4	1
26	72	1	2	18	2	1	0	2	3	26	7	1
27	27	0	0	8	2	2	0	0	1	8	3	0
28	61	1	1	19	7	3	0	1	0	27	13	1
29	98	2	2	26	5	4	0	0	3	43	19	0
30	3	0	0	1	0	0	0	0	0	2	0	0
31	56	3	3	8	2	0	0	0	2	21	8	0
32	47	3	3	14	3	2	0	0	1	13	5	0
33	90	1	1	20	6	3	0	1	4	40	22	0
34	42	0	0	9	2	1	0	0	1	12	6	0
35	81	0	1	14	4	3	0	0	1	32	13	0
36	30	0	0	9	1	1	0	2	0	11	5	0
37	36	0	1	10	3	1	1	0	0	14	6	0
UNKNOWN	1	0	0	1	0	0	0	0	0	0	0	0
INNER CITY	715	16	29	153	42	5	5	7	15	276	123	4
RICHMOND-506	21	0	0	1	0	0	0	0	0	15	10	0
SCITUATE-132	63	2	2	16	3	1	0	0	1	24	10	2
SMITHFIELD	90	0	0	21	4	4	0	1	2	42	23	1
126	39	0	0	8	3	2	0	1	0	19	11	1
127	51	0	0	13	1	2	0	0	2	23	12	0
SOUTH KINGSTOWN	115	0	1	26	7	1	0	0	2	41	15	0
512	55	.	0	9	2	1	0	0	1	24	9	0
513	55	0	1	15	5	0	0	0	1	17	6	0
514	3	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	2	0	0	1	0	0	0	0	0	0	0	0
TIVERTON	99	1	1	21	4	2	0	1	1	40	23	0

TABLE 29A - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
TIVERTON(CONT.)												
416	56	1	1	12	2	1	0	1	1	23	15	0
417	43	0	0	9	2	1	0	0	0	17	8	0
WARREN	106	0	0	23	6	1	0	1	2	38	17	0
305	41	0	0	7	4	0	0	1	2	11	4	0
306	65	0	0	16	2	1	0	0	0	27	13	0
WARWICK	775	5	8	187	39	20	1	4	12	321	158	4
210	75	0	0	19	0	4	0	0	2	29	18	0
211	54	0	0	10	2	1	0	1	1	31	13	0
212	58	0	0	13	2	0	0	0	1	32	16	0
213	57	1	1	16	2	0	1	1	1	23	14	0
214	86	1	1	20	4	2	0	0	1	36	21	0
215	66	0	0	17	6	1	0	1	2	27	11	0
216	12	0	0	3	1	1	0	0	0	3	2	0
217	29	0	0	9	1	3	0	0	1	13	3	2
218	48	0	1	13	3	1	0	0	0	20	13	0
219	56	1	2	22	5	1	0	0	0	31	17	0
220	30	1	1	6	0	1	0	0	0	15	6	0
221	45	0	0	12	3	1	0	0	0	21	9	1
222	66	0	0	13	5	1	0	1	3	19	8	0
223	37	1	1	10	2	0	0	0	0	16	5	1
224	16	0	1	4	3	0	0	0	0	5	2	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	198	1	1	43	9	2	1	3	2	66	28	0
508	99	1	1	25	7	0	1	2	2	43	16	0
509	47	0	0	14	2	1	0	1	0	16	7	0
510	11	0	0	4	0	1	0	0	0	7	5	0
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	0
WEST GREENWICH-208	18	0	0	8	2	1	0	0	0	7	4	0
WEST WARWICK	245	6	6	57	17	6	1	0	9	103	51	0
201	50	2	2	16	6	3	0	0	0	15	7	0

TABLE 294 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	ALL DEATHS	NEONATAL DEATHS	INFANT DEATHS	MALIGNANT NEOPLASMS (140-208)	MALIGNANT NEOPLASM OF LUNG (162.2-162.9)	MALIGNANT NEOPLASM OF FEMALE BREAST (174)	MALIGNANT NEOPLASM OF CERVIX (180)	MALIGNANT NEOPLASM LIP, ORAL CAVITY & PHARYNX (140-149)	DIABETES MELLITUS (250)	DISEASES OF THE HEART (390-398, 402, 410-429)	ACUTE MYOCARDIAL INFARCTION (410)	RHEUMATIC HEART DISEASE (390-398)
WEST WARWICK(CONT.)												
202	45	0	0	10	4	2	1	0	3	22	11	0
203	51	2	2	15	4	3	0	0	4	40	22	0
204	31	2	3	5	2	0	0	0	1	13	8	0
205	26	0	0	6	1	0	0	0	1	12	2	0
UNKNOWN	2	0	0	1	0	0	0	0	0	1	1	0
WOONSOCKET	550	14	16	123	27	14	0	4	19	234	87	2
172	22	0	0	8	1	1	0	1	2	10	2	0
173	46	0	0	11	2	0	0	1	0	24	10	0
174	49	3	3	7	0	2	0	0	0	20	5	0
175	33	1	1	10	3	1	0	1	1	13	4	0
176	35	2	2	14	4	3	0	0	2	10	6	0
177	17	2	2	4	1	0	0	0	0	7	1	0
178	42	0	0	14	3	0	0	0	1	20	5	0
179	51	1	2	14	4	1	0	0	0	22	10	0
180	59	1	1	8	0	1	0	0	5	24	8	0
181	30	0	0	4	2	0	0	0	1	14	6	0
182	30	0	0	6	1	1	0	0	0	14	3	0
183	29	0	1	6	3	0	0	0	2	10	4	0
184	75	2	2	13	3	1	0	1	4	36	16	0
185	28	2	2	4	0	3	0	0	1	10	3	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
RHODE ISLAND	708	166	149	239	139	80	93	309	140	115	37	6
BARRINGTON	5	7	2	4	1	0	1	4	2	3	0	0
301	4	5	1	2	1	0	0	1	1	0	0	0
302	1	0	0	1	0	0	0	1	1	0	0	0
303	1	1	1	0	0	0	1	2	0	3	0	0
304	3	1	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BRISTOL	11	11	4	10	4	2	2	6	3	0	0	0
307	2	2	2	3	1	0	2	1	1	0	0	0
308	1	3	0	1	1	1	0	1	1	0	0	0
309	8	6	2	6	2	1	0	4	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
BURRILLVILLE	9	0	3	5	2	3	0	7	2	6	0	0
129	6	0	2	1	0	2	0	5	1	5	0	0
130	3	0	1	4	2	1	0	2	1	1	0	0
CENTRAL FALLS	20	4	3	3	3	3	1	9	4	4	1	0
108	4	1	1	0	1	2	0	1	0	1	0	0
109	6	0	1	3	1	0	1	2	1	0	0	0
110	5	3	1	0	1	0	0	2	1	1	1	0
111	5	0	0	0	0	1	0	4	2	2	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
CHARLESTOWN-511	1	0	0	0	0	0	0	2	2	1	0	0
COVENTRY	7	3	2	3	2	2	2	10	5	3	1	0
206	6	3	2	3	2	2	2	7	2	2	0	0
207	1	0	0	0	0	0	0	3	3	1	1	0
CRANSTON	64	6	12	19	6	3	1	9	5	9	1	2
134	6	0	3	2	1	0	0	0	0	0	0	0
135	7	1	1	0	1	0	0	1	0	2	0	0
136	1	0	0	1	1	0	0	0	0	1	0	0
137	6	0	2	4	1	0	0	0	0	2	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E580-959)
CRANSTON(CONT.)												
136	6	0	2	2	1	0	1	0	0	1	0	1
139	5	1	1	1	0	0	0	2	1	0	0	0
140	6	0	1	1	0	0	0	1	0	0	0	0
141	4	1	0	3	0	0	0	0	0	0	0	0
142	1	0	0	1	0	0	0	1	1	1	0	1
143	3	0	1	0	0	0	0	1	1	0	0	0
144	3	2	0	1	0	0	0	1	0	0	0	0
145	5	1	1	1	0	0	0	0	0	0	0	0
146	2	0	0	0	0	0	0	0	0	0	0	0
147	6	0	0	0	1	0	0	2	1	0	0	0
148	3	0	0	1	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	1	0	0	0	0	0	0	0	0
CUMBERLAND	18	3	4	7	7	1	7	12	8	1	0	0
112	3	0	1	1	0	0	0	5	4	1	0	0
113	5	2	1	4	3	0	3	3	2	0	0	0
114	10	1	2	2	4	1	4	4	2	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EAST GREENWICH-209	12	4	3	3	2	3	1	8	3	0	0	0
EAST PROVIDENCE	30	10	5	9	8	2	5	13	4	5	2	0
101	1	4	0	3	0	1	2	0	0	1	0	0
102	4	2	2	1	2	0	1	0	0	0	0	0
103	6	1	0	2	0	0	1	2	0	1	1	0
104	3	1	0	1	2	0	0	4	1	0	0	0
105	9	2	2	1	1	1	0	3	1	0	0	0
106	4	0	0	1	2	0	1	3	2	1	0	0
107	3	0	1	0	1	0	0	1	0	2	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
EXETER-505	2	1	1	0	0	0	2	1	0	2	0	0
FOSTER-133	1	1	0	0	0	0	0	1	1	0	0	0
GLOCESTER-131	3	1	0	0	1	0	1	2	1	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
HOPKINTON-507	2	0	2	2	1	0	0	3	2	0	0	0
JAMESTOWN-413	7	0	0	0	0	0	0	1	1	0	1	1
JOHNSTON	9	2	2	6	3	2	0	3	0	0	2	0
122	4	0	0	1	0	0	0	0	0	0	0	0
123	1	1	1	2	0	0	0	1	0	0	0	0
124	3	1	1	1	2	2	0	2	0	0	1	0
125	1	0	0	2	1	0	0	0	0	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LINCOLN	8	4	2	5	0	0	2	4	1	1	1	0
115	3	1	0	2	0	0	1	1	0	0	1	0
116	0	1	1	1	0	0	1	0	0	1	0	0
117	5	2	1	2	0	0	0	3	1	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
LITTLE COMPTON-414	2	1	2	1	0	0	0	1	1	1	0	0
MIDDLETOWN	10	1	2	6	0	2	2	3	0	0	0	0
402	0	0	0	0	0	0	1	0	0	0	0	0
403	3	1	2	2	0	2	1	2	0	0	0	0
404	7	0	0	4	0	0	0	1	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NARRAGANSETT-515	7	1	2	3	0	0	1	4	3	2	0	0
NEWPORT	24	12	5	10	5	1	4	11	3	2	1	0
405	4	0	1	1	0	0	1	1	0	0	1	0
406	2	3	0	3	2	1	1	4	2	0	0	0
407	6	1	1	2	1	0	0	2	1	0	0	0
408	5	3	0	0	1	0	0	1	0	0	0	0
409	2	3	0	2	1	0	2	3	0	1	0	0
410	3	1	1	2	0	0	0	0	0	0	0	0
411	1	0	1	0	0	0	0	0	0	1	0	0
412	1	1	1	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
NEW SHOREHAM-415	0	0	0	1	0	0	0	0	0	0	0	0
NORTH KINGSTOWN	8	1	3	3	4	1	0	11	8	3	1	0
501	3	1	1	2	2	0	0	4	4	1	0	0
502	0	0	0	0	0	0	0	0	0	0	0	0
503	2	0	1	0	1	0	0	5	3	2	0	0
504	3	0	1	1	1	1	0	2	1	0	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH PROVIDENCE	17	2	3	9	2	1	2	8	3	2	0	0
118	2	0	0	2	1	0	1	3	1	1	0	0
119	4	0	1	2	0	0	0	0	0	0	0	0
120	5	2	1	2	1	0	0	2	1	0	0	0
121	6	0	1	3	0	1	1	3	1	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
NORTH SMITHFIELD-128	4	2	1	0	0	0	2	2	2	1	0	0
PAWTUCKET	62	14	15	19	16	3	8	35	18	13	4	0
149	2	0	0	0	0	0	0	0	0	0	0	0
150	3	0	2	1	0	0	0	2	2	1	0	0
151	3	1	0	0	1	0	0	2	0	1	1	0
152	7	1	2	0	0	0	0	4	1	0	0	0
153	3	1	1	3	0	0	0	1	0	1	0	0
154	0	1	0	0	1	1	0	1	1	0	0	0
155	2	1	0	0	0	0	1	2	2	1	0	0
156	0	1	0	0	0	0	1	1	1	1	0	0
157	3	1	1	0	2	0	0	3	1	3	0	0
158	3	0	3	3	2	0	0	1	0	1	0	0
159	3	0	0	1	1	0	0	1	1	1	0	0
160	0	3	0	0	0	1	2	1	1	0	0	0
161**	4	0	0	2	3	0	0	5	2	1	2	0
163	2	0	0	0	0	0	0	3	3	0	0	0
164**	9	1	3	2	1	0	2	3	0	2	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PAWTUCKET(CONT.)												
165	5	0	1	1	0	0	0	0	0	0	0	0
166	1	1	0	0	0	0	0	0	0	0	0	0
167	4	1	1	2	0	0	0	1	0	0	0	0
168	1	0	0	0	2	0	0	0	0	0	0	0
169	2	0	0	0	0	1	1	0	0	0	0	0
170	4	1	1	2	1	0	0	1	0	0	0	0
171	1	0	0	2	2	0	1	3	3	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
PORTSMOUTH-401	7	1	4	3	3	0	1	7	4	3	0	0
PROVIDENCE	164	31	30	40	31	17	26	59	17	23	18	1
1	6	1	2	1	3	1	1	6	3	2	0	0
2	9	2	3	3	0	1	4	1	0	1	3	0
3	5	2	0	0	1	2	2	4	1	1	0	0
4	1	0	0	2	0	1	3	2	1	1	0	0
5	1	1	1	2	0	1	0	5	1	1	0	0
6	1	2	0	0	3	1	0	2	0	0	1	0
7	3	1	0	0	0	1	0	1	0	0	2	0
8	6	0	2	1	0	0	0	1	0	1	0	0
9	8	1	0	0	0	0	0	0	0	0	0	0
10	2	0	1	2	0	0	0	2	0	0	1	0
11	3	1	1	1	1	0	0	1	1	1	0	0
12	5	0	0	1	0	0	1	0	0	0	1	0
13	3	1	0	0	0	0	0	1	0	0	1	0
14	5	1	0	1	0	0	1	2	0	1	1	0
15	4	3	1	0	1	0	0	0	0	0	0	0
16	3	0	1	1	1	0	0	3	1	3	0	1
17	4	0	0	1	1	0	0	1	0	0	0	0
18	3	1	0	1	2	1	1	2	2	2	1	0
19	6	1	2	0	2	1	0	0	0	1	0	0
20	3	0	0	1	1	2	1	1	1	0	0	0

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1979

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
PROVIDENCE(CONT.)												
21	13	0	0	0	1	1	0	0	0	1	0	0
22	5	1	0	2	2	1	0	3	1	0	2	0
23	9	1	3	0	1	0	0	0	0	0	0	0
24	8	0	1	4	0	0	0	1	0	1	0	0
25	1	1	1	0	1	0	0	2	1	0	0	0
26	3	3	1	3	1	2	1	4	2	0	1	0
27	1	0	1	0	0	0	0	0	0	0	1	0
28	4	0	1	1	1	0	1	2	0	1	0	0
29	3	0	2	1	3	0	2	3	0	1	1	0
30	0	0	0	0	0	0	0	0	0	0	0	0
31	9	0	2	0	1	1	2	0	0	0	1	0
32	3	0	1	0	1	0	3	2	0	2	0	0
33	7	1	1	2	2	0	1	1	0	0	0	0
34	8	4	1	2	0	0	0	2	1	0	0	0
35	6	1	1	4	0	0	1	0	0	1	1	0
36	3	1	0	2	0	0	0	2	1	1	0	0
37	5	0	0	1	1	0	1	2	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
INNER CITY	61	15	9	13	11	10	11	28	7	6	9	0
RICHMOND-506	1	2	0	0	0	0	0	1	1	0	0	0
SCITUATE-132	10	1	1	1	2	1	1	2	1	1	0	0
SMITHFIELD	6	3	3	0	2	0	0	2	1	2	0	0
126	2	0	2	0	2	0	0	1	0	1	0	0
127	4	3	1	0	0	0	0	1	1	1	0	0
SOUTH KINGSTOWN	11	1	4	7	1	2	0	3	3	4	0	0
512	5	1	2	3	0	1	0	1	1	1	0	0
513	5	0	2	3	1	1	0	2	2	2	0	0
514	1	0	0	0	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	1	0	0	0	0	0	0	0	0
TIVERTON	12	1	1	4	2	0	1	6	4	1	0	1

TABLE 298 - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.O.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
TIVERTON(CONT.)												
416	7	1	0	1	2	0	1	2	1	0	0	0
417	5	0	1	3	0	0	0	4	3	1	0	1
WARREN	15	8	4	5	3	0	0	2	1	2	0	0
305	8	4	3	1	1	0	0	2	1	1	0	0
306	7	4	1	4	2	0	0	0	0	1	0	0
WARWICK	70	13	8	19	16	4	3	31	16	9	2	1
210	7	1	1	2	0	0	0	3	1	2	0	0
211	2	0	0	1	3	0	0	3	0	0	0	0
212	6	2	1	0	0	0	0	0	0	0	0	0
213	9	0	1	1	1	0	1	1	0	1	0	0
214	5	1	1	1	1	0	1	5	4	0	0	0
215	2	1	1	2	1	0	0	2	2	1	0	0
216	1	1	0	1	1	0	0	0	0	0	0	0
217	0	0	1	1	0	0	0	2	1	1	0	0
218	4	0	0	1	2	0	0	0	0	0	0	0
219	16	2	1	1	1	2	0	5	2	1	2	0
220	0	1	0	2	2	1	0	0	0	1	0	0
221	3	1	1	1	2	0	0	0	0	1	0	0
222	7	1	0	4	1	0	0	7	3	1	0	0
223	4	2	0	1	0	0	1	2	2	0	0	0
224	0	0	0	0	1	0	0	1	1	0	0	1
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WESTERLY	12	1	5	2	2	2	0	7	3	3	0	0
508	8	1	4	0	0	1	0	1	0	2	0	0
509	4	0	1	2	2	1	0	5	3	1	0	0
510	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN	0	0	0	0	0	0	0	1	0	0	0	0
WEST GREENWICH-208	0	0	0	0	0	1	0	0	0	0	0	0
WEST WARWICK	17	4	2	6	2	2	5	6	2	4	2	0
201	0	1	0	2	0	2	1	2	1	2	1	0

TABLE 29B - SELECTED MORTALITY DATA BY CITY OR TOWN BY CENSUS TRACT
RHODE ISLAND RESIDENTS, 1975

CITY OR TOWN AND CENSUS TRACT	CEREBRO-VASCULAR DISEASES (430-438)	ARTERIO-SCLEROSIS (440)	INFLU-ENZA & PNEUMONIA (480-487)	C.C.P.D. & ALLIED CONDI-TIONS (490-496)	CHRONIC LIVER DISEASE, CIRRHOSIS OF LIVER (571)	CONGEN-ITAL ANOMALIES (740-759)	CERTAIN CONDS IN THE PERINATL PERIOD (760-779)	ALL ACCIDENTS (E800-949)	MOTOR VEHICLE ACCIDENTS (E810-825)	SUICIDE (E950-959)	HOMICIDE (960-978)	OTHER EXTERNAL CAUSES (E980-999)
WEST WARWICK(CONT.)												
202	3	0	1	1	0	0	0	2	1	0	1	0
203	9	1	1	2	1	0	2	2	0	0	0	0
204	3	0	0	1	1	0	2	0	0	1	0	0
205	2	2	0	0	0	0	0	0	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0
WOONSOCKET	36	9	9	24	8	2	12	13	5	4	0	0
172	0	0	0	0	0	0	0	1	0	0	0	0
173	3	1	1	0	1	0	0	1	1	0	0	0
174	3	2	1	6	0	0	3	1	1	2	0	0
175	4	0	0	1	0	0	1	1	0	0	0	0
176	0	0	0	0	0	0	2	3	1	0	0	0
177	1	0	1	0	0	1	0	0	0	0	0	0
178	2	2	0	2	0	0	0	0	0	0	0	0
179	4	0	1	3	0	1	1	1	0	1	0	0
180	3	1	2	1	0	0	1	2	2	0	0	0
181	4	0	1	2	1	0	0	0	0	0	0	0
182	0	1	0	2	2	0	0	0	0	0	0	0
183	3	2	0	1	2	0	0	1	0	0	0	0
184	6	0	0	5	1	0	2	1	0	0	0	0
185	3	0	2	1	1	0	2	1	0	1	0	0
UNKNOWN	0	0	0	0	0	0	0	0	0	0	0	0

** BETWEEN 1960 AND 1965, CENSUS TRACT 162 WAS DIVIDED BETWEEN TRACTS 161 AND 164.

TABLE 30 - RESIDENT ACCIDENT DEATHS BY TYPE AND AGE: RHODE ISLAND, 1979

TYPE OF ACCIDENT(ICD CODE)	ALL AGES	AGE IN YEARS UNDER 1	1-4	5-14	15-24	25-44	45-64	65-84	85 & OVER
ALL ACCIDENTS(E800-949)	309	3	8	19	84	66	47	64	22
MOTOR VEHICLE ACCIDENTS(810-825)	140	1	2	4	59	35	16	19	4
COLLISION WITH ANOTHER MOTOR VEHICLE(812)	56	0	0	1	24	15	4	8	0
COLLISION WITH PEDESTRIAN(814)	20	0	2	2	3	2	6	10	1
OTHER COLLISION ACCIDENTS(810,811, 813,815)	40	1	0	1	23	5	2	1	3
NON-COLLISION MOTOR VEHICLE ACCIDENTS(816-818)	13	0	0	0	8	2	3	0	0
UNSPECIFIED MOTOR VEHICLE ACCIDENTS(819)	3	0	0	0	1	2	0	0	0
MOTOR VEHICLE NON-TRAFFIC ACCIDENTS (820-825)	2	0	0	0	0	1	1	0	0
WATER TRANSPORT ACCIDENTS(830-838)	11	0	0	0	5	1	4	1	0
AIR AND SPACE TRANSPORT ACCIDENTS (840-845)	1	0	0	0	0	0	1	0	0
POISONING(850-869)	19	0	0	0	4	7	6	1	1
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS(850-858)	11	0	0	0	1	5	3	1	1
BY OTHER SOLIDS, LIQUIDS, GASES, AND VAPORS(860-869)	8	0	0	0	3	2	3	0	0
FALLS(880-888)	53	1	0	0	2	4	7	27	12
FIRES AND FLAMES(890-899)	22	1	3	6	4	3	3	2	0
DROWNING AND SUBMERSION(910)	13	0	2	3	6	2	0	0	0
INHALATION OF FOOD OR OTHER OBJECT (911-912)	12	0	0	0	0	3	2	5	2
ELECTRIC CURRENT(925)	2	0	0	0	0	2	0	0	0
ALL OTHER (RESIDUAL)	36	0	1	2	4	5	8	9	3

Table 31 - Ten Leading Causes of Death by Sex, with Rates: Rhode Island, 1979
(Rhode Island Residents;Rate per 100,000 Population,except Total Rate per 1,000)

Rank Order	Cause of Death (ICD, 1975)	Number	Rate
	BOTH SEXES		
	TOTAL	9,060	9.7
1.	Diseases of the Heart(390-398,402,404-429)	3,798	408.7
2.	Malignant Neoplasms#(140-208)	2,124	228.6
3.	Cerebrovascular Diseases(430-438)	708	76.2
4.	Accidents and Adverse Effects(E800-E949)	309	33.3
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	239	25.7
6.	Diabetes Mellitus(250)	198	21.3
7.	Atherosclerosis(440)	166	17.9
8.	Pneumonia and Influenza(480-487)	149	16.0
9.	Chronic Liver Disease and Cirrhosis(571)	139	15.0
10.	Suicide(E950-E959)	115	12.4
	All Other Causes	1,115	120.0
	MALE		
	TOTAL	4,701	10.3
1.	Diseases of the Heart(390-398,402,404-429)	1,984	435.3
2.	Malignant Neoplasms#(140-208)	1,123	246.4
3.	Cerebrovascular Diseases(430-438)	271	59.5
4.	Accidents and Adverse Effects(E800-E949)	194	42.6
5.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	166	36.4
6.	Chronic Liver Disease and Cirrhosis(571)	91	20.0
7.	Diabetes Mellitus(250)	84	18.4
8.	Penumonia and Influenza(480-487)	82	18.0
9.	Suicide(E950-E959)	81	17.8
10.	Atherosclerosis(440)	68	14.9
	All Other Causes	557	122.2
	FEMALE		
	TOTAL	4,358	9.2
1.	Diseases of the Heart(390-398,402,404-429)	1,814	383.1
2.	Malignant Neoplasms#(140-208)	1,001	211.4
3.	Cerebrovascular Diseases(430-438)	437	92.3
4.	Accidents and Adverse Effects (E800-E949)	115	24.3
5.	Diabetes Mellitus(250)	114	24.1
6.	Atherosclerosis(440)	98	20.7
7.	Chronic Obstructive Pulmonary Diseases and Allied Conditions(490-496)	73	15.4
8.	Pneumonia and Influenza(480-487)	67	14.1
9.	Chronic Liver Disease and Cirrhosis(571)	48	10.1
10.	Nephritis, Nephrotic Syndrome, and Nephrosis(580-589)	40	8.4
	All Other Causes	551	116.4

For complete category title,see International Classification of Diseases,1975.

Table 32-Five Leading Causes of Death in Specified Age Groups: Rhode Island,1979
(Rhode Island Residents; Rates per 100,000 Population for Specified Groups)

Age Group & Rank	Cause of Death(ICD, 1975)	Number	Rate	Per Cent of Total
Under Five Years	ALL CAUSES	183	345.3	100.0
1.	Certain Conditions Originating in the Perinatal Period(760-779)	93	175.5	50.8
2.	Congenital Anomalies(740-759)	42	79.2	23.0
3.	Sudden Infant Death Syndrome(798.0)	11	20.8	6.0
4.	Accidents and Adverse Effects(E800-E949)	11	20.8	6.0
5.	Homicide(E960-E969)	2	3.8	1.1
	All Other Causes	24	45.3	13.1
5-19 Years	ALL CAUSES	102	44.7	99.9
1.	Accidents and Adverse Effects(E800-E949)	64	28.1	62.7
2.	Suicide(E950-E959)	8	3.5	7.8
3.	Malignant Neoplasms*(140-208)	7	3.1	6.9
4.	Homicide(E960-E969)	5	2.2	4.9
5.	Congenital Anomalies(740-759)	3	1.3	2.9
	All Other Causes	15	6.6	14.7
20-44 Years	ALL CAUSES	412	126.0	100.0
1.	Accidents and Adverse Effects(E800-E949)	101	30.9	24.5
2.	Malignant Neoplasms* (140-208)	90	27.5	21.8
3.	Suicide(E950-E959)	60	18.3	14.6
4.	Diseases of Heart(390-398,402,404-429)	48	14.7	11.7
5.	Homicide(E960-E969)	23	7.0	5.6
	All Other Causes	90	27.5	21.8

* For complete category title, see International Classification of Diseases,1975.

Table 32-Five Leading Causes of Death in Specified Age Groups: Rhode Island, 1979 (Rhode Island Residents;Rates per 100,000 Population for Specified Groups)cont'd.

Age Group & Rank	Cause of Death(ICD,1975)	Number	Rate	Per Cent of Total
45-64 Years	ALL CAUSES	1,852	930.7	100.0
1.	Diseases of Heart(390-398,402,404-429)	681	342.2	36.8
1.	Malignant Neoplasms*(140-208)	681	342.2	36.8
3.	Cerebrovascular Diseases(430-438)	78	39.2	4.2
4.	Chronic Liver Disease and Cirrhosis (571)	71	35.7	3.8
5.	Accidents and Adverse Effects(E800-E949)	47	23.6	2.5
	All Other Causes	294	147.7	15.9
65 Years and Over	ALL CAUSES	6,511	5,293.5	100.0
1.	Diseases of Heart(390-398,402,404-429)	3,068	2,494.3	47.1
2.	Malignant Neoplasms*(140-208)	1,345	1,093.5	20.7
3.	Cerebrovascular Diseases(430-438)	622	505.7	9.6
4.	Chronic Obstructive Pulmonary Disease and Allied Conditions (490-496)	198	161.0	3.0
5.	Atherosclerosis(440)	153	124.4	2.3
	All Other Causes	1,125	914.6	17.3

* For complete category title, see International Classification of Diseases,1975

TABLE 33 - NUMBER OF MARRIAGES AND PERSONS MARRIED BY CITY AND TOWN OF RESIDENCE OF BRIDE AND GROOM: RHODE ISLAND 1975

(RHODE ISLAND OCCURRENCES)

MARRIAGES ACCORDING TO RESIDENCE

CITY OR TOWN	PERSONS MARRIED	GROOM	BRIDE
TOTAL	14732	7366	7366
BARRINGTON	173	69	104
BRISTOL	254	118	136
BURRILLVILLE	166	79	87
CENTRAL FALLS	302	136	166
CHARLESTOWN	83	40	43
COVENTRY	380	171	209
CRANSTON	970	433	537
CUMBERLAND	330	146	184
EAST GREENWICH	120	53	67
EAST PROVIDENCE	556	256	300
EXETER	55	30	25
FOSTER	43	20	23
GLOCESTER	92	46	46
HOPKINTON	69	34	35
JAMESTOWN	79	38	41
JOHNSTON	372	168	204
LINCOLN	202	100	102
LITTLE COMPTON	38	18	20
MIDDLETOWN	178	90	88
NARRAGANSETT	213	107	106
NEWPORT	520	245	275
NEW SHOREHAM	18	9	9
NORTH KINGSTOWN	346	175	171
NORTH PROVIDENCE	335	172	163
NORTH SMITHFIELD	101	41	60
PAWTUCKET	1073	523	550
PORTSMOUTH	173	78	95
PROVIDENCE	2269	1150	1119
RICHMOND	54	29	25
SCITUATE	128	60	66
SMITHFIELD	193	86	107
SOUTH KINGSTOWN	259	134	125
TIVERTON	161	68	93
WARREN	130	60	70
WARWICK	1257	613	644
WESTERLY	247	111	136
WEST GREENWICH	43	23	20
WEST WARWICK	496	257	239
WOONSOCKET	594	285	309
OTHER STATES OR FOREIGN PLACES	1618	1055	563

TABLE 34 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE OF BRIDE, AGE OF GROOM, 1975

AGE OF BRIDE IN YEARS	TOTAL	AGE OF GROOM IN YEARS: UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	7366	481	2698	1976	905	444	243	166	147	104	85	114	3
UNDER 20	1279	380	708	137	41	6	4	2	1	0	0	0	0
20-24	3080	89	1725	956	205	76	18	6	5	0	0	0	0
25-29	1503	9	215	687	395	124	48	17	4	0	0	0	0
30-34	644	2	37	151	156	134	67	28	22	4	1	0	0
35-39	283	1	10	34	90	70	54	33	19	10	2	0	0
40-44	162	0	2	8	8	20	30	36	31	14	6	5	0
45-49	128	0	0	1	3	12	18	25	27	23	15	4	0
50-54	96	0	0	0	1	1	4	11	25	28	16	10	0
55-59	61	0	1	0	0	1	1	2	10	16	16	14	0
60-64	57	0	0	0	0	0	1	3	2	7	20	24	0
65 & OVER	72	0	0	0	0	0	0	1	1	2	5	56	3
UNKNOWN	1	0	0	0	0	0	0	0	0	0	0	1	0

TABLE 35 - MARRIAGES OCCURRING IN RHODE ISLAND BY AGE AT MARRIAGE AND PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1975

AGE GROUP IN YEARS	PREVIOUS MARITAL STATUS OF BRIDE					PREVIOUS MARITAL STATUS OF GROOM				
	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN	TOTAL	SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7366	5477	290	1598	1	7366	5316	242	1807	1
UNDER 20	1279	1271	0	8	0	481	481	0	0	0
20-24	3080	2862	6	211	1	2658	2602	1	54	1
25-29	1503	1010	14	479	0	1976	1562	3	411	0
30-34	644	228	20	396	0	905	449	4	452	0
35-39	283	46	23	214	0	444	117	8	319	0
40-44	162	25	18	119	0	243	44	8	191	0
45-49	128	14	34	80	0	166	22	12	132	0
50-54	98	10	37	49	0	147	17	23	107	0
55-59	61	4	34	23	0	104	8	38	58	0
60-64	57	3	42	12	0	85	7	53	25	0
OVER 64	72	4	61	7	0	114	7	69	18	0
UNKNOWN	1	0	1	0	0	3	0	3	0	0

TABLE 36 - NUMBER OF TIMES MARRIED FOR BRIDES BY NUMBER OF TIMES MARRIED FOR GROOMS RHODE ISLAND, 1975 (RHODE ISLAND OCCURRENCES)

NUMBER OF THIS MARRIAGE FOR BRIDE	NUMBER OF THIS MARRIAGE FOR GROOM				
	TOTAL	FIRST	SECOND	THIRD OR MORE	UNKNOWN
TOTAL	7366	5316	1855	194	1
FIRST	5477	4653	778	46	0
SECOND	1657	623	956	118	0
THIRD OR MORE	151	40	121	30	0
UNKNOWN	1	0	0	0	1

TABLE 37 - MARRIAGES OCCURRING IN RHODE ISLAND BY PREVIOUS MARITAL STATUS OF BRIDE AND GROOM, 1975

PREVIOUS MARITAL STATUS OF BRIDE	TOTAL	PREVIOUS MARITAL STATUS OF GROOM			
		SINGLE	WIDOWED	DIVORCED	UNKNOWN
TOTAL	7366	5316	242	1807	1
SINGLE	5477	4653	32	792	0
WIDOWED	290	48	137	105	0
DIVORCED	1598	615	73	910	0
UNKNOWN	1	0	0	0	1

TABLE 38 - MARRIAGES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY BRIDE ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY GROOM: RHODE ISLAND, 1975

LAST GRADE COMPLETED BY BRIDE	TOTAL	LAST GRADE COMPLETED BY GROOM					
			HIGH SCHOOL		COLLEGE		
		8 YEARS OR LESS	1 - 3 YEARS	4TH YEAR	1 - 3 YEARS	4TH YEAR OR MORE	NOT STATED
TOTAL	7366	430	1156	2557	1446	1775	2
8 YEARS OR LESS	307	141	76	62	22	4	0
HIGH SCHOOL							
1 - 3 YEARS	1169	131	480	415	111	28	0
4TH YEAR	2884	133	452	1423	544	332	0
COLLEGE							
1 - 3 YEARS	1620	15	120	476	510	499	0
4TH YEAR OR MORE	1382	9	26	176	259	911	1
NOT STATED	4	1	0	1	0	1	1

TABLE 39 - DIVORCES OCCURRING IN RHODE ISLAND BY AGE OF WIFE, AGE OF HUSBAND, 1979

AGE OF HUSBAND IN YEARS	TOTAL	AGE OF WIFE IN YEARS: UNDER 20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & OVER	UNKNOWN
TOTAL	3603	49	686	850	701	442	321	204	145	65	38	20	18
UNDER 20	8	5	3	0	0	0	0	0	0	0	0	0	0
20-24	405	35	324	41	3	1	0	0	0	0	0	0	1
25-29	845	8	301	465	58	6	2	1	0	0	1	0	1
30-34	766	1	48	253	376	32	8	2	0	0	0	0	2
35-39	516	0	4	55	201	221	21	4	1	2	0	1	2
40-44	374	0	4	14	32	143	149	24	6	1	0	0	1
45-49	259	0	0	7	21	23	103	82	17	3	1	0	2
50-54	209	0	1	0	7	11	28	67	74	18	2	1	0
55-59	119	0	1	0	3	2	6	16	36	36	10	2	1
60-64	55	0	0	2	1	1	1	6	5	17	14	4	0
65 & OVER	35	0	0	0	0	0	1	1	4	8	5	12	0
UNKNOWN	16	0	0	1	1	2	2	1	0	0	1	0	8

TABLE 40 - DIVORCES BY NUMBER OF TIMES MARRIED BEFORE THIS DIVORCE BY SEX: RHODE ISLAND, 1979

(RHODE ISLAND OCCURRENCES)

NUMBER OF HUSBAND'S MARRIAGES	TOTAL DIVORCES	NUMBER OF WIFE'S MARRIAGES: FIRST	SECOND	THIRD	FOURTH OR MORE	UNKNOWN
TOTAL DIVORCES	3603	2877	485	49	8	184
FIRST	2884	2643	215	17	2	3
SECOND	489	217	236	27	5	4
THIRD	45	14	26	4	1	0
FOURTH OR MORE	4	1	2	1	0	0
UNKNOWN	181	2	6	0	0	173

TABLE 41 - DIVORCES BY MARITAL STATUS AND AGE OF HUSBAND AND OF WIFE: RHODE ISLAND, 1979

(RHODE ISLAND OCCURRENCES)

AGE GROUP IN YEARS	HUSBAND				WIFE			
	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN	TOTAL DIVORCES	FIRST MARRIAGE	REMARRIAGE	STATUS UNKNOWN
TOTAL	3003	2004	538	101	3003	2077	546	100
UNDER 20	8	8	0	0	45	46	0	1
20-24	405	357	2	6	606	655	22	6
25-29	645	575	47	15	850	772	66	32
30-34	766	646	56	24	761	566	105	26
35-39	516	381	58	37	442	304	96	40
40-44	374	259	52	27	321	226	75	20
45-49	259	170	65	24	204	122	63	19
50-54	206	132	58	15	145	91	44	14
55-59	115	66	37	12	65	57	20	6
60-64	55	28	21	6	36	19	13	6
OVER 64	35	13	15	3	20	6	13	1
UNKNOWN	16	5	3	4	10	11	2	5

TABLE 42 - NUMBER OF DIVORCES OF REMARRIED PERSONS BY PREVIOUS MARITAL HISTORY: RHODE ISLAND, 1979

(RHODE ISLAND OCCURRENCES)

	HUSBAND	WIFE
TOTAL DIVORCES GRANTED TO REMARRIED PERSONS	538	546
NUMBER OF DIVORCES WITH PREVIOUS MARRIAGES ENDED BY:		
DIVORCE ONLY:	458	459
DEATH ONLY:	50	50
COMBINATION OF DEATH AND DIVORCE:	3	8
UNKNOWN:	27	29

TABLE 43 - NUMBER OF DIVORCES BY COUNTY WITH NUMBER OF CHILDREN UNDER EIGHTEEN KNOWN TO BE AFFECTED

RHODE ISLAND, 1975

(RHODE ISLAND RESIDENCE)

NUMBER OF CHILDREN PER DIVORCE	TOTAL CHILDREN UNDER 18 AFFECTED	NUMBER OF DIVORCES BY COUNTY					
		TOTAL DIVORCES	BRISTOL	KENT	NEWPORT	PROVIDENCE	WASHINGTON
TOTAL	4136	3003	155	634	329	2084	357
NONE	0	963	41	164	72	574	112
ONE	932	932	42	164	102	526	98
TWO	1984	792	38	132	61	454	69
THREE	891	297	7	66	22	187	25
FOUR	484	121	10	27	14	57	13
FIVE	155	31	2	5	3	17	4
SIX	60	10	1	1	0	8	0
SEVEN	14	2	0	0	0	2	0
EIGHT	16	2	0	0	0	2	0
NOT STATED	*	493	16	75	33	237	50

TABLE 44 - DIVORCES ACCORDING TO LAST GRADE OF SCHOOL COMPLETED BY SEX: RHODE ISLAND, 1975

(RHODE ISLAND OCCURRENCES)

LAST GRADE COMPLETED	HUSBAND		WIFE	
	NUMBER	PERCENT	NUMBER	PERCENT
TOTAL	3603	100.0	3603	100.0
8 YEARS OR LESS	314	8.7	184	5.1
HIGH SCHOOL				
1 - 3 YEARS	610	16.9	662	18.4
4 YEARS	1256	34.9	1455	40.5
COLLEGE				
1 - 3 YEARS	479	13.3	491	13.6
4 YEARS OR MORE	492	13.7	334	9.3
NOT STATED	452	12.5	437	12.1